Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.






hrmanSeed Co. SEED GROWERS & MERCHANTS

MAIN STORE, GRATIOT & RANDOLPH STS.) EAST BRANCH, RUSSELL & HIGH STS. WESTBRANCH, 807 MICHIGAN AVE.

Detroit,

PHONE: MICH.
MAIN 4836.

Mich.



CHARLES F. LOHRMAN,

We thank you most sincerely for your kind consideration, good-will and support for the past thirteen years, and assure you that our Company will try to prove even more worthy of your patronage during the coming year.

> Yours very truly, THE LOHRMAN SEED CO.



These new Oats originated in Sweden; from there it was imported into Russia, and the original seed brought from there to this country in 1898 by Prof. Carleton, of the U. S. Dep't of Agriculture. The next year the Wis. Ex. Station secured these oats from Washington, with several other vari-

eties for trial. They have now been grown on the University Plats for five years, under the supervision of Prof. R. A. Moore, and during all that time have been carefully tested and compared with 36 other varieties.

Prof. Moore says: "We have found them the most satisfactory of all varieties tested. On the experimental plats the cats yielded exceptionally well, having a


stiff straw, light hull and weighing 36 to 40 pounds per measured bushel."

Prof. Moore says further: "The Swedish Select Oats seem especially adapted to high, well drained land, and the best known returns are from clay-loam soils. The great root development is one of the characteristics of the Swedish Oats, which enables the plant to resist draught better than any other variety tested. The straw is coarse and is noted for its stiffness and power to withstand lodging."

It Pays to Change the Seed for Your Oats.

June Pink Tomato

Another Great Money Maker in a Distinct Class



Introductory

Our wonderful success in selling Spark's Earliana Tomato, and the actual revolution which that variety wrought it all places where early tomatoes are required, induced us to be on the lookout for a pink variety of tomato, which would take the place of the red Earliana in markets where a pink colored fruit is more in favor. In the "June Pink" tomato we have found what we have been looking for, as it is a true pink strain of Earliana blood.

Description The "June Pink Tomato" in habit of growth is similar to the Earliana. The plant is neat and compact, branching freely, with fruit hanging in clusters of six to ten fruits, both in the crown and at the forks of the branches. Under exactly the same conditions as given Sparks' Earliana and Chalk's Jewel, the "June Pink" yielded as much fruit as either, and the vines after the crop had been harvested were greener and brighter, and **showed no tendency to blight**. It ripens fully as early as the Sparks' Earliana and quite ten days to two weeks ahead of Chalk's Early Jewel.


The fruit is of medium size, uniform, smooth, and attractively shaped, without cracks or any green core. The fruit will average 2¾ to 3 inches in diameter, and from 2 to 2½ inches in depth. The skin is reasonably tough so that it is excellent for shipping

purposes.

In color it is a bright, pleasing pink, and in markets where a pink tomato is desired will bring 25 per cent. more in price than any red variety. It has the further quality, making it especially desirable for private use, of continuing to bear and ripen fruit up until frost.

In offering the "June Pink Tomato" we do so with every confidence that it will at once take the unique position in pink varieties which the Earliana now holds over the whole country in the red sorts.

PRICE PER PACKET, 25 cents.



The Lohrman Seed Co.'s Vegetable Seeds

THE BEST SEEDS THAT CROW

And a List of Varieties it Pays to Grow

ASPARAGUS

One ounce will sow 60 feet of row and produce

about 200 plants 5 pounds per acre.—Beds are usually formed by setting plants one or two years old, which can be procured of us. If you wish to grow plants from the seed yourself, pour hot, but not boiling, water on the seed and let stand until cool; pour it off and repeat two or three times with fresh hot water. Then sow in drills one foot apart and two inches deep in light, rich soil. When the plants are well up thin to about one inch apart and give frequent and thorough cultivation during the summer. If this has been well done, the plants will be fit to set the next spring. If the subsoil is not naturally loose and friable, it should be made so by thoroughly stirring with a subsoil plow or spade. Set the plants about four inches deep and one to two feet apart in rows four to six feet apart. After the plants are well started, give frequent and thorough cultivation. Early the next

PALMETTO ASPARAGUS.

spring spade in a heavy dressing of manure and about one quart of salt and double the quantity of fresh wood ashes to each square rod, and cultivate well as long as the size of the plants will permit or until they begin to die down.

This new asparagus has at-PALMETTO tracted much attention throughout the country. The delicate green color is notably different from the famous Barr's Mammoth, while the stocks are more tender and succulent. Its mammoth size can be realized from the fact that in whole crops a bunch of twelve stocks will average three to four pounds in weight. It requires much less labor in cutting and bunching, thus lessening the expense of marketing. The seed we offer is saved for us from choicest beds, and our roots are grown by us from the same highclass seed.

Palmetto Asparagus Roots—Two years old.

Brussels Sprouts


German, Sprossen Kohl. Produces on the stem small heads resembling miniature cabbages. The sprouts

are used as greens and become tender when touched by the frost. Sow in May and manage as winter cabbage.

DWARF IMPROVED. Compact heads of fine quality.

BEANS DWARF or BUSH
German, Bohnen; French, Haricot.

Sion of sowings can be made from the first week in May until September. These dates are for the latitude of Michigan, further south the sowing must be done earlier, further north later. Plant in drills about two inches deep, and from 18 inches to two feet apart, according to the richness of the soil; the poorer the soil the closer they can be planted. The seeds should be dropped about two inches apart.



BURPEE'S BUSH LIMA BEAN.

COLDEN WAX Very popular; round pods: a well-known standard sort. One of the most delicate and finely flavored, as well as earliest, of the wax Best for market or home garden.

Prolific German Wax—An improved strain of Black Wax, of more vigorous habit and far more productive. Pods waxv yellow, with slightly curled point.

Scarlet Flageolet Wax-Flat, stringless pods of great length and breadth; very productive.

Improved Rust-Proof Golden Wax—An improved strain of Golden Wax with smaller pods .

Challenge Dwarf Black Wax -An extra early strain of the dwarf Black Wax.

WARDWELL'S KIDNEY WAX This variety yields a large crop of long, nearly straight, broad, creamy white, handsome pods. It matures a little later than the Golden Wax. Seed large, kidney-shaped, white, with dark markings about the eye.

DAVIS WAX This is the most hardy and productive wax podded bush bean in cultivation. The pods are invariably long, white, straight and handsome. The vine is rustless and very vigorous, bearing its pods near the center in clusters. Seed kidney-shaped. clear white and excellent for baking.

CREEN PODDED VARIETIES

Early Red Valentine, Improved Round Pod-For snaps there is nothing superior to this variety among the green podded sorts. It is much earlier and is one of the most profitable sorts for private use or market.

REFUCEE, OR THOUSAND TO ONE tender, and largely grown for main

Medium to late; very productive and crop; round pod.

Early Kidney, Six Weeks-Early; the leading market sort; full, flat, green pods.

Giant Stringless Green Pod-The pods are tender, brittle and of finest flavor; always entirely stringless, even when fully matured.

Royal Dwarf Kidney-Excellent either for shelling when green, or baking when ripe.

Large White Marrow-Excellent either for shelling when green, or baking when ripe.

Early Marrow Pea, or Dwarf White Navy - Excellent either for shelling when green, or baking when ripe.

Beans, Dwarf or Bush Lima.

- Henderson's Bush Lima Bean. We place this first among the bush lima beans advisedly, because we are convinced that for the latitude of Michigan it is the most practicable variety to plant, especially by those who depend upon selling the crops. It is at least two to three weeks earlier than the bush forms of the large lima, and never fails to y eld a good crop before killing frosts. Moreover, its earliness brings it on the market so long before the large limas that handsome prices may be realized for it.
- Burpee's Bush Lima Bean. A bush form of the true Large Lima. The plants are uniformly dwarf, but enormously productive, single plants under favorable circumstances yielding from 150 to 350 pods. The pods are as large as those of the Large Lima, and contain from four to six very large flat beans of the best quality. While not quite as early as Henderson's Bush Lima, this is incomparably better in quality, fully equaling in this respect the Large White Lima. Any one who has tried this variety will be desirous of planting it again.

Beans, Pole or Running.

German, Stangennen French, Haricot a Rames.

CULTURE.—One quart to 150 hills, one-half bushel per acre. These are more tender, and require rather more care in culture than the Bush Beans, and should be sown two weeks later. They succeed best in sandy loam, which should be liberally enriched with short manure in the hills, which are formed, according to variety, from three to four feet apart. From four to five seeds are planted n each hill, about two inches deep. As the matured bean is used mostly, the season is .oo short for succession crops in the north, though it is advantageous to plant succession crops in the southern states, where the season of growth is often from March to November. Rough cedar or similar poles about seven or eight feet long should be used for Lima Beans to climb on. They should be set in the ground at least 18 inches, so as to prevent being blown over.

Early Jersey Lima. Ten days earlier in maturing than the large Lima. The best sort for market or private use; the best of all.

Large White Lima. Largely grown and highly esteemed.

King of the Garden Lima. Large in pod and bean.

- **Seibert's Early Lima.** In earliness, ease of shelling, size, beauty and quality of the green beans, this new variety is far in advance of all other sorts, and must come to be recognized as the best of all for either the garden or market.
- Red Speckled Cut Short, or Corn Hill. An old variety, very popular for planting among corn, and it will give a good crop without the use of poles; vines medium, not twining tightly, with dark colored, smooth leaves and white blossoms in small clusters; pods short, cylindrical and tender; beans nearly oblong, cut off diagonally at the ends, white, covered at one end and partially over the whole surface with reddish brown dots.
- Kentucky Wonder or Old Homestead. This variety is ten days earlier than any other green pod pole bean, very productive and stringless.
- London Horticultural or Speckled Cranberry. Showy and excellent, either as a snap or shell bean.

Dutch Case-Knife. Pods long, green and flat; can be either snapped or shelled.

Scarlet Runner. A popular English variety; very ornamental, with scarlet blossoms.

White Runner. Similar to the scarlet, but has white blossoms.

Early Golden Cluster Wax. The best pole wax bean, green or shelled.

BEET

German, Runkelrübe.

French, Betterave.

CULTURE—One ounce to 50 feet of drill, six pounds per acre. The soil which is best suited is that which is rather light and thoroughly enriched with manure. For an early supply,


sow in spring as soon as the ground becomes fit to work, in drills about one foot apart and two inches deep. For main crop, sow the first week in May, and for winter use sow in June.

LOHRMAN'S ECYPTIAN "Extra

Grown." It is the deepest red, almost black in color and is of finer quality than the Egyptian, being sweeter, more tender and smoother. This is the earliest and best bunching beet for market gardeners. Our strain produces the first early beets on the Detroit market.

Extra Early Egyptian—Very early and of dark blood color; rather flat in shape.


Plish green shading to lighter color on outside of the leaves. Roots nearly globular. Flesh dark red, zoned with a small tap root and very small collar. Flesh dark red, zoned with a lighter red, yery sweet, crisp and tender when young.



LOHRMAN'S EGYPTIAN BEET.

Crosby's Egyptian, Select Strain—Far superior to the ordinary stock; is earlier, has larger root and keeps longer.

Early Blood Turnip-Dark red and of fine flavor; productive; good winter keeper.



DETROIT DARK RED BEET.

DETROIT DARK Leaf stems and veins dark red, blade green; roots globular or ovoid; peculiarly smooth; color of skin, dark blood-red; flesh bright red, tender and sweet, and remaining so for a long time.

Turnip Bassano-A very early, light-colored turnip beet.

Half-Long Blood—An excellent halflong second early; good also for winter use.

Long Dark Blood—Long, smooth and very dark red; a late variety. Our strain of this variety cannot be excelled.

Swiss Chard, Silver or Sea Kale Beet—Grown exclusively for its leaves. The middle of the leaf can be used and served like asparagus, the rest of the leaf like spinach.

Mangel Wurzel and Sugar Beet

FOR STOCK FEEDING



MAMMOTH LONG RED MANGEL WURZEL.

CULTURE—One ounce will sow 100 feet drill; six pounds of seeds will sow one acre. The following varieties are extensively grown for feeding stock, and are excellent food to increase the flow of milk. As they grow much larger than the varieties cultivated for table use, they require more room, and should be sown in drills about two feet apart. The seeds should be dropped about two inches apart in the drills, and when strong enough, thin out to twelve or fifteen inches in the row. The long varieties are best suited to deep soil, and the globe sorts succeed better than the long sorts on sandy soil.

We strongly recommend the Mangels and Sugar Beets for feeding to cattle, sheep and hogs, The roots grow to a very large size. These are being grown more largely each season and provide fresh green tood for dairy stock and the

We strongly recommend the Mangels and Sugar Beets for feeding to cattle, sheep and hogs,. The roots grow to a very large size. These are being grown more largely each season, and provide fresh green tood for dairy stock and the fattening of animals during the winter months. They make not only a most valuable increase to the dry rations of animals during the winter months, largely increasing the yield of milk in cows, but also help to promote their health while stabled. Mangels grow to a larger size and will produce a greater bulk of roots per acre than sugar beets, but the latter are richer in quality and of superior feeding value.

Mammoth Long Red The most largely grown of any of the Mangels; producing 30 to 50 tons to the acre; quality superior; the best for deep soil.

Golden Tankard Mangel Wurzel—Best and most popular for dairy farming; a very large, yellowfleshed sort; it contains a large amount of sugar; fine for either cattle or sheep; grows largely above ground, is hardy and a heavy cropper.

Yellow Ovid, or Intermediate Mangel Wurzel
An excellent sort for stock; yellow-fleshed; very
productive, and is sweet and fine-grained; fine
keeper.

Orange Globe Mangel Wurzel—This is the best Yellow Globe in cultivation; heavy yielder and splendid keeper. We highly recommend this strain.

Red Globe Mangel
Wurzel Globe shaped,
red, similar to
Yellow Globe; good sort
for stock; preferred by
many.


French White Sugar, Red Top Grows to a large size, and is useful for making sugar, as well as for stock feeding.

Vilmorin's Improved Imperial Sugar—A much improved strain of the preceding; very valuable as a sugar producing beet.

Lane's Imperial Sugar—A white-fleshed, handsome and very productive strain; harder than French White Sugar; this sort contains a large percentage of sugar.

French Yellow Sugar—Yellow-fleshed, otherwise similar to French White Sugar Beet and used for same purpose.

Klein Wanzleben Sugar Beet This is the variety of Sugar Beet which the chemists of the German Sugar Beet Factories have united in recommending as possessing the highest sugar producing qualities.




FRENCH WHITE SUGAR RED TOP BEET

CABBAGE

CULTURE—One ounce will produce 1,500 plants. The requisites for complete success are: First, good seed. Second, rich, well-prepared ground. Third, frequent and thorough cultivation. A heavy, moist and rich loam is most suitable, which should be highly manured and worked deep. The early sorts should be sown very early in hot-beds, hardened off by gradually exposing them to night air, and transplanted to open ground, setting eighteen to twenty inches apart as early as possible in the spring. The late autumn and winter varieties may be sown from the middle to the last of spring, and transplanted when about six inches high, one and one-half to three feet apart in the row, owing to the size of the variety. Shade and water the late sowings in dry weather to get them up. It is important that the plants should stand thinly in the seed bed, or they will run up weak and slender and be likely to make long stems. make long stems.

FIRST EARLY SORTS

Early Jersey Wakefield—The leading early variety, pointed heads; fine for early market. Charleston, or Large Wakefield-Popular with market gardeners in the South,



LOHRMAN'S EARLIEST ROUND HEAD CABBAGE

SECOND EARLY SORTS

LOHRMAN'S EARLIEST ROUND HEAD It is fully one-third larger than any other early summer cabbage. Detroit gardeners cannot afford to plant any other kind for early market.

HENDERSON'S EARLY SUMMER days later than Jersey Wakefield, and of

Heads large, round and very compact; ten the earliest large heading varieties.

Early Spring-The earliest flat headed variety. Although it does not come to full maturity as early as Jersey Wakefield, it becomes solid enough for use about as early, and is by far the best early sort for markets that demand a large, flat cabbage.

Early Winningstadt—One of the best for either early or late use; it rarely fails to form good, solid heads, even where other varieties fail entirely; heads cone shaped and a good keeper.


Burpee's All Head Early—The largest heading of the second early sorts.

Fottler's Early Drumhead, or Brunswick Short Stem-An early drumhead of large size, following closely the Jersey Wakefield and other very early sorts.

ALL SEASON'S An early Drumhead cabbage, yielding heads of good size. Very desirable either for early or fall use.

Succession—One of the best of cabbages; heads very large and somewhat flat; ten days later than early summer; much prized by gardeners.

CABBAGE—Second Early Sorts—Continued



GREGORY'S DEEP HEAD

CRECORY'S DEEP HEAD Probably the best second early cabbage. Fully as early as Fottler's Brunswick, and makes a deeper, solider head. While largely used for early crops it is fully as much grown by our market gardeners for general and late planting. The plants are medium size and form large, deep, very solid, long-keeping heads of excellent quality. Our stock is especially fine, and will be sure to please all who use it.

LATE, OR AUTUMN AND WINTER SORTS

PREMIUM LATE FLAT DUTCH This standard late cabbage cannot be excelled for autumn and winter use where a large, solid, long-keeping variety is wanted. We have taken great pains to have the seed we offer pure and from stock of unrivalled excellence.

AUTUMN KING Well named, for it is the king of autumn, its large, perfectly formed heads making it sell at sight; a splendid keeper.



HOLLANDER CABBAGE

HOLLANDER Heads medium size, round and very solid, being the hardest heading cabbage known. Matures quite late, and is the best sort to keep over winter. The weight of a trimmed head is fully one half more than of any other variety of a similar size.

Premium Late Drumhead – He⁻ds large, flat and solid and a good keeper; planted for main crop for winter keeping.

Mammoth Rock Red—The largest and surest heading red cabbage; heads as large and solid as Flat Dutch and fine grained.

SAVOY, IMPROVED This is the AMERICAN best of the Savoys for market or family use; heads large, with crisp wrinkled leaves.


Cauliflower

CULTURE—One ounce will sow a bed of 40 square feet and produce 2,000 plants. For spring and early summer crop, sow in March or early in April, in hot-bed, and transplant to cold frame when sufficiently large to haudle. As soon as danger of hard

ciently large to handle. As soon as danger of hard freezing is over set in the open ground in rows two and one-half feet apart and eighteen inches apart in the row. The plants will endure a light frost. The soil for cauliflower should be like that for cabbage, but it is better if made richer than is ordinarily used for that crop. Plenty of good manure must be well incorporated with the soil and the latter be brought into the highest state of tilth. No application however, can be more necessary and more useful than that of cultivator and hoe. For late crop, sow at same time as for late cabbage and treat in same manner. It should be borne in mind that cauliflower will not head up well in hot, dry weather, and hence the sowings need to be so timed as to bring the heads to maturity either before the hot summer weather sets in or not until the cooler weather of the fall. If it receives at this time a liberal supply of water, the size and quality of the heads will be greatly improved. After the head begins to form, draw the leaves over and tie them together to protect it from the sun and to keep it white. The heads should be cut for use while the 'curd' is compact and hard, as they soon become much impaired in quality and appearance after they open and separate into branches. Of the enemies of the crop, none is more formidable than the cabbage root maggot. This seems to have a special liking for the cauliflower. Probably the best and most surely effective protective measure is enveloping each plant with a tight-fitting collar of tarred felt. Plant lice are another serious pest of this crop. Effective remedy is dusting with Hammond's Slug Shot.

EXTRA EARLY SNOWBALL This is undoubtedly the finest variety ever introduced; it is the earliest and produces beauti-

ful snow-white heads of the most delicious flavor. The seed we offer is pure and genuine, and sure to prove satisfactory. If planted March 1st, large heads will be produced early in June, and scarcely a single head will fail to form. Its compact habit renders it a very profitable variety to force under glass, and it does well for late planting.



EXTRA EARLY SNOWBALL CAULIFLOWER

EXTRA EARLY DWARF ERFURT Similar in all respects to Early Snowball, and nearly as early. It will give excellent results either in the home garden or for market use and is superior to most seed sold at higher prices.

EARLY ERFURT One of the best for general cultivation. Heads large, close, compact, and very white.

LARGE ALGIERS A valuable late sort, sure to head, of excellent quality and popular with market gardeners. Plant large, but of upright growth, the leaves protecting the heads so that they will endure uninjured a frost that would ruin most other sorts. One of the very best of the late varieties.

Carrot.

German, Möhre. French, Carotte.

CULTURE.—One ounce will sow 100 feet of drill; three pounds per acre. Carrots require a very finely pulverized soil to grow them to perfection. A good, light and well-enriched sandy loam is the best for this crop. For field culture, sow in drills three to three and one-half feet apart, so as to cultivate by horse. Market-gardeners sow in drills about 18 inches apart, and cultivate by hand. For early crops cover one-half inch deep, and thin to six inches apart in the rows; for late, cover three-quarter inch deep, and thin to four inches.

Early Scarlet Horn. Excellent for forcing or early out door planting; orange in color; blunt root; four inches in length.


Guerande, or Ox Heart. Roots short and very thick, and intermediate between Scarlet Horn and Chantenay; color deep orange; fine grained and sweet; easily dug; annually grows in favor.

Chantenay, Stump Rooted. A stumprooted variety, somewhat resembling the well-known Nantes Carrot, but having a larger shoulder and being much more productive.

Early Half Long Scarlet, Stump Rooted. In size and time of maturity it is between the Early Scarlet Horn and the Long Orange.

Danvers, Half Long. One of the heaviest croppers; roots dark orange color, eight to ten inches in length, thick, and ending in a somewhat abrupt point; first-class for all soils.

Long Orange Improved. One of the most desirable for either field or garden culture. It grows to a large size, fair specimens averaging twelve inches in length, and three inches diameter at the top. All who have cattle should raise a surplus of this carrot for feeding milk cows during winter. It increases the flow of milk and imparts to the butter a delicious flavor and a rich golden color.



Improved Short White. New, for stock feed; the best white carrot, and furnishes the largest yield at the least expense.

Large White Belgian. Roots very large and smooth; grown exclusively for stock feeding.

Root Crops for Feeding Cattle.

Carrot, Sugar Beet, Mangel Wurzel, Turnip and Ruta Baga.

It is surprising how little attention has been given to their culture in this country, particularly when we take into account our long, dry summers, which diminish the yield of the hay and other fodder crops, as well as our long winter feeding season, in which some succulent food, such as roots, is so useful to feed with hay and other dry provender. Every farmer should have a few acres of agricultural root crops on his farm, and he will find them invaluable in feeding his stock during the winter. Many have the idea that it is impossible, or at least difficult, to protect such crops during the winter, but when it is considered that in Canada they are much more largely grown than in the United States, and that they can be "pitted" with safety even in the ,most rigorous winter, it will be readily seen that this idea is erroneous.

CELERY

German, Cellerie. French, Celeri.

CULTURE—One ounce will produce 7,000 plants, two ounces per acre. Sow seeds in hot-bed in February or March, or outdoors in April. As soon as the plants are about three inches high, transplant to a nicely prepared bed in the border, setting them four or five inches apart. When they are eight inches high, and fine, stocky plants,

set them in the trenches. Earth up a little during the summer, keeping the leaf stocks close together, so that the soil cannot get between them. Finish earthing up in autumn, and never hoe or earth up in moist weather, nor when the plants are moistened with dew.

To preserve celery for winter, dig treuches one foot in width and deep as the top of the plants. Stand the celery in these, erect, as they grew, with what dirt adheres to the roots, packing closely, but not crowding. After the trench is filled it should be covered with straw or leaves as a protection from frost. Do not cover until the weather becomes quite cold and then only a little at a time, as the cold becomes greater. Celery will bear a good deal of frost. The trench must have good drainage.

Golden Yellow Large Solid, or Golden Self Blanching Our strain

of this variety is unexcelled and absolutely reliable. This is beyond doubt the best celery for early market use. Plants of a yellowish-green color when young, but as they mature the inner stems and leaves turn a beautiful golden yellow, which adds much to their attractiveness and makes the work of blanching much easier.

EVANS' TRIUMPH This is without

doubt, the most valuable variety of celery for winter and spring use ever introduced, even excelling the cele brated Perfection Hartwell as a late winter keeper. It is also much stouter, thicker and heavier, with double the amount of heart of any known celery. The plant is beautiful in appearance, of close habit and compact growth, and blanches

CELERY-GOLDEN YELLOW OR SELF-BLANCHING


to a beautiful cream white, ribs perfectly solid, crisp, and of a delicious nutty flavor. It is worthy of first place as a late celery, and will keep longer than any other variety.

Perfection Heartwell The best flavored, most crisp and tender of the white varieties. The stalks are medium size, round, very solid, crisp and tender, and of exceedingly fine and nutty flavor, and a fine winter sort.

White Plume
This variety has great merit as an early market sort, requiring no more labor to blanch it than Golden Yellow Large Solid, yet we do not think that it compares with Golden Yellow either in flavor or solidity.

French's Success

A new variety. Splendid long-keeping sort. Extra fine flavor. Late variety of real merit. Healthy, strong grower, stalks very white, crisp, tender and brittle. We recommend it as worthy a first place among late varieties.



LARGE SMOOTH PRAGUE CELERIAC

CELERIAC

Or Turnip-Rooted Celery

German, Knoll-Cellerie. French, Celeri-rave.

CULTURE-Sow the seed at the same season and give the same treatment as common celery. Transplant the young plants to moist, rich soil, in rows two feet apart and six inches apart in the row. Give thorough cul-ture. As the roots are the edible portion of this vegetable, it is not necessary to earth up or "handle" it. After the roots have attained a diameter of two inches or over, they will be fit for use To keep through winter, pack in damp earth or sand and put in the cellar or leave out of doors, covering with earth and straw, like beets or carrots.

Large Smooth Prague An improved form of turniprooted celery, producing large and smooth roots, which are almost round and with very few side roots. Plants vigorous with large deep green foliage.

CULTURE—Sow in early spring in rich, well prepared soil, and when plants are well established, transplant to about one foot apart.

A hardy annual, worthy of more general use for flavoring and garnishing.

The curled variety is even more beautiful than parsley and can be used to great advantage in beautifying dishes of meat and vegetables. The leaves are ready for use in six to

ten weeks from sowing the seed. Curled Greatly superior to the old, plain variety, being earlier, more handsome, and having fully as fine fragrance and flavor.

Chicory


Large-Rooted or Coffee—Our stock is the improved type, with very much larger, smoother, whiter and proportionately shorter roots than the old kind. The dried and prepared roots are used quite extensively as a substitute or adulterant for coffee. Sow the seed as early in the spring as the ground can be prepared, in a rather light, moderately rich soi'.

Thives
An onion-like plant, which by some is highly esteemed for use as a salad, the green stems having a very pleasant onion flavor.

the plant makes an excellent ornamental garden bed edging, which may frequently be cut, a new growth of leaves appearing soon after each cutting. The seed may be sown in rows in place, or in boxes and transplanted. The plants are productive during two or three years, and may then be taken up, divided and reset.

Corn Salad Fetticus or Lamb's Lettuce-This small salad is used during

t he winter and spring months as a substitute for lettuce, and is also



CURLED CRESS



CORN SALAD


cooked and used like spinach. In warm weather the plants will mature in four to six weeks. Sow the seed in shallow drills about one foot apart, during August and September. If the soil is dry, it should be firmly pressed over the seed dry, it should be firmly pressed over the seed in order to secure prompt germination. On the approach of severe cold weather, cover with straw or coarse litter. The plants will also do well if the seed is sown very early in the spring, and, like most salad plants, are greatly improved if sown on very rich soil: greatly improved if sown on very rich soil; indeed, the ground can scarcely be made too rich for them.

Cress

Curled or Pepper Grass This small salad is much

used with lettuce, to the flavor of which its warm, pungent taste makes a most agreeable addition. The seed should be sown in drills about sixteen inches apart, on very rich ground, and the plants well cultivated.

True Water This is quite distinct from the last, and only thrives when its roots and stems are submerged in water,



Corn, Sugar.

German, Belichkorn, French, Mais.

CULTURE.—One quart will plant 200 hills; one peck will plant one acre in hills. Corn requires a good soil and a warm situation. Commence, for first early, by planting the early varieties about May 1, and if a continuous supply is wanted all summer, make plantings about two weeks apart from May 1 until the last of July, first planting early varieties, then later ones. Plant in rows three feet apart, and make the hills about the same distance apart in the rows. Five kernels in the hill are plenty. Cover about one inch deep for early, and a little deeper for late. Thin to three plants in a hill.

Extra Early Cory. A very early variety, with good sized ears and large grains; excellent for market, and has attained wide popularity.

White Cob Cory. A selection from Red Cory, over which it is a great improvement, being equally as early and having white kernels and white cob.

Vcrosby's Early. Very early, productive, ears rather short, and of a rich, sugary flavor.

Early Minnesota. Best early sort, not only for market, but for the private garden. Stalks short and not suckering, bearing one or two ears well covered with husks; ears long, eight rowed; kernels very broad, sweet and tender, not shrinking much in drying.

Shaker's Early. Large ears; excellent quality; fine market sort, follows the Minnesota; much used by canners.

Pee and Kay. A large-eared, fine sort; white grains, tender and sweet.

Mickox Hybrid. Next to Stowell's Evergreen the most popular variety for canning, also prized by market gardeners; earlier than Evergreen.

Vold Colony. Ears sixteen to twenty rowed, grain very deep; fit to use a few days earlier than Evergreen.

∀ Black Mexican. Grains black when ripe, but for the table cooks remarkably white.

√Stowell's Evergreen. The standard for quality, and the best known variety; a "avor ite alike with canners and market men: remains a long time in condition for boiling."

Output

Description:

Output

Description:

Descri

√Good Friday. This variety was brought by Hon. G. V. N Lothrop from Russia. It follows Mammoth White Cory; has good sized ears and is very sweet. Extensively grown by Grosse Pointe French farmers.

CORN

SWEET OR TABLE VARIETIES



MAMMOTH WHITE CORY.

Mammoth White Cory

Claimed by the originator to be the largest and best extra early sweet corn in existence. The grains are in twelve rows, and the ear is symmetrical and handsome, with no openings between the rows at the base. Grains large and white and of remarkably good quality for such an early sort. Excellent for market.

Lohrman's Earlier than Stowell's Evergreen, and makes a large, attractive ear of very white and handsome grain. It


is one of the best varieties for market gardeners' use. By planting it at the same time as Stowell's Evergreen, the season

will be lengthened considerably, as the Giant will be about through by the time Stowell's Evergreen comes in; very prolific, ordinarily every stalk will have two large, fully developed ears.

Ears larger than common Cory, and two or even three to the stalk.



LOHRMAN'S EARLY



STOWELL'S EVERGREEN.

Stowell's Evergreen

The most popular of all. If planted at the same time with earlier kinds, will keep the table supplied till October. It is hardy and productive,

very tender and sugary, remaining a long time in a fresh condition suitable for cooking.

CORN FIELD VARIETIES

ABOUT OUR MICHICAN CROWN SEED CORN

Two Great Questions in FIRST—Will it Grow Satisfactorily? If you plant doubtful seed and it makes only half a Buying Seed Corn stand you are losing big money. No argument is necessary along this line. We take the greatest pains with our corn and intend to make it absolutely certain that all the corn we send out will grow well. Our customers' interests are ours and we want to protect them to the fullest extent.


SECOND-Is the Corn Adapted? It is not enough to know that the corn will grow well Will it mature a good crop is the question. Not enough attention has been paid to this matter in the past. Every buyer of seed corn has a right to know and should insist on knowing just what varieties are best adapted to his section, and, more important still, just where the seed grew he is thinking of buying. Nebraska grown seed of such varieties as Silver Mine, Reid's Yellow Dent and Leaming will not do at all in Michigan. Illinois seed is bad enough; Nebraska is entirely too late. For the corn crop, the nearer you can get to home grown seed, provided you get the largest variety adapted to your latitude, the better. With potatoes, and with most all small grains, seed from other localities, especially from further north, does better than home seed. Not so with corn. Home grown is best.

MICHIGAN YELLOW DENT The yield on the farm of

the originator the past season was at the rate of 220 bushels to the acre, and in the most unfavorable seasons, has never given less than 200 bushels to

the acre of its magnificent ears, borne two to a stalk, ripening in 100 days from planting; grain deep, rich yellow, very heavy, and will sell for highest market prices anywhere; stalks

8 feet, and produce enormously on both light and heavy land.



ety of medium height Ears long, eight rowed, well filled

and small at base. Grain flinty and of fine quality; bright yellow at base of ears, but red at the tips.



EARLY GOLDEN DENT, OR PRIDE OF THE NORTH.

short, twelve to sixteen-rowed and well filled. Grain long and yellow, making an extra quality of meal.



EARLY RED BLAZED, OR SMUT NOSE.

RICE POP CORN A very handsome and prolific variety. Ears short; kernels long, pointed and resemble rice; color white. Probably no variety of Pop Corn is superior to this for parching.

ENSILAGE, or FODDER CORN



EARLY SWEET FOD-DER CORN.-Under this head we offer and dispose of unselected stock we may happen to have of Early Sweet Varieties, such as Minnesota, Cory, Early Early Crosby, etc. makes capital fodder, and will mature ears in any part of Michigan. The stalk is small, but sweet as honey, and nothing can make better feed than this, fed ear and all. Drill 1½ to 2 bu. to the acre, in rows just far enough apart to admit cultivation.

EVERGREEN SWEET FODDER CORN. - There is doubtless better feeding value in one ton of Sweet Fodder Corn than in double the quantity of any other sort. All varieties of sweet possess very much more "sugar" than any feed sort, and, this being the most important constituent, it necessarily follows that the corn holding this in greatest quantity has the greatest net value. Evergreen Fodder grows much taller than the Early Sweet Fod-der. Drill 1½ to 2 bu. to the

CORN FOR FODDER AND ENSILAGE is not grown nearly so much as it should be, and it would pay farmers, instead of growing so much cheap grain, to turn their attention to stock-feeding and dairying, and thereby not only make as much money but improve the fertility of the farm. Corn is, undoubtedly, the best of the plants for the silo, and in these days of sharp competition in the dairy business, no dairy, whether for milk or butter, can be profitably run without an abundance of ensilage, especially when it is made of the combination of Corn and Soja Beans. For though Corn is undoubtedly the most serviceable crop for ensilage, it is deficient in albumenoids or flesh formers, and this deficiency is supplied by the Soja Beans which are exceedingly rich in albumenoids, thereby making a complete balanced ration and a saving in feed bills of hundreds of thousands of dollars annually to the dairymen and stock-feeders of the United States. Every year the testimony becomes stronger that fodder corn should not be sown broadcast. It may be planted in hills, but the largest crops can be raised by planting in rows about three feet apart and thoroughly cultivating. The corn should, if possible, reach the glazing stage, as in that condition it makes a better quality of ensilage.

RED COB ENSILAGE CORN.—This is the best variety for Michigan, it will produce more tons of ensilage per acre than any other sort; it grows from 12 to 15 feet high.

CUCUMBER

- German, Gurke. French, Concumbre. -

CULTURE—One ounce will plant 50 hills; two pounds will plant one acre. For earliest use, sow in the hot-bed or greenhouse in February or March, in warm loam, where the temperature is


about 90 degrees; cover half an inch deep, and when the plants are of fair size, transplant into hills. Plant for general use, in the open ground, about June 1st, in hills six feet apart each way, and thin to three plants in a hill.

Early Short Green, or Early Frame—This variety ought to be ranked among the pickling sorts, as it is first-class for this purpose. Our stock is very superior.

Chicago Pickling—The favorite with Chicago pickle manufacturers; fine shape and very productive.

Boston Pickling—Fruit short, smooth and pointed at each end; color bright green, and a great yielder; one of the best sorts for pickling.


Early White Spine One of the best sorts for table use. Vines vigorous, fruiting early and abundantly; fruit uniformly straight and handsome, light green with a few



EARLY WHITE SPINE CUCUMBER.

white spines; flesh tender and of excellent flavor. In this country this variety is used more than any other for forcing under glass.

Extra Long, or Evergreen White Spine This most excellent new cucumber should be cultivated by every grower. It is a week earlier than other early sorts, more productive, clear, dark, rich,



EXTRA LONG, OR EVERGREEN WHITE SPINE CUCUMBER.

attractive green, and holds its deep green color longer than any other. Desirable size, handsome shape, and all runs uniform. Good shipper, and sells for highest prices. For the home garden, for the market and for shipping it is the best selection.

Bismarck A late variety produc-

ing long, very dark green fruit, pointed at each end; flesh crisp and tender; excellent either for pickles or slic-

ing. One of the best sorts for growing under glass.

Improved Long Green

The standard all-around variety. It makes an excellent fruit for slicing; quality crisp and delicious.

IMPROVED LONG GREEN CUCUMBER.
for pickling, and the larger

The smaller fruits are used for pickling, and the larger ones can be allowed to ripen for preserving.

Egg Plant

about an inch high, pot in two-inch pots. feet apart.

CULTURE—One ounce for 1,000 plants. The Egg Plant will thrive well in any good garden soil, but will repay good treatment. The seeds should be sown in hot-bed in March or April, and when the out about June 1st two and one half

Plant out about June 1st, two and one-half

Improved Large New York Purple—The leading market variety; of large size, skin deep purple, smooth, free of thorns.



LARGE GREEN CURLED ENDIVE

ENDIVE

CULTURE — Endive may be grown at

German, Endivien. French, Chicoree. any season of the year, but is most generally used late in the fall. Sow the seed during June or July, in drills fourteen inches apart, and when well established, thin to one foot apart.

Large Green Curled—A large growing variety, outer leaves bright, dark green.

Ever White Curled—The outer leaves are very light colored, frequently white, so that the plant is very attractive, and always brings the highest price on the market.


Broad Leaved Batavian—If the outer leaves are gathered and tied at the top, the inner ones will blanch and are used for salads.

Kale, or Borecole

Extra Curled German Dwarf Green—Rarely exceeding 18 inches in height, but spreading out under good cultivation to three feet in diameter; leaves beautifully curled and bright green.



German, Kohl-Rabi. French, Chou-Rave. drill; four pounds per acre. This vegetable, the popularity of which is increasing, combines the virtues of the turnip and cabbage, but excels both in nutritive, hardy and productive qualities. The seed may be sown in June, in rows 18 inches apart, and the plants thinned out to eight or ten inches in the rows, or start in hot-bed in February or March.



KOHL-RABI EARLY WHITE VIENNA

Early White Vienna—Short leaf, extra for forcing. Best for general table use; flesh tender and white.

CULTURE - One ounce

will sow 200 feet of



LEEK

German, Lauch. French, Poireau.

CULTURE—One ounce will plant 200 feet of drill; four pounds per acre. The Leek is very hardy and easily cultivated; it succeeds best in a

light, but well enriched soil, Sow as early in spring as practicable, in drills one inch deep and one foot apart. When six or eight inches high they may be transplanted in rows ten inches apart, each way, as deep as possible, that the neck being covered, may be blanched.

Monstrous Carentan—The largest variety, often three inches in diameter, and becoming very white and tender. A hardy and desirable sort.

MONSTROUS CARENTAN LEEK

Lettuce.

German, Lattich. French, Laitue.


CULTURE.—One ounce will sow 120 feet of drill; three pounds per acre. Requires a rich, moist soil and to be crisp and tender needs to be grown in cool weather—For winter use sow in hot-beds every two weeks, at the rate of one ounce of seed to four sashes (a sash is three feet long by six feet wide); cover very lightly, and transplant first to three inches apart each way, afterwards to eight inches—For garden or field, sow in rows, and cover one-fourth of an inch deep, and thin out to 12 inches apart in the rows.

EARLY CURLED VARIETIES.

Detroit Market Gardener's, or Engel's Forcing. The valuable features of this lettuce are: Earliness and Enormous Size, cuttings being made time and again in six weeks after sowing the seed. Long Standing Qualities; by this we mean that it remains longer fresh and unwilted after being cut, than any other lettuce. You cannot afford to sow any other variety for forcing or early outdoor planting.

Grand Rapids. A distinctively forcing and shipping lettuce, beautiful in appearance.

Simpson Early Curled. A leading early sort, good for forcing or open ground.



Simpson's Early Curled

Early Curled Silesia. Early and tender; leaves yellowish-green; good either for the home or market garden.

Black Seeded Simpson. Nearly double the size of Early Curled Simpson; leaves delicate golden yellow; a superior variety either for forcing or sowing out of doors.

HEAD, OR CABBAGE VARIETIES.



LETTUCE. Hanson.

Hanson. Extensively grown by market gardeners, as it is always sure to make large, handsome heads of excellent quality; outer leaves green with light veins, inner leaves white.

Philadelphia Butter. Leaves thick and nearly round, forming very solid, round heads, which stand a long time before seeding; inner leaves rich yellow.

Frankfort Head, or Salamander. Fine compact heads, which resist summer heat admirably; very popular in some sections.

Satisfaction Black Seeded. Forms fine large heads of handsome light-green leaves, that are crisp and tender.

Early Prize Head. Leaves green and red, very thin, crisp and tender; one of the very best for private use.


Buttercup. For forcing or out door use; yellow, solid, medium-sized heads; distinct and attractive.

Deacon. A large, solid, cabbage lettuce for summer. We recommend this variety as superior and one of the very best.

Mammoth Black Seeded Butter. Forms very solid, large, round heads, which stand a long time before seeding, inner leaves rich yellow.

Detroit Market Gardeners' or Engel's Forcing

LETTUCE



No Other Forcing Lettuce will Produce so Great Weight of Heads per Sash so Quickly After Sowing the Seed.

This superb forcing lettuce originated some years ago with Mr. Engel, one of the largest market gardeners in this vicinity. While it has never been advertised or pushed, its evident superiority to the Simpson and other lettuces of like character as a forcing and early out door variety is so marked that every gardener about Detroit who has had it brought to his notice will now have nothing else. The valuable features of this lettuce are: Earliness—cuttings being made time and again in six weeks from the date of sowing the seed; Enormous Size—we saw a crop last spring, grown in frames, six heads of which filled a bushel basket, while with any ordinary care they will not average twelve heads to the bushel; Long Standing Qualities—by this we mean that it will remain long fresh and unwilted after being cut. The great fault of the Simpson lettuce is that it wilts so quickly after being cut, while the Detroit Market Gardeners' has a leaf thick enough to enable it to stand the heat and air for a remarkably long time after cutting. Plants are of the same general style as Simpson's Black Seeded, though grow much larger; leaves very large, bright green, waved at the edge, surface much rilled and blistered, thick and form an enormously large, loose head. Stands heat well; seed white. You cannot afford to sow any other variety for forcing or early outdoor planting for the Detroit market. We are the introducers of this valuable variety.

MELON-Musk

- German, Melone. French, Melon. -

CULTURE—One ounce will plant 80 hills; two pounds per acre. A rich, deep, sandy loam, well worked and highly manured with old, rotten compost is of the first importance.


Plant when all danger of frost is over, in hills five to six feet apart each way; scatter a dozen seeds to a hill, and after they are out of danger from bugs, thin to three or four plants. When they have four or five rough leaves pinch off the end of the main shoot, which will cause the lateral branches to put forth sooner. This will strengthen the growth of the vines, and the fruit will come earlier to maturity.

CREEN FLESHED VARIETIES

Jenny Lind—An extra early, small, green fleshed melon of very fine flavor; round and flattened at the ends.

EXTRA EARLY HACKENSACK


This is the favorite green fleshed melon in Detroit markets. A selection from and an improvement on the old Hackensack, and similar in shape and appearance; nearly as large and fully ten days earlier. One of the finest for market gardeners; quality perfect.



IMPROVED LARGE GREEN NUTMEG MUSK MELON.

NETTED CEM, OR This has become one of the most popular of small or BOCKY FORD basket melons, and is shipped in large quantities from Colorado and Arizona. The fruit is oval, slightly ribbed, densely covered with fine netting. Flesh thick, green, very sweet and high flavored.


Small Green Nutmeg—This variety is in universal demand for both home and market use.



EXTRA EARLY HACKENSACK MUSK MELON.

IMPROVED LARGE GREEN

NUTMEC Vines vigorous, hardy, productive; fruit very large, round, slightly flattened at both ends, ribbed, covered with coarse netting; flesh very thick and of the highest flavor.



NETTED GEM, OR ROCKY FORD MUSK MELON.

Hackensack—Fruit large, round and flattened at the ends, deeply ribbed and heavily netted; flesh thick and of very fine flavor. A fine market variety.

Bay View—Fruit of the largest size, frequently weighing ten to fifteen pounds, long, deeply ribbed and covered with coarse netting; flesh green, thick and of fine flavor. By far the best of the large melons, and so hardy as to be the best for inexperienced cultivators. A late variety.

MELONS-Musk-Continued.



RED OR SALMON FLESHED VARIETIES

OSAGE This is the favorite market melon of Chicago and Detroit and many other western markets, and offered on the bills of fare of first-class hotels and restaurants. It is globe or egg shaped, slightly netted, skin dark green and fiesh orangepink, very thick and of a flavor not surpassed by any in cultivation; as a market melon it is superior to any variety that can be named and the most profitable.

PRINCESS In shape this melon is slightly elongated; skin dark green and densely netted; ribs shallow; flesh deep salmon yellow and not surpassed by any in rich, spicy flavor, and has all the excellent points which go to make a splendid market melon, including size, averaging six to eight pounds.

PAUL ROSE This is a cross between Netted Gem and Osage. The flesh is salmon colored, very deep and of fine melting character.

Emerald Gem—Distinct, very early and prolific; skin ribbed, yet smooth and of a deep emerald green, with a few lighter colored stripes. The flesh is thick and of a suffused salmon color.

LOHRMAN'S MUSK MELON This variety is the result of long continued skill-ful breeding and selection, with the purpose of securing a very large melon of spherical shape, with flesh of fine grain and high quality. The fruit is very large, nearly round, evenly and moderately ribbed, dark green in color, partially covered with gray netting. The flesh is orange-red, very thick, sweet and of fine flavor.


MELON—Water CUI,TURE—One ounce will plant 50 mills: two pounds per acre. Water melons are cultivated in bills.

---German, Wasser-Melone. French, Melon d'Eau.---


CULTURE—One ounce will plant 50 hills; two pounds per acre. Water melons are cultivated in hills, which should be six or eight feet apart each way, and composed of

apart each way, and composed of light, moderately rich soil. The hills should be dug about two feet square, 18 inches deep, and half filled with well rotted manure, which must be thoroughly incorporated with the soil. Plant in May, ten seeds to a hill, and when the plants are well up thin out to three plants. Cultivate until the vines cover the ground, and pinch the ends of the growing shoots to induce early fruiting.

SWEET HEART A very early variety. The fruit is slightly oval in shape. The outer color is very bright and beautifully mottled in light green.



SWEET HEART WATER MELON.



PEERLESS WATER MELON.

PEERLESS, OR The best melons for private gardens and for market gardeners who deliver direct to consumers; hardy, productive; fruit medium size, oval, finely mottled; rind thin; flesh bright scarlet.

KOLB'S GEM Largely grown, particularly in the south, for shipments to northern markets. As a shipping melon it has hardly an equal. The fruit is nearly round; rind dark green, somewhat marbled with lighter shades. Weight, 25 to 50 pounds.

The Volga—It is perfectly round in shape, averaging 15 pounds in weight. The skin is light green in color, slightly mottled, thin and very hard. One of the earliest.

Hungarian Honey—Fruit large, nearly round, dark green, very indistinctly mottled with lighter shade.

CITRON





CITRON.


Mushroom Spawn

German, Champignonbrut. French, Blanc de Champignon.

Mushrooms may be grown in cellars, under benches of greenhouses, or in sheds, wherever the temperature of 50 degrees can be kept up through the winter. The beds should be made from

September to February, according to the time the Mushrooms are wanted, and it requires about two months for them to begin bearing. In gathering or saving manuse for this crop it is not necessary that it should all be of the same age. If it is fresh and has good heating life it will answer, even if some of it is two or three months old.

Preparing the Beds—If the house or cellar is cool and unheated, the bed should be 14 to 16 inches deep. stove, hot water, or steam heat can be used, a depth of 12 inches will answer, but 14 inches is better. In the bottom of the beds place a 6 inch layer of well-moistened hot manure from the ordinary stable pile and trample it firm. In a few days after, when it has cooled off somewhat, fill up the bed with the manure specially prepared for the mushrooms, shaking it on in layers I or 2 inches thick, and trample down firm. If there is a probability of its heating intensely put on only one or two layers a day, strew some loam between them, and raise the manure a little with the fork so that the earth may sift down through it. When the bed is made up, strew a little straw or hay over it to arrest the moisture from the condensed steam. If this is



MUSHROOM BED

not done, the surface of the bed is apt to get rather wet. The straw should be left on until the bed is ready for spawning, after which it should be removed.

Spawning the Beds—The beds should be spawned after the heat in them has fallen below 100° F. The writer considers 90° F. about the best temperature for spawning. If the beds have been covered with hay, straw, litter, or mats, these should be removed. Break each brick into twelve or fifteen pieces. The rows should be, say, I foot apart, the first one being 6 inches from the edge, and the pieces should be 9 inches apart in the row. Commencing with the first row, lift up each piece, raise 2 to 3 inches of the manure with the hand, and into this hole place the piece, covering over tight with the manure. When the entire bed is spawned, pack the surface all over. It is well to cover the beds again with straw, hay or mats to keep the surface equally moist.


cover the beds again with straw, hay or mats to keep the surface equally moist.

Loaming the Beds—At the end of eight or nine days the mulching should be removed and the beds covered with a layer of good loam 2 inches thick, so that the mushrooms can come up in and through it. This gives them a firm hold and to a large extent improves their quality and texture. Any fair loam will do. That from an ordinary field, wayside or garden is generally used, and it answers admirably. For molding the beds the loam should be rather fine, free, and mellow, so that it can be easily

and evenly spread and compacted firmly into the manure.

Temperature—An atmospheric temperature of 55° F. brings fine, solid, short-stemmed mushrooms, and in this temperature the beds bear longer. A temperature of 60° F. is good. It brings the crop in a little earlier than 50° F., but exhausts it sooner. A temperature of 65° F. is too warm. Although mushrooms appear to thrive in it, they are rather thin, drawn, and short-lived. Fifty degrees will do, but the crop in this temperature is slow in bearing. If the temperature in the cellar or mushroom house is apt to run higher than 60° F., some means must be devised for keeping it reduced. Should it fall below 50° F., it must be raised artificially either by covering the beds or by heating the place they are in by hot water, steam, or a stove. Between the time of spawning and the first appearance of the mushrooms, a temperature of 65° or 70° F. may be maintained with beneficial effects in causing the spawn to spread, but after the crop appears the heat should never be allowed to go higher than 55° to 60° F.

If an even atmospheric temperature from 55° to 60° F. can be maintained, and the house or cellar containing the mushroom beds is kept close and free frcm drafts, the beds may be left uncovered and should be watered if they become dry. But no matter where the beds are situated, it is well to lay some loose hay or straw, or some old matting or carpet over them to keep them moist. The covering, however, as before stated, should be removed just as soon as the young mushrooms begin to appear above ground. If the atmosphere is dry, the pathways and walls should be sprinkled with water. The mulching should also be sprinkled, but not enough to cause the water to soak into the bed. However, if the bed should get dry, do not hesitate to water it.




German, Swiebel. French, Oignon.

Culture.—One ounce for 100 feet of dril!; five or six pounds in drills for an acre. For sets, 50 to 60 pounds should be sown to the acre, according to the richness of the soil. The onion thrives best in a rather deep, rich, loamy soil, and, unlike most vegetables, succeeds well when cultivated on the same ground for successive years. The best culture requires that the ground should be deeply trenched and manured the previous autumn, and laid up in ridges during the year to pulverize. As early in the spring as the ground is in working order, commence operations by leveling the ground with a rake, and tread it firmly; sow thinly in drills about one-quarter of an inch deep, and one foot apart; cover with fine soil, and press down with the back of a rake or a light roller. When the young plants are strong enough, thin gradually so that they stand three or four inches apart. Keep the surface of the ground open and free from weeds by frequent hoeing, taking care not to stir the soil too deeply, or to collect it about the growing bulbs.

- **Extra Early Red.** Extra Michigan Grown. A very early and abundant yielder; mild flavored, of medium size and a good keeper; bulbs same shape and color as Red Wethersfield, but two weeks earlier.
- Southport Red Globe. This variety is of medium size, spherical, with small neck, very deep, rich, red color, and of superior quality.
- Large Red Wethersfield. Extra, Michigan Grown. Onion growers who prefer the red varieties will find our Michigan grown seed far surpassing the ordinary Red Wethersfield in size, productiveness and keeping qualities.
- Michigan Yellow Globe. Extra Michigan Grown. The largest crops of onions are always produced on rich, black lands. On such soils it is found that a globe-shaped onion gives the largest returns, and to meet the demands of the professional onion growers located on such lands, we have developed this variety. The bulbs are large and uniformly spherical, with very small necks; of a rich orange-yellow color; enormous seed yielders and splendid keepers. No onion grower can afford to plant inferior seed when such as this can be procured.
- Yellow Globe Danvers. Extra Michigan Grown. It is immeasurably superior to the average seed offered, not only in shape and color but in productiveness. The product of this seed always finds a ready sale, even when the general crop is a "glut" on the market, and will always average 50c per bbl. more than any other strain. This, our special strain, is all grown from selected, hand-picked bulbs, none but those perfect in size and shape being set for seed.
- Yellow Danvers. A very early sort of great merit; one of the best yellow kinds for market.

Notone in the seed business will offer better seed than welhave; and no one will sell as good an article at a lower price; you may rest assured on this point. We take the utmost pains to secure the best that can be grown, and have, by so doing, steadily increased our Onion and seed trade from year to year.

ONIONS—Continued



Prizetaker—The color is a bright straw, and it always grows to a uniform shape, which is nearly a perfect globe Having a small neck, stiff necks are almost unknown. Our seed is the choicest American grown, and not imported Spanish King, as sold by some dealers.

White Globe - Yields abundantly, producing handsome and uniformly globe shaped bulbs. The flesh is firm, fine-grained, and of mild flavor. Sometimes called Southport White Globe.

WHITE PORTUGAL, OR SILVERSKIN

A large, flat, white onion of mild and pleasant flavor, hard and fine-grained and a good keeper. More extensively sown for sets than any other white variety, and is also largely grown for pickling.

QUEEN Particularly valuable for pickles. If sown thickly they will mature perfect, hard onions from one-half to three-quarters of an inch in diameter. A silver-skinned variety, of quick growth and remarkable keeping qualities. If sown in early spring it will produce onions one to two inches in diameter early in summer, and if sown in July will, with favorable weather be ready to pull late in autumn, and be sound and fit for use until the following summer.

SOW OUR ONION SEED

And you will never be disappointed.

THEY will MAKE MONEY GROW

--- From out the earth.

PARSNI

CULTURE - One ounce per 200 feet of drill; three pounds per acre. Sow as early in the spring as the weather will admit, in drills 15 inches apart, covering half an inch deep. When well up, thin out to five or six inches apart in the rows. Unlike

carrots, they are improved by frost, and it is usual to take up in fall a certain quantity for winter use, leaving the rest in the ground till spring, to be dug as required.




Hollow Crown, or Guernsey Roots comparatively short, ending some what abruptly with a small tap root; grows mostly below the surface; has a very smooth, clean skin.

CULTURE—One ounce for 150 feet of drill. Parsley succeeds German, Petersilie. French, Persil. best in rich, mellow soil. As the seed germinates very slowly, it should be sown early in spring. previously soaking the seed for a few hours in tepid water.


Fine Triple Curled

This is a most beautiful and valuable variety.




Champion Moss Moss-like leaves of Curled a handsome bright green color; are finely crimped and curled. For garnishing, no variety is more attractive.

Plain or Single-Plain leaves, excellent flavor.



CHAMPION MOSS CURLED PARSLEY



LARGE BELL, OR BULL NOSE PEPPER

Pepper will produce about 1500 plants. Sow in hot-beds early in April, and transplant to the open ground when the weather is favorable.

CULTURE -One ounce

Red Chili—Red pods two inches long. Very hot.

Long Red Cayenne-The true Cayenne; hot and pungent.

Large Bell, or Bull Nose

It is one of the most popular and desirable sorts. Fruit large, cylindrical, with thick, mild flesh, of excellent quality for use in salads and pickles; color, bright red, when ripe.

Ruby King A large and handsome variety. Under ordinary cultivation they grow 4 to 6 inches long by 3 to 4 inches in diameter; when ripe they are of a beautiful ruby red color, and are always remarkably mild and pleasant to the taste.

PUMPKIN



Photograph of Field of Large Yellow Pumpkins Sent Us by Our Growers of this Variety.

LARGE YELLOW The standard pumpkin. Also called Connecticut Field. Good for either stock or table use. No farmer should fail to plant a good lot of pumpkin seeds with corn.

PIE This is the noted New England Pie Pumpkin. Sweetest of all varieties. It resembles Large Yellow, but is much smaller.

KING OF THE MAMMOTHS

The largest of all pumpkins. The flesh and skin are both bright yellow has been grown to weigh 200 pounds.

Has been grown to weigh 200 pounds.

CHOICE SEED POTATOES



Extra Early Market Potato.

CULTURE.—Eight to 10 bushels to the acre. One peck will plant about 125 hills. Plant in hills or ridges about three feet apart, in light, warm soil covering about four inches deep; but in cold or wet situations, two-and-a-half or three inches will be sufficient. Soil best suited is a sandy loam.

Early Ohio. Now widely known and deservedly one of the most popular sorts. It has the advantage of being fit for use and sale even before fully ripe. A few days earlier than the Early Rose and similar in color and habit of growth. Quality dry and mealy.

Extra Early Market. Is from ten days to two weeks earlier than Early Rose or Beauty of Hebron, while fully one week earlier than the Early Ohio and nearly twice as productive. The potatoes are uniformly of good size, free from rough or scabby tubers; oblong in form, very smooth, eyes set well on the surface, skin creamy white, slightly shaded with pink. The flesh is pure white, remarkably fine grained and always of the best table quality. The tubers grow very compactly in the hill, with strong foliage of dark green. It is a sure cropper, timensely productive, and will undoubtedly become the standard extra early potato.

PEAS.

German, Erbsen. French, Pois.

CULTURE.—One quart for 75 feet of drill; two bushels in drills for an acre. Peas come earliest to maturity in light, rich soil. For general crop, a deep loam or a soil strongly inclining to clay is best.

For early crops decomposed leaves or leaf mold should be used. For general crops a good dressing should be applied; and for the dwarf-growing kinds the soil can hardly be too rich. When grown as a market crop, peas are never staked; for private use they are generally sown in double rows, and the tall varieties stalked up by brush.

Our stock of Peas cannot be excelled either as to earliness, purity or germinating quality. Detroit gardeners have offered green peas grown from our stock several days in advance of any other. Our stocks are of the best. All smooth peas 60 pounds per bushel, all wrinkled peas 56 pounds per bushel, Wrinkled varieties marked thus*.

EXTRA EARLY SORTS.

First and Best. Height two and a-half feet. The best extra early pea ever offered. This variety is unequaled for excellence, yield, size of pod and regularity of growth. It is a prodigious bearer, and ripens up so evenly as not to require more than two

pickings to clear off the crop, and in this last feature and in its extreme earliness consists its great value to market gardeners and

truckers.

Extra Early. Height two and a-half feet. One of the best early peas, largely used by southern gardeners.

Extra Early Kent. Height three feet.

favorite early variety.

Alaska. Height two and a-half feet. earliest blue pea; a fine sort; popular with canneis and market gardeners; ripens uniformly

American Wonder. Height one foot. Extra Dwarf-growing vines, quality superb. A splendid sort for home use.

McLean's Little Gem. Height one and a-This variety is nearly as early American Wonder, and the half feet. vine is decidedly larger and bears an immense crop of pods, which are larger and invariably well filled with peas of the best quality. Market gardeners use more of this sort than any other wrinkled pea.

Premium Gem. Height one and a half feet. A very desirable early dwarf, green, wrinkled variety, When in a green state it is very large, sweet and of delicious flavor.

SECOND EARLY SORTS.

IcLean's Advancer. Height two and a half feet. This pea is used very extensively by the market gardeners in the vicinity of Detroit on account of its great productiveness, the fine appearance of its pods, and its fine flavor.

relephone. Height two feet. Market gardeners have found it a most profitable sort. The vines often bear eighteen to twenty pods per stalk, each containing six or seven large peas,

PEAS, First and Best.

of excellent flavor. Our stock has been most carefully selected and can be relied upon. Shropshire Hero. Height two and a half feet. This valuable, new, second early wrinkled pea is a decided improvement on the old Yorkshire Hero.

Yorkshire Hero. Height two and a-half feet. A splendid, large marrow pea; abundant

bearer, fine quality.

LATE SORTS.

Champion of England. Height five feet. This is yet, by general consent, acknowledged to be the best of the late tall varieties.

Large White Marrowfat. Height five feet. Strong growth; pods large, cylindrical,

rough, light color and well filled.

Large Black Eye Marrowfat. An excellent variety, pods large; a prolific bearer.

nelting Sugar. Height three feet. (Edible Pods.) It should be used in much the same way as a wax bean.

White Field. Field Peas are grown largely for feeding purposes and for turning under as fertilizer. Usually sown broadcast.



The Best Large Podded Pea. This splendid variety of medium early peas is excellent for market gardeners. Height, under high

culture, three feet. Habit, dwarf, stocky, healthy and vigorous, remarkably uniform in height with almost no tendency to spot, very productive, plants frequently bearing from five to seven pods. Season medium. Pods long, frequently five inches in length, broad, straight, rounded or curved at the end, remarkably well filled, often containing ten peas; color pale green; thick and of good lasting quality for market purposes. Seed of large size, tender and of delicious flavor when fit for the table; light green and nuch shrivelled and shrunken when dry.

Bradus, or Prosperity

The Earliest Large Podded Pea. The most attractive novelty of recent years, large, handsome pods, resembling Telephone in size and

shape, well filled with large peas, ripening with the earliest, is certain to be eagerly sought. Ripening very quickly, the pods must be picked as soon as fit for the table. Habit vigorous, very quick to germinate and push to maturity; foliage large, pale green in color; pods long, straight, slightly rounded at the point. Seed large, wrinkled, cream color.

RADISH

German, Rettig, Radies. French, Radis, Rave, Petite Rave.

CULTURE—One ounce will sow 100 feet of drill; twelve pounds per acre. The soil for radishes should be very rich, light and mellow, well broken by digging, and their tender and mild qualities depend much

upon their rapid growth. For very early use sow in gentle hot-beds in February, and in the open air as soon as the ground can be worked, at intervals of ten or twelve days for a succession, as long as they may be wanted. The winter varieties should be sown in August and lifted before severe frost, and stored in the celler.

EARLY ROUND RADISHES



EARLY SCARLET TURNIP, WHITE TIPPED RADISH.

Farly Round Deep An early, round, deep scarlet scarlet-skinned variety; crisp and tender.

Early Scarlet, Turnip Rooted—A well-known early turnip-shaped variety; very quick grower.

Early White, Turnip Rooted—Good for forcing or open ground.

Carly Scarlet Curnip, A handsome, very early White Cipped round sort; skin bright scarlet on top and shading to white on the bottom; crisp and fine; very popular.

Early Scarlet Curnip, White Cipped, Forcing A very beautiful forcing variety; similar in shape and appearance to Scarlet Turnip, White Tipped.




EARLY ROUND DEEP SCARLET RADISH.

Non Plus Ultra, or Early Deep This has as small a top and is as early Scarlet Curnip, Forcing as any variety in cultivation, making it one of the best

for forcing. Roots fit for use may be had in three weeks or less from time of sowing.

French Breakfast Pink color, olive shape, white tipped; popular everywhere.



NON PLUS ULTRA RADISH.

EARLY LONG AND SUMMER RADISHES.

Wood's Early Frame An excellent, long, red radish, not quite so long as the Long Scarlet, with smaller top, and is quite a few days earlier; fine either for forcing or equally as good for open ground.

Long White Vienna, or Lady Finger—Early, of rapid growth and beautiful shape; skin and flesh snow white; very juicy, firm, crisp and tender; the finest of long, white radishes.

Early Long Scarlet, Short Cop, Improved This is a standard variety for private garden or market use. It grows six to seven inches long, half out of the ground; is very brittle and crisp, and of quick growth; color bright scarlet; top small.

Improved Chartier, or Shepherd—A very handsome and attractive variety, tender and crisp and does not become pithy or hollow for a long time after attaining its full growth. Its shape is long, being of a deep crimson at the top and shading off to white at the bottom. Largely used by southern truckers.



RADISH-Early Long and Summer-Contd.



EARLY LONG SCARLET SHORT TOP IMPROVED RADISH

Long Brightest Scarlet, White Tipped—New and distinct. Color vivid scarlet, tipped with snow white.

White Naples—Skin and flesh pure white; mild and pleasant flavored; for summer and fall.

WHITE STRASBURG This grows to the largest size and is usable when quite small, thus covering a long season. The mature roots are four or five inches long and about two inches thick; very white; the flesh is exceedingly crisp and tender. One of the best of the large summer sorts.

Winter Radishes

Winter Radishes are not appreciated and grown by Americans as much as their merit warrants. They are easily grown, have few insect enemies and can be easily preserved through the winter, and there is no vegetable which furnishes a more acceptable relish. While quick growth is not so essential for these as for the earlier sorts, they do best on a rich soil which has been made as fine and friable as possible. Sow late in spring or during the summer in rows two feet apart and thin the plants about four to the foot. They may be pulled as wanted and through the fall and on the approach of severe freezing weather should be harvested, part packed in damp sand and stored in a cool cellar or other easily accessible, cool place for winter use and the

balance buried in the ground as one would bury potatoes for spring use.

SCARLET CHINA Roots cylindrical, or largest at bottom, tapering abruptly to a small tap. Skin very smooth and of a bright rose color; flesh firm, crisp, tender and quite pungent.


California Mammoth White China—First introduced into this country by the Chinese in California. It is pure white, about one foot long and two or three inches through, tape..ng regularly to the tip. The flesh is tender and crisp, keeping well through the winter.

Round Black Spanish—Roots round, sometimes top-shaped, three or four inches in diameter; skin black, flesh white, very compact and highly flavored. An excellent sort for winter, as the roots keep a long time.


HALF LONG BLACK WINTER


An American sort of the same general character as the Long Black Spanish, but by many considered superior to either the Round or the Long Black Spanish. It is intermediate in shape between the two, and seems to combine the good qual ities of each.

Long Black Spanish—One of the latest as well as the hardiest of radishes; an excellent sort for winter use. Roots of medium size, oblong, black, and flesh of firm texture.



WHITE STRASBURG RADISH





SQUASH, Boston Marrow.

SQUASH, Hubbard.

Squash.

German, Rürbis. French, Courge.

CULTURE.-Bush sorts one ounce for 50 hills; bush varieties two pounds, and running varieties three pounds in hills for an acre. Squashes are of luxuriant and vigorous growth, and athough they will grow readily on almost any soil, they will well repay generous treatment. Like all vegetables of this class, it is useless to sow until the weather has become settled and warm. Light soils are best suited for their growth, and it is most economical of manure to prepare hills for the seeds in the ordinary manner by incorporating two or three shovelsful of well-rotted manure with the soil for each hill. For the bush varieties, from three to four feet each way, and for the running sorts from six to eight feet. Eight or ten seeds should be sown in each hill, thinning out after they have attained their rough leaves, leaving three or four of the strongest plants.

SUMMER VARIETIES.

Early White Bush Scallop. A standard summer variety; good either for home or market garden.

Early Yellow Bush Scallop. Same as White Bush excepting color.



SQUASH, White Bush Scallop.


Mammoth White Bush Scallop. The best strain of white scalloped squash in existence. It grows to a large size, and for quality is simply delicious.

Mammoth Summer Crookneck. It is twice as large as the ordinary Summer Crookneck, far more warty and several days earlier. This combination of earliness, large size and wartiness, which adds so much to its attractiveness. makes it altogether the most desirable squash for the market or private garden.


AUTUMN OR WINTER VARIETIES.

Boston Marrow. Fine fall variety, oval, bright orange; flesh yellow and firm; best for pies and also for canning.

Lohrman's Hubbard This is a superior variety, and the best winter squash known; flesh bright orange yellow, fine grained, very dry, sweet and rich flavored; keeps perfectly good throughout the winter; boils or bakes exceedingly dry, and is esteemed by many to be as good baked as the sweet potato. We have taken the utmost pains with this sort and can recommend our stock as, in all probability, the best in the country, and think our customers can plant it with perfect confidence that every fruit will be a pure Hubbard.



Mammoth Summer Crookneck Squash



LOHRMAN'S HUBBARD SQUASH

Leads All Other Strains in Purity and Quality.

SALSIFY Or Oyster Plant
German, Bockshart. French, Salsifis

German, Bockshart. French, Salsifis

inch deep, thinning out the young plants to four or five inches. The roots will be ready for use in October, when a supply should be taken up and stored like carrots.

Those remaining will suffer no injury by being left in the ground till spring.

• MAMMOTH SANDWICH ISLAND We consider this the largest and most profitable salsify in cultivation; roots are

two or three times the size of the ordinary salsify, and of more agreeable flavor. It is pure white in color, and invaluable to market gardeners.



MAMMOTH SANDWICH ISLAND SALSIFY

Has prickly seed.

SPINACE

German, Spinat. French, Espinard.

CULTURE—One ounce for 100 feet of drill; fifteen pounds broad cast per acre. The main crop is sown in Sept-ember. It is sometimes covered up in exposed places with straw during

German, Spinat. French, Espinard. winter, which prevents it from being cut with frost; but in sheltered fields there is no necessity for covering. For Summer use it may be sown at intervals of two or three weeks from April to August.

VICTORIA An excellent sort which forms a very large, exceedingly thick were dealers. ceedingly thick, very dark green leaf, somewhat curled in the centre. It becomes fit for use nearly as early as any, remaining so much longer than most kinds and cannot fail to please, whether grown for the market or in the private garden.

Long Standing—An improved, round seeded strain of excellent quality, coming quickly to maturity and in condition much

longer than most sorts. The leaves are smooth and very dark, rich green. Very popular with market gardeners.



Sunflower

Large Russian—This variety has large heads having much more and larger VICTORIA SPINACH

seed than the common sort. Grows almost invariably to a single unbranched stalk,

Tobacco Seed

Connecticut Seed Leaf-A popular sort. Havana-Finest strain of imported seed.

TOMA

CULTURE—One ounce will produce 1500 plants; two ounces per acre. The tomato is raised from seed, which should be sown in the hot-bed about German, Liebesapfel. French, Tomate. February 20, and continuous sowings made until


April 1, according as the plants are wanted for use. When the plants are about two inches high, transplant to four inches apart; and after three or four weeks, transplant from the hot-bed into a cold-frame, setting the plants eight inches apart each way.

RED VARIETIES

EARLIANA The Earliest Large Iomato in the world. This country remarkable for its earliness but for its very large, uniform size, handsome shape, beautiful bright red color, and wonderful productiveness. The plants are quite hardy, with rather slender open branches and moderate growth well set with fruits, nearly all of which ripen extremely early in the season. The tomatoes are smooth and solid, quite thick through and free from rough ribs and cracks. The flesh is deep red with solid center and small seed cavities.

This new sort is a great favorite with canners. LIVINGSTON'S NEW STONE Vine vigorous and productive. Fruit round, apple shaped, very large, very deep red in color, and astonishingly heavy.

PURPLE FRUITED VARIETIES



LOHRMAN'S ACME

LOHRMAN'S ACME Earliest of the purple fruited sorts. Vines large, hardy and productive, ripening its first fruit almost as early as any, and continuing to bear abundantly until cut off by frost. Fruit in clusters of four or five, invariably round, smooth and of good size, free from cracks and stands shipment remarkably well; flesh solid and of excellent flavor. For market gardeners who want an early purple fruited tomato, either for home, market, or to ship, for private gardens or for canners, it stands without a peer among its class.

ESSEX EARLY HYBRID Very similar to the Acme, fruit slightly darker purple, always smooth and handsome; quality among the best.

ACME One of the most popular and list, giving entire satisfaction. A fav-One of the most popular kinds on our orite everywhere; large, round, smooth, purple tint; one of the best.

The branches are short, making a bushy plant that stands **DWARF CHAMPION** quite erect without stakes. This sort is often sold as Tree Tomato. Color, purplish pink, fairly solid. About as early as any purple tomato.

Livingston's Beauty—Large, smooth, pinkish-red, thick flesh, regular form.


Trucker's Favorite—The largest purple variety, but very late.

MISCELLANEOUS VARIETIES

Peach—Resembles a peach in size and shape; color red; fine for preserves, pickles and for exhibition.

Golden Queen—Yellow, ripens early, is large sized, smooth and solid.

Yellow Plum—Fruit plum shaped, clear deep yellow color, good for preserves.



Turnip.

German, Rübe. French, Navet.

CULTURE.—One ounce will sow 150 feet in drills: one pound per acre. For early use, sow as soon as the ground can be worked in spring, in drills 15 inches apart, and thin to eight inches apart, as soon as plants are large enough to handle. For succession, sow at intervals of ε fortuight until the last week of July, from which time until the end of August sowings will be made for main and late crops. The sowings should always be done just before rain if possible, a rapid growth being important.

WHITE FLESHED SORTS.

- Extra Early White Milan. The earliest turnip in cultivation and a splendid variety; a favorite with gardeners who want first turnips in market. Bulb white, flat, of medium size.
- White Egg. Its shape is nearly oval or egg; flesh very firm and fine-grained, thin and perfectly smooth skin, and both flesh and skin are of snowy whiteness.
- Early White Flat Dutch, Strap Leaf. A flat white sort, very sweet and fine-grained; excellent for garden culture and most beautiful.
- **Red, or Purple Top, Strap Leaved.** The most widely cultivated and best known variety. Used largely for sowing broadcast among corn and potatoes. It is round and flat, white on the bottom and a reddish purple above ground, and a very quick grower. Though used mainly for stock-feeding, it is highly esteemed as one of the finest table varieties.
- **Purple Top White Globe.** An early variety, globe-shaped; heavy cropper; in other respects similar to the Red Top Strap Leaf. A handsome-looking bulb, and is rapidly taking the lead of all other varieties of early turnip for market garden purposes.
- **Large Red Top Norfolk.** A handsome, spherical or slightly flattened root, reddish-purple above ground, with small top. Grown both for table use and stock.
- **Pomeranian White Globe.** A large globe-shaped white variety; in good soil will grow to weigh twelve to fifteen pounds. Used mainly for feeding stock.
- **Cow Horn, or Long White.** Roots carrot shaped, and grows half above ground; flesh is firm, white and sweet, and is a good table variety.
- **Sweet German.** It partakes largely of the nature of the ruta baga, and should be sown a month earlier than the flat turnips. The flesh is white, hard, firm and sweet.

YELLOW FLESHED SORTS.

- Large Amber Globe. Flesh yellow, fine grained and sweet; color of skin yellow.
- Orange Jelly, or Robertson's Golden Ball. Not of large size, but firm, hard, and of most excellent flavor. Keeps well, and is superior as a table variety.
- Purple Top Yellow Aberdeen. Flesh pale yellow, tender and sugary.

Ruta Baga, or Swedish Turnip.



RUTA BAGA-American Purple Top Yellow.

CULTURE.—One ounce will sow 150 feet of drill; one pound per acre. Should be sown from the 20th of June to the middle or July, in drills two feet apart, and thinned out at the first working to ten inches between the plants.

merican Purple Top Yellow, or Long Island. This strain is of American origin, bred to a smaller top and short neck. Bulbs are of great size, yellow fleshed and purple crown.

Improved Purple Top, Yellow. Flesh yellow, of solid texture, sweet and well flavored; shape slightly oblong, terminating abruptly; color deep purple above and bright yellow under the ground. Has but little neck.

Yellow Swede. Shape oblong; dull reddish color above ground, but yellow underneath.

Carter's Imperial Purple Top Flesh yellow. solid, firm, sweet and rich. It is a hardy sort, yields heavily.

Monarch or Tankard. This is a yellow fleshed sort, having very large tankard shaped roots, with relatively small necks and tops. This variety is sold also as Hurst's Monarch and Carter's Elephant.

Sweet Russian, or White. Grows to a very large size; flesh white, solid, of firm texture, sweet and rich; an excellent keeper.

Sweet Herbs.



The leaves are used for flavoring soups, stews, and highly-seasoned dishes.

The leaves are used for flavoring.

Dill. The seeds have an aromatic odor and warm pungent taste. They are used for pickling with cucumbers.

Lavender. An aromatic, medicinal herb.

Marjoram. A perennial plant, but not hardy enough to endure the winter of the North. The young, tender tops are used green for flavoring, or they may be dried for winter Sow in drills as early as possible, and thin out the plants to ten inches apart.

Rosemary. The aromatic leaves are used for seasoning.

Sage. A hardy perennial, cultivated for use as a condiment; it being used more extensively than any other herb for flavoring and dressing. Sow early in spring on very rich ground, cultivate often and thin the plants to sixteen inches apart.

Summer Savory. A hardy annual, the dried stems, leaves and flowers of which are extensively used for flavoring, particularly in dressings and soups. Culture the same as that of Sweet Marjoram.

Thyme. This herb is perennial. The young leaves and tops are used for soups, dressing and sauce. Sow as early as the ground will permit.



TIMOTHY.

WE ARE HEADQUARTERS

FOR HIGH-GRADE RE-CLEANED

GRASS SEED.

TIMOTHY.

This is the most valuable of all the grasses for hay, especially in the North. Thrives North. best on moist loamy soils of medium tenacity. It should be cut just when the blossom falls. Sow early in the spring or fall, at the rate of twelve pounds per acre, if alone, but less if mixed with other grasses. Forty-five pounds per bushel.

RED TOP-FANCY.

RED TOP—FANCY.

In some sections this is called Rhode Island Bent Grass, In Pennsylvania and states farther south it is known as Herd's Grass, a name applied in New England and New York to Timothy. It is a good, permanent grass, standing our climate well, and makes good pasture when fed close. Sow in spring or fall.

Sow in spring or fail.

IKENTUCKY BLUE GRASS.

Sometimes called June, but the true June or Wire Grass is much inferior. The Kentucky Blue Grass is the most nutrious, hardy and valuable of all northern grasses. In Conjunction with white clover it forms a splendid lawn; for this purpose use four bushels of Blue Grass and six pounds of White Clover per acre. If sown by itself for pasture, two bushels will be required; sow early in the spring, or in October or November. Fourteen pounds per bushel. November. Fourteen pounds per bushel.

ORCHARD GRASS.

One of the most valuable grasses on ac-

count of its quick growth and valuable aftermath. It has a tendency to grow in tufts, and does better if sown with clover, and as it ripens at the same time the mixed hay is of the best quality. When sown alone, two bushels are required per acre; if sown with clover, half that amount. It is perennial, and will last for years, but its habit of growth unfits it for lawns. Fourteen pounds per bushel.

PERENNIAL RYE GRASS.

A very valuable variety for permanent pasture. Succeeds well on almost any soil, but is particularly adapted to moderately moist or irrigated lands. It is largely used, mixed with other grasses, for lawns. Sow 30 to 40 pounds per acre, in spring.

HUNGARIAN.

This is a species of annual millet, growing less rank, with smaller stalks, often yielding two or three tons of hay per acre. It is very popular and valuable with those who are clearing timber lands. Sow and cultivate like millet.

COMMON MILLET.

Requires a dry, light, rich soil, and grows two and a half to four feet high, with a fine bulk of stalks and leaves, and is cellent for forage. For hay, sow broadcast, about 25 pound per acre, from May 1st to August 1st.

GERMAN, OR GOLDEN MILLET.

An improved variety, medium early, growing three to five feet high. The heads are closely condensed, though the spikes are very numerous. The seeds are contained in rough, bristly sheaths and are round, golden-yellow and beautiful in ap-

Clover Seeds.

MAMMOTH, OR LARGE RED.

Grows nearly twice the size of the common Red Clover, often making a stand when the other clovers fail. Sow about eight pounds per acre.

MEDIUM RED, OR JUNE.

This is by far the most important of all This is by far the most important of an the varieties for practical purposes. Sow in spring or fall; and if no other grasses are used, at the rate of eight to ten pounds per acre; more is required on old stiff soils than on new and lighter ones.

ALSIKE, OR SWEDISH.

The most hardy of all clovers; perennial.
On rich, moist soils it yields an enormous quantity of hay or pasturage, but its greatest value is for sowing with other clovers and grasses, as it forms a thick bottom and greatly increases the yield of hay. Sow in spring or fall, at the rate of six pounds per acre, when used alone.

CRIMSON TRADECOM ACC.

CRIMSON TREFOIL, OR SCARLET ITALIAN.

An annual variety. The yield in fodder is immense, and after cutting, it at once com-

mences growing again, continuing until severe, cold, freezing weather. It grows about one foot high; leaves long, blossoms long, pointed and of a very deep red, or carmine color. It is sown in August or September in the South, but should not be planted in the North until Spring.

WHITE DUTCH.


A small, creeping perennial variety, valuable for pasturage and for lawns. It accommodates itself to a variety of soils, but prefers moist ground. Sow in spring, at the rate of six pounds per acre, or when used with other grasses, half that amount.

LUCERNE, OR ALFALFA,

It is useless to sow this clover on land having a stiff clay or hard pan sub-soil, as the roots naturally penetrate to a great depth, and must do so if the plants live any time. Sow on rich, moist loam or sandy soil, having a deep porous sub-soil. Pre-pare the land thoroughly and sow seed at the rate of fifteen to twenty-five pounds per

NITRO-CULTURE DOUBLES YOUR CROP

NO TIME. NO LABOR. LITTLE EXPENSE.




Crop of Beans Produced by two plants; one inoculated with Nitro-Culture, the other not inoculated.

Nitro-Culture is a germ, sold in dry packages like a yeast cake. (Dissolve in water as per directions which come with each package.) When seeds are sprinkled with the solution before planting, the germs multiply in the soil very rapidly, and cause nodules to form on the roots of plants. These nodules collect the nitrogen out of the air, and feed the plant roots. *Nitrogen is plant food*, and therefore a tremendous increase in crop is bound to come.

WHAT IS CLAIMED FOR NITRO-CULTURE.

On poor or sandy soil, any leguminous (i, e, pod bearing) crop, such as clover, alfalfa, beans, peas, vetch, etc., can be more than doubled the first year, by merely moistening the seed with a solution of Nitro-Culture bacteria and allowing it to dry on the seeds before planting. Perhaps the greatest benefit may be derived the second year when any crop, such as wheat, corn, oats, potatoes, etc., may be planted without fertilizer, and they will yield double what would other wise be taken from the same land. Many

persons claim that in money value this would be equal to \$20.00 per acre, or that a like amount would have to be expended on phosphates capable of producing equal results.





PRICE LIST.

Nitro-Culture, sufficient to inoculate the following seeds per acre mailed to any address in the United States or Canada at the following prices:

Alfalfaper	acre,	\$2	00
Red Clover		2	00
Crimson Clover	6.6	2	00
Cow Peas	44	2	00
Garden Peas½	acre,	1	00
Field Peas½	4.4	1	00
Wax Beansper	acre,	2	00
Soy Beans	4.6	2	00
String Beans	6.6	2	00

MISCELLANEOUS FARM SEEDS.

BARLEY, Common.

Barley succeeds best on rich lands more sandy and lighter than those adapted to wheat. It is sown in the spring and can be grown farther north than any other grain. Use about two and one-half bushels per acre. 48 lbs. per bu.

BUCKWHEAT, Common.

Buckwheat should be sown about the 20th of June, broadcast, at the rate of about one-half bushel per acre; the average yield being from twenty-five to thirty bushels. It should be threshed as soon as dry, for if allowed to stand in mass, it is apt to spoil. 48 lbs. per bu.

BUCKWHEAT, Silver Hull.

This improved variety is much better than the old sort. It is in bloom longer, matures sooner and yields double the quantity per acre. The husk is thinner,, the corners less prominent and the grain of a beautiful light gray color. 48 lbs. per bu.

BUCKWHEAT, Japanese.

The plants are large and vigorous, maturing seed early and resisting drought and blight remarkably well; the grain is much larger and has a thinner hull than the Common or the Silver Hull. We recommend this especially for well drained or sandy land and the dry climate of the western plains. 48 Lbs. per Bu.

FLAX FOR SOWING.

Sow late enough in the spring to avoid frost and early enough to secure a good stand and enable the crop to ripen before the fall rains. A fair average quantity of seed to be sown on an acre is one-half bushel, when cultivated for seed; if for the fibre a larger quantity should be sown. Cut before quite ripe and if the weather be dry, let it lie in the swath a few hours, when it should be raked and secured from the weather; thresh early in the fall and in dry weather. 56 Lbs. per Bu.

SUGAR CANE, Early Amber.

This variety is successfully grown in our extreme northern latitudes. It may be planted as late as the 15th of June and will be ripe enough to manufacture in September. We know of no earlier variety. It is useless to plant cane seed before the weather is warm in spring. Three to four pounds are required per acre.

SPRING VETCHES, OR TARES.

A pea-like plant grown extensively in England and to a considerable extent in Canada for stock feeding, but not as much used in the United States as it should be. Culture same as field peas. Sow two bushels per acre. 60 Lbs. per Bu.

SAND, WINTER OR HAIRY VETCHES.

A very hardy forage plant growing well on soils so poor and sandy that they will produce but little clover. The plants, when mature, are about forty inches high, and if cut for forage as soon as full grown and before setting seed, they will start up again and furnish even a larger crop than the first. The seed is round and black and should be sown at the rate of one and one-half bushels to the acre. 60 Lbs. per Bu.

WILD RICE.

An annual which sows itself about the middle of September, lies dormant all win-An annual which sows itself about the middle of September, lies dormant all winter, in spring commences to sprout as soon as water gets warm, reaching the surface in the first half of June. It grows very rapidly in one to three feet of water, ripens late in August or early in Septembber. It should be sown broadcast from a boat, in one or two feet of water, and where there is a mud bottom. It succeeds best when planted in the fall before the ice forms, but it has been successfully planted in spring and also through the ice in winter. As an attraction for wild fowl it cannot be equaled.

RYE.

Rye is a valuable crop for either soiling, green fodder, straw or grain. It is largely used by farmers to seed down with in the fall, and is considered preferable to wheat for this purpose, as it protects the young grass and matures two weeks earlier in the summer than wheat.

SPRING RYE.

A variety produced by planting Winter Rye in the spring for several years, and selecting the seed until the type was fixed. It is an excellent "catch-crop" where fall-sown grain has been winter-killed, and also for fodder and grain. 56 Lbs. per Bu.

WINTER RYE.

The variety most commonly cultivated, whether sown for grain, straw or cutting green. $56~\mathrm{Lbs.}$ per Bu.

SPRING WHEAT.

Often, through pressure of other work, the seeding of Winter Wheat is neglected Often, through pressure of other work, the seeding of Winter Wheat is neglected until too late and is either not sown at all or results in failure.

With the two varieties of Spring Wheat here offered, this difficulty can be overcome by Spring sowing.

They are the best of the Spring Wheats, yield well, and the milling quality of the grain surpasses even the best of the winter varieties.

Spring wheat is also a satisfactory crop to sow along with grass seed.

Hard Spring Wheat, best variety for Michigan, 60 Lbs. per Bu.

DWARF ESSEX RAPE

1 to 2 lbs. per acre in drills; 4 to 6 lbs. broadcast.

Dwarf Essex Rape is bemore generally coming sown each succeeding year, and is one of the most easily grown and useful soiling crops we have. A field of Rape coming into use when the pasture is almost barren from continuous feeding and dry weather, is a boon to the farm. For feeding sheep and lambs, preparatory for the market, nothing is better; not only does it fatten quickly, but imparts a quality to the flesh superior to almost any other pasture. It has been estimated that one acre of



Rape, when not preceded by any other crop the same season, will feed from thirty-five to forty lambs for two months, and that the gain in flesh per month was from eight to twelve and one-half pounds on each lamb. Young cattle thrive on it as well as swine. Rape may be sown either in rows or drills and cultivated or sown broadcast. When sown in rows the plant will grow much stronger and more luxuriant in foliage, and will also stand longer feeding, as it is less liable to be tramped down. It may be sown in May, and when it is sufficiently advanced it can be fed off, and then allowed to grow up again, thus giving a second crop the same season; but the usual time for sowing is the last half of June until the end of July, and it has been sown towards the end of August with success. As it will stand late sowing it can be sown after a Rye or Barley crop. The cultivation of Rape should commence as soon as it is well started, and with repeated cultivation until the leaves become too large to work between the rows. Poor soil is often sown with Rape and plowed under as a fertilizing crop, for which purpose few, if any other crop, is better.

COW PEAS

"A valuable and nutritious Green Forage or Hay crop. Enriches poor land; improves good land.

One of the best and most economical ways of improving the soil is the plowing under of a leguminous crop. COW PEAS have been found superior for this purpose, making one of the largest yielding and most nutritious crops known, while as a soil improver they are invaluable. They will grow on any soil that is not wet or cold, and especially on soils medium or light. Like Clover, they absorb Nitrogen from the atmosphere, and the roots, reaching deep into the soil, bring up the necessary Potash, thus making a complete and natural fertilizer. The COW PEA has power greater than any other legume to extract the nitrogen or ammonia from the atmosphere and store same in the vines and roots, so that even if the crop is cut off, the land is enriched and improved by the roots. From 5 to 9 tons of green fodder to the acre have been produced. If planted early in the central corn belt section, a crop can be cut and cured for Hay the same as Clover, then the stubble in a short time will put out a new growth which can be turned under in the Fall, as a fertilizer. Understand they are sown through middle North as late as the first of July, while through the South as late as first of August, sown 1 to 1½ bushels to the acre broadcast."

MIXED COW PEAS—The largest percentage of Cow Pea crop comes to market under name of "mixed," being composed of different varieties which have grown together. They grow thicker and make larger growth of vine than single varieties. Are splendidly adapted for plowing under for soil improving.

CLAYS—Make growth of vine similar to Black Eyes, but little later in maturing. **WHIPPOORWILL COW PEAS**—Are earliest to mature. Is a bunch variety, seed of which is more easily gathered than from vine growing sorts. Are easier to cut for hay as do not tangle so badly when grown in rows about 24 inches apart. Can also be used to plant with Corn or Sorghum.

VALUABLE TABLES.

Quantity of Seed requisite to produce a given number of plants and sow an acre of ground.

Quantity per acre.	Quantity per acre.
	Quantity per acre.
	·

Number of Plants or Trees to the Acre at given distances.

Dis. apart.	No. Plants.	Dis. apart.	No. Plants.
1/2 foot by 1/2 foot		6 feet	
1 foot by 1 foot		7 feet	
2 feet by 2 feet		9 feet	
2½ feet by 2½ feet		10 feet	
3 feet by 1 foot		11 feet	
3 feet by 3 feet		15 feet	
4 feet by 1 foot	10,888	18 feet	134
4 feet by 2 feet		20 feet	
4 feet by 4 feet		30 feet	
5 feet by 5 feet			


Weights of Various Articles.

Applesper bu. 48 lbs.
Apples, driedper bu. 22 lbs.
Barleyper bu. 48 lbs.
Beansper bu. 60 lbs.
Buckwheatper bu. 50 lbs.
Broom Cornper bu. 46 lbs.
Blue Grass, Kentuckyper bu. 14 lbs.
Blue Grass, Englishper bu. 24 lbs.
Branper bu. 20 lbs.
Canary Seedper bu. 60 lbs.
Clover Seedper bu. 60 lbs.
Corn, shelledper bu. 56 lbs.
Corn, on earper bu. 70 lbs.
Corn Mealper bu. 50 lbs.
Flax Seedper bu 56 lbs.
Hemp Seedper bu. 44 lbs.
Hungarian Grass Seedper bu. 50 lbs.
Irish Potatoes, heaping measure.per bu. 60 lbs.
Milletper bu. 50 lbs.
Maltper bu. 34 lbs.

Oatsper bu. 32 lbs.
Osage Orangeper bu. 33 lbs.
Orchard Grassper bu. 14 lbs.
Onionsper bu. 50 lbs.
Onionsper but so rose
Peachesper bu. 48 lbs.
Peasper bu. 60 lbs.
Popcornper bu. 40 lbs.
Rapeper bu. 50 lbs.
Ryeper bu. 56 lbs.
Red Top Seedper bu. 14 lbs.
Salt, coarseper bu. 50 lbs.
Salt, Michiganper bu. 56 lbs.
Sweet Potatoesper bu. 50 lbs.
Timothy Seedper bu. 45 lbs.
Tomatoesper bu. 56 lbs.
Turnipsper bu. 60 lbs.
Wheatper bu. 60 lbs.
Seasoned Beech Wood, per cord5,616 lbs.
Seasoned Hickory, per cord6,960 lbs.
Beasoned Thekery, per conditions, but

Baskets for Gardeners and Fruit Growers.

Standard Baskets.








Common Stave Basket.

We are the largest dealers in Detroit in this line.



BERRY BASKETS.

Standard quart, per 100, per 1000. Short quart, per 100, per 1000.

STANDARD 32-QUART GIFT CRATE.

DIVISION RACKS.

Dozen and per 100.

BERRY PICKING STANDS.

A necessity in the berry fields.

GRAPE, PEACH AND PLUM BASKETS.

WHITE MAPLE.


1/8-bu., 4-qt. or 5-lb. grapes, per doz., per 1000. 1-bu., 5-qt. or 8-lb. grapes, per doz., per 1000. 15-bu., 6-qt. or 10-lb. grapes, per doz., per 1000. The above goods at market price.

DIAMOND BASKETS.

DROP HANDLE-ELM. ¼-bu., per doz.....market price ½-bu., per doz.....market price

STRAWBERRY STANDS OR DRAWERS. CLIMAX FRUIT BASKETS.

4-qt., 5-qt., 6-qt., per doz..... market price ½-bu. stave baskets.....market price 1-bu. stave baskets market price




Picking Stand-A necessity in the berry field.


Call or write for prices on the above goods.

PLANET JR. GARDEN TOOLS


Send for Complete Illustrated Descriptive List of these Invaluable Tools. IT IS FREE.




Planet Jr. No. 2 Seed Drill.



Planet Jr. Double Wheel Hoe.





	Markey Co.		7
	Planet Jr., Firefly Single Wheel Hoe.		
	Planet Jr. Double Wheel Hoe, with 1 pair hoes, 2 prs. cultivator teeth, 1 pr. plows, 1 pair leaf lifters	\$7	00
	Planet Jr. Plain Double Wheel Hoe	4	75
MASSELL SAKTIMOLOUS	Planet Jr. Single Wheel Hoe Cultivator, Rake and Plow	5	00
NEW MODEL SEED DRILL.	Planet Jr. Single Wheel Hoe, with 1 pr. Hoes only	3	50
	Horse Hoe and Cultivator	6	50
	The Weed Slayer	2	00
The New Model Seed Drill, unquestionable	y the Best Drill on the market to-day	7	00
	• • • • • • • • • • • • • • • • • • • •	7	50
	e, Cultivator, Rake and Plow	9	50
	ill use no other	3	00
Gem of the Garden Cultivator		4	50

MISCELLANEOUS ARTICLES.



BUCKET SPRAY PUMP, \$3.00 LEVER TANK PUMP, \$4.50.



SOLID STEEL FLORISTS' TROWEL, 25c. each.



BELLOWS FOR POWDER AND FLUID.

Small Size, 75c. each; Medium Size, \$1.00 each; Large Size, \$1.25 each.

Grafting Wax, package, 15c. Wired Tree Labels. Pot Labels, all sizes. Cane Plant Stakes, 25c. per dozen.

Improved Little Giant Duster.

Dusts Potato Vines as fast as you walk, two rows at a time. &



Keep the working parts well oiled. Before filling the reservoir, see that the gauge connected with the thumbscrew is closed, and kept closed when not in use. To distriband kept closed when not in use. To distrib-ute clear Paris Green or Purple, open slide about the thickness of a sheet of note paper. about the thickness of a sheet of note paper. The quantity discharged should hardly be perceptible. When mixed with flour, lime, etc., about 1-16 to 1/2 inch. If the powder drops into the barrel faster than discharged, the slide is open too far. The material must not be damp, but a dry powder. The gauge shows how far the slots are open, without looking inside.

Any material likely to contain hard

Any material likely to contain hard lumps should first be sifted. Flour is free from lumps and sticks best to foliage.

For dusting two rows of Potatoes at once, attach "Y" or No. 2 nozzle, then to the spreaders if desired. By turning the No. 1 nozzle, rows of any width may be covered.

When the gun is held in an upright position, as in orchard use, keep reservoir well filled and open gauge 1-16 to 1/4 inch.

The nozzle may be turned in any direction so as to blow the powder down, or up under the leaves, or sidewise, as desired.

DISTRIBUTES Paris Green, London Purple, Hellebore, Sulphur, Lime, Dry Bordeaux Mixture, Dry Bordeaux Mixture and Parls Green Compound, Spanish Pink, Pyrethrum Powder, Etc.



PRICE, \$5.50

THIS MACHINE KEEPS THE POISON AT A SAFE DISTANCE FROM THE OPERATOR.

SELF-OPERATING OR AUTOMATIC SPRAYER.

WHAT THE "AUTO-SPRAY" WILL DO.

Eight to ten strokes of plunger in air chamber will compress enough air to discharge the entire contents and make a con-

tinuous spray for nine minutes—This means that the "AUTO-SPRAY" can be charged in fifteen seconds, when it will work uninterruptedly long enough to spray a quarter-acre of potatoes.

The "Auto-Spray" leads all modern spraying im-MONEY SAVER. provements. Less than a week's use will more than

week's use will more than save the cost of a sprayer, figuring a man's time at \$1.00 per day, to say nothing of the saving in material. When in use the "Auto-Spray" is perfectly air and water tight, so that there is no slopping or waste and entirely does away with the heaven of expecting at the same with the away with the horror of expecting at any time to get a splash in the face with some poisonous mixture as is the case in using the old style sprayers.

...DIRECTIONS...

The above cut shows the air chamber and reservoir combined. Fill the reservoir not more than two-thirds full with the solution ready for spraying, insert the air pump at the end of the can, and all is ready for the operation. The sprayer being carried by the shoulder strap leaves both hands of the person operating nothing to do but di-rect the spray. The spray can be made to flow faster or slower by merely turning the cock of the spraying nozzle, and will throw either a cloud-like shower or a solid stream.

FRUIT CROPS DOUBLED

and in many cases increased five fold by spraying is shown by tests at Government Experimental Station, and by individual orchardmen.



ALTER OF THE PRINTER

Auto-Spray No. 3. Galvanized Steel Tank, one gallon size, \$2.00. Auto-Spray No. 3. Brass Tank, one gallon size, \$3.00.

HOW AND WHEN TO SPRAY.

-Canker worm, codling moth, bud moth, scab.
First Application-Spray before buds start, using copper sulphate solution.
Second Application-After the blossoms have formed, but before they open. Bordeaux and Paris green.

Cabbage

deaux and Faris green.

ge-Worms, aphis.

First Application—When worms first appear, kerosene emulsion of Paris green.

Second Application—If worms or aphides are present, repeat if plants are not heading, using emulsion for aphis.

y-Rot, aphis, curculio and slug.

First Application—Before buds start, use copper sulphate solution. For aphis,

Cherry-

kerosene emulsion. Second Application-When fruit has set, Bordeaux and Paris green.

Currant—Worms, mildew.

First Application—As soon as worms are seen, Paris green.

Second Application—If they reappear repeat, adding Bordeaux for mildew.

Second Application—If they reappear repeat, adding Bordeaux for mildew.

Gooseberry—Mildew, worms.
First Application—As leaves open, Bordeaux and Paris green.
Second Application—In 10 to 14 days, repeat with both.

Grape—Flea-beetle, fungous diseases.
First Application—Before buds burst, copper sulphate solution and Paris green.
Second Application—When first leaves are half grown, Bordeaux and Paris green.

Nursery Stock—Fungous diseases.
First Application—When buts burst, Bordeaux.
Second Application—Repeat at intervals

First Application—When buts burst, Bordeaux.
Second Application—Repeat at intervals.

Peach, Apricot—Leafcurl, curculio, mildew and rot.
First Application—Before buds swell, copper sulphate solution.
Second Application—As soon as fruit has set, Bordeaux and Paris green.

Pear—Leaf blight, scab, psylla and codling moth.
First Application—Before buds start, copper sulphate solution.
Second Application—A week after blossoms fall, Bordeaux and Paris green.

Plum—Black knot, rot and all fungous diseases, curculio.

First Application—As buds start copper sulphate solution. Cut out knot, burn.

First Application—As buds start, copper sulphate solution. Cut out knot, burn. Second Application—When fruit has set, Bordeaux and Paris green.

Potato-

Second Application—When fruit has set, Bordeaux and Paris green.

o—Beetles, scab, blight.

First Application—For scab, soak seed in corrosive sublimate solution, 2 oz. in
16 gallons of water for 90 minutes.

Second Application—When beetles or their larvae appear, Paris green, 1 pound
to 200 gals, of water.

e—Leaf and fruit spot, rot.

First Application—Before buds start, copper sulphate solution.

Second Application—When fruit has set, Bordeaux and Paris green.

Quince-

Raspberry, Blackberry—Anthracnose, rust.
First Application—Cut out badly diseased canes. Spray with copper sulphate

solution before growth starts.

Second Application—When new canes are 1 ft. high, spray with Bordeaux mix.

-Mildew, black spot, red spider, aphis.

First Application—Mildew. Keep heating pipes painted with equal parts lime and sulphur, mixed with water to a paste.

Second Application-Black Spot. Spray once a week with weak copper sulphate, Strawberry—Rust.

First Application—Just before blossoms open, Bordeaux and Paris green.

When fruit has set, Bordeaux or weak cop. sul. solut

Second Application—When fruit has set, Bordeaux or weak cop. sul. solution.

Tomato—Rot and blight, worms.
First Application—When first fruits have set, Bordeaux.

Second Application-If disease appears, repeat or use weak cop. sul. solution,

FORMULAS FOR THE AUTO-SPRAY.

The Sprayer, when two-thirds full of Solution, should contain a tablespoon level full of Paris green for potato vines and only about half that amount for use on tree foliage. A solution of greater strength might burn the foliage.

FUNGICIDES.

COPPER SULPHATE SOLUTION.

BORDEAUX MIXTURE.

Copper Sulphate .. 4 lbs.

AMMONIACAL COPPER CARBONATE.


best adapted for greenhouse spraying.

INSECTICIDES.

KEROSENE EMULSION.

PARIS GREEN AND WATER. For insects which eat foliage.

CHOICE HARDY SHRUBS.



THERE is nothing which so quickly, and and for so little cost, adds so much to the beauty, cheerfulness and home-like appearance of a place as an assortment of hardy shrubs. They are permanent improvements which increase in size, value and beauty year after year.

SPECIAL PRICES

Having a Large Stock of Shrubs, we can supply All Sorts

25c Each

\$2.50 Per Doz.

Althea (Rose of Sharon.) The Altheas are among the most valuable of our hardy Shrubs on account of their late season of blooming, which is from August to October, a period during which but few shrubs or trees are in flower. They are extensively used as hedge plants, for which they are admirably adapted.

Deutzia

Pride of Rochester—By far the handsomest variety of Deutzias. It is a very desirable shrub of strong, hardy growth, with nice luxuriant foliage and bearing an abundance of beautiful racemes of double, pure white flowers Must be seen to be appreciated Every one of our customers should have at least one of these.

Flowering Almond

(Double) A beautiful dwarf Shrub, producing its showy double flowers early in May before the leaves appear. We can supply both white and pink.


Forsythia Fortunei Of upright growth, broad, deep green foliage and bright yellow flowers in April.

Hydrangea

Paniculata Grandiflora grandest as well as the most popular of all shrubs, and hundreds of thousands of them are sold every year and the demand is constantly increasing Unsurpassed for the lawn, a hedge, or cemetery planting. It readily attains a height of 5 to 7 feet, hardy in all localities, needs no protection in winter; blooms the first and every season in July and August and continues in bloom for two or three months; the flowers are massive, cone-shape, often measuring ten inches in length, and having a pleasing variation of color, changing from the original pure white to pink, and finally to a beautiful, rich coppery red.


Japan Quince

A very showy and popular Shrub, which blooms profusely in early spring; flowers dazzling scarlet. Makes an excellent hedge.



HYDRANGEA

CHOICE HARDY SHRUBS—Continued.



SPIRÆA

Lilac Persian—A well-known, strong growing shrub, bearing large, fragrant clusters of purple flowers early in spring.

White-Like above but has white flowers, making it more desired by some.

Purple Fringe, or Smoke Tree Alow, shrubby tree, covered in midsummer with large clusters of feathers

flowers, giving the appearance of a cloud of smoke or

Snowball on e of the

choicest hardy Shrubs, with healthy dark foliage; perfect balls of pure white flowers are borne in great profusion; a decided improvement on the old snowball; very desirable.


Spiræa and solve bright

Anthony Water-

crimson; it is of dwarf, dense growth, never exceeding 30 inches in height; in bloom the entire summer and fall.

Van Houttei-The grandest of all the white Spiræas; it is a beautiful ornament for the lawn at any season, but when in flower it is a complete fountain of white bloom, the foliage hardly showing. Clusters of twenty to thirty white florets make up the raceme, and are set close along the drooping stems.

Bridal Wreath—The most popular variety of Spiræa. Of symmetrical growth and bears long graceful sprays of pure white flowers in great profusion. Blooms in May. Perfectly hardy and always satisfactors.



SYRINGIA



WEIGELA

Syringia (Grange). Immense massses

massses of pure white, intensely fragrant flowers in June.

Weigela No shrub in our large collection has attracted more

attention. It is of robust but graceful attention. It is of robust but graceful growth, 5 to 7 feet high and produces immense numbers of superb large trumpet-shaped flowers in June, July, and also some in the fall. Plants frequently have more flowers than leaves. Small plants bloom finely in pots and are elegant for table decorations. Flowers all shedes from white to dark red all shades from white to dark red.

BEST, HARDY GARDEN

R OSES 25c Each \$2.50 Per Doz.

The plants offered are exceptionally heavy two-year old stock, which will under ordinary conditions give a full crop of flowers this season; and while their main crop is produced in June, they frequently produce fine flowers throughout the summer and autumn.

General Jacqueminot Too well known to require lengthy description. It still holds satisfactory to grow. A rich crimson scarlet, simply a mass of bloom when at its best.


Mrs. J. H. Laing A grand, free-blooming hybrid perpetual, with fine flowers of soft, delicate pink, with satin cast.

Ulrich Brunner Splendid upright grower, with bright, healthy foliage. The flowers are good-sized and of fine form, with shell-shaped petals. One of the most abundant bloomers; color, cherry red.

Magna Charta A general favorite, prized on account of its strong, upright growth and bright, healthy foliage, as well as for its magnificent bloom. The color is beautiful bright pink, suffused with carmine.

Glorie Lyonaise White tinted with yellow; large, full and of splendid shape. The nearest approach to a yellow rose of this class.

Moss Roses Acknowledged queen of all roses; moss covered stems and buds show off delicate loveliness of blossom; hardy. Pink, Crimson and White.



Moss Rose

Climbing Roses

For porches and trellises nothing surpasses the climbing roses, especially the ever blooming vari-eties. We recommend the two-year-old dormant plants for immediate effect.

Marechal Neil Still the best climbing yellow ever-blooming rose, and just as popular as ever. The buds and flowers are superb, extra large, very double and sweet-scented; color is deep golden yellow.

Climbing Meteor This rose has gained a world-wide reputation as the finest crimson ever-blooming climbing rose in cultivation. It is a rich, velvety crimson. An extremely strong growing variety, making shoots 12 to 15 feet long in a single season.

Mrs. Robt. Peary (Climbing Kaiserin Augusta Victoria).
A sport from that grand, hardy, ever-blooming rose, Kaiserin Augusta Victoria. It has the same beautiful creamy white flowers, and splendidly shaped buds, and in addition has a strong climbing habit of growth, sending up shoots 10 to 12 feet high.

Rambler Roses


The longer we grow the Rambler Roses the most valuable plant introduction of the age. They are all perfectly hardy and are worthy a place in every garden.

Crimson Recognized as the most beautiful of crimson, climbing roses. Flowers are produced in large pyramidal clusters, 35 to 40 in a cluster, completely covering the plant from the ground to the tips. Nothing is more effective.

White Identical with Crimson Rambler, differing only in color, clear white.

Yellow Similar to Crimson in style of growth, but individual flowers are larger and clusters smaller. Color, light canary yellow.

HARDY VINES.



HARDY CLEMATIS

In making a home, plan for future beauty, comfort and happiness by planting a variety of hardy clematis, ornamental vines, shrubs, and roses, which will constantly grow in beauty and size. Such permanent improvements add greatly to the value of any property, and the value grows from year to year, so that instead of an expense they should be considered a paying investment.

Hardy Clematis

The most popular climbing plant of the day, and is constantly gaining in popularity—and why should it not—as it is hardy, standing our most severe winters with but slight protection, grows rapidly and blooms freely during the entire season.

Jackmanii Most magnificent and showy vine in existence, of strong, healthy growth, perfectly hardy and sure to succeed anywhere. Flowers four to six inches in diameter, of a rich, deep, velvety purple, distinctly veined. It is a prince among all hardy flowering vines. It is especially adapted to open lawns or house fronts in the city or country; blooms the entire season, from July to October, bearing beautiful and lasting flowers. Extra large, three-year-old roots, each.

Henryii This may be briefly described as a white flowered Jackmanii. It is the finest of all white sorts, the same size as Jackmanii. Each

...... **50**c

Paniculata This small-flowered variety of Clematis is one of our most beautiful, hardy, fall-blooming vines. The flowers which are pure snow-white, are produced in immense clusters, fairly covering the plant with a mass of fleecy white. They have a delicious fragrance. The plant is of extreme rapidity of growth. Large, extra strong plants.


Ampelopsis (Boston lvy or Japan lvy). Veitchi The most popular and desirable climbing plant for covering brick, stone

or wooden walls, tiees, etc. After it becomes established at the root it is of very rapid growth, and clings to the smoothest surface with the tenacity of ivy; the foliage is of a rich olive-green during the summer, changing to various shades of bronze, crimson and scarlet in fall. Extra large, strong plants, each.....

Honeysuckle

The sweet scented honeysuckle is well known and popular everywhere. It is one of our finest ornamental hardy climbers.

Chinese Sweet - Scented—A good, healthy grower; a constant bloomer, bearing profusely white and yellow flowers....each, 25c



AMPELOPSIS VEITCHI

SUMMER FLOWERING BULBS.



GLADIOLUS.



CALADIUM.

ELEPHANT'S EAR—Magnificent sub-tropical plants; when planted out in beds or as single specimens on lawns they have a grand appearance.

Small bulbs, 5c. each; 50c. per doz.
Second size bulbs, 10c. each; \$1.00 per doz.
Large bulbs, 15c. each; \$1.50 per doz.

GLADIOLUS.

One of our finest summer-blooming bulbs. The flowers are of many shades of color. Plant at intervals of two weeks during the spring, thus providing a succession of bloom from summer until frost. Of the easiest culture.

Extra fine Hybrids, mixed, 3c. each; 25c. per doz.
Shades of pink mixed, 3c. each; 30c. per doz.
Shades of Red Mixed, 3c. each; 30c. per doz.
Shades of Yellow mixed, 5c. each; 50c. per doz.
White and Light Varieties, 5c. each; 50c. per doz.
Striped and Variegated mixed, 5c. each; 50c. per doz.
Lemoine's Butterfly Varieties mixed, 4c. each; 40c. per doz.

DAHLIAS.

Stately and handsome autumn-blooming flowers, of perfect form and wide range of color. Plant out in spring after danger of frost.

DOUBLE, TALL AND POMPON OR CACTUS.

Pink, Scarlet, White, Yellow, Variegated and Mixed, 15c. each; \$1.50 per doz.

CHOICE FRENCH CANNAS.

A strikingly beautiful effect is presented by their brilliant, immense flower heads. They begin blooming early in June and continue until late in September.

10c. each, 3 for 25c; \$1.00 per doz.

AUSTRIA. 6 feet. Very large flowers and foliage. Flowers canary yellow, spotted with brownish red.

ALPHONSE BOUVIER. 6 feet. Large trusses of vivid crimson flowers.

crimson flowers.

CHARLES HENDERSON. 4 feet. Flowers crimson;

Petals wide and well rounded.

EGANDALE. 4 feet. Bronze leaves. Flowers current

EXPLORATEUR CRAMPBEL. 5 feet. Flowers vermil-

ion scarlet with crimson spots. FLORENCE VAUGHAN. FLORENCE VAUGHAN. 4 feet. Flowers yellow, dotted with bright red. MADAM CROZY. 4 feet. Scarlet 4 feet. Broad green leaves. Scarlet flowers, bordered with

PAUL MARQUANDT. 4 feet. Extra large flowers of

a deep salmon color.

OUEEN CHARLOTTE. 3½ feet. Broad green leaves.

Large, rich scarlet flowers with a wide golden band around each petal.

LILIUM AURATUM.

Extremely fragrant and very beautiful. Flowers white, dotted with crimson, with a golden band running through center of each petal.

15c. each; 2 for 25c.; \$1.50 per doz.

DOUBLE PEARL TUBEROSES.

3c. each; 30c. per doz.

BEGONIAS, TUBEROUS ROOTED.



CALADIUM.

The flowers often measure six inches across and are much more brilliant than the most dazzling geraniums.

Single rose, ow or pink, Colors separate. white, scarlet, yellow or pink, 10c. each, 3 for 25c.; \$1.00 per doz.

PAEONIES.

Rose and Crimson, 15c. each: White, 20c. each.

MADEIRA VINE.

3c. each, 4 for 10c; 30c. doz.



CANNA.

A DESCRIPTIVE LIST OF

Choice Flower Seeds

HE following list of Flower Seeds has been carefully revised, and contains only the leading varieties of acknowledged merit carefully selected and thoroughly tested. Annuals grow from the seed, bloom and perish in one season. Biennials generally bloom the first and second years and then die. Perennials bloom the second year and every year thereafter, some perishing after three or four years, others continue indefinitely. Some perennials, if started early, bloom the first year.

ADONIS AUTUMNALIS A handsome, hardy, herbaceous annual, one foot high. The fine-which are set the intense blood red flowers, gives the plant a very striking appearance, Per pkt., &c

AGERATUM Hait narry aumuan. Height, 6 inches I i bloom the who ole to be the whole be absoled be summer. Easily raised from seed, which should be sown in March, or earlier, in a hot-bed or window, and transferred to the open ground in June.

Agera/um, Imperial Dwarf-Blue......Per pkt., 5c Ageratum, Imperial Dwarf-White.....



One of the sweetest and most useful of summer flowers. It may be used for edgings, rockwork, hanging baskets, etc. Continues bloom the entire season; free-flowering and easily

cultivated. Hardy annual. Sweet-Flowers pure white.......Per pkt., 5c Little Gem—Dwarf, compact habit, three to four inches high, excellent for edging; white flowers...Per pkt., 5c




AMARANTHUS

Ammobium (Everlasting). Valuable for quets in connection with grasses and other everlastings. The flowers are pure white. Hardy annual; two feet high Per Pkt.,

Ampelopsis

Wellchil (Japan, or Boston Ivy)—This plant will cling and with a mantle of ivy-like green leaves whose colors change to brilliant hues in the fall. It makes but feeble growth the first year from seed, but when once established grows very vigorously and rapidly. Hardy perennial, Pkt., 10c



SWEET ALYSSUM

This graceful climb-

Asparagus Sprengeri The fronds frequently grow 4 feet long, and are now considered indispensable in all fine decorations; grows readily from

Asperula A profuse-flowering plant, with deliciously sweet scented bright azure blue flowers, and elegant foliage. Hardy annual.

Odorata (Woodroof).-Very fragrant.....

Hardy annual. It is unnecessary to dwell on the great beauty of these popular favorites, as they are appreciated by everyone. Our seed is the very finest it is possible to procure We recommend our friends to plant a number of varieties, as no other annuals give so magnificent a display during the late summer and fall months. The seed may be planted out of doors as soon as the ground is warm and dry, and at intervals till the first of July. The more costly seed may be sown in boxes kept in the house or a hot-bed, but given plenty of air and light and the rouse plants cost in the costs grantle access the section to the section of the section to the section of the sectio

light, and the young plants set in the open ground as soon as the weather is favorable.

EARLY FLOWERING VARIETIES



SEMPLE'S BRANCHING ASTERS

Queen of the Market The earlering first-class Aster, coming into flower in July or fully three weeks in advance of the general run; of branching habit; flowers of good size and borne on long stems, making them exceedingly valuable for cutting; ex-cellent for growing under glass; I foot.

Rose	Per Pkt.
Flesh Color	4.6
White	4.4
Scarlet	4.6
Light Blue	6.6
Dark Blue	4.6
Mixed, all colors	6.6
Dwarf Chrysanthemum-Plant abou	t twelve
inches high, bearing flowers w	hich are
often three inches in diameter a	nd verv
bright in color. Mixed colors	Pkť.

Victoria A strain in which the petals curve outward, overlapping like those of the double dahlia. Plants about eighteen inches high and very free-flowering; flowers very brilliant in color. Good for pot culture.

<i>Crimson</i> Per	Pkt.	10c
Peach Blossom	6.6	10c
Violet	6 .	1fc
White, pure	64	10c
Mixed Colors	4.6	10 c

Truffaut's Perfection Paeony Flowered The plants are about eighteen inches high and produce very large, perfectly formed and brilliantly colored flowers with petals curving upward and inward, forming blooms of great beauty. The different colors come quite true to name.

WhitePe	r Pkt.	1 0 c	CrimsonPer	Pkt.	10c
Light Blue	66	10c	Scarlet	4.6	10c
Rose	4.4	10c	Mixed, all colors	4.4	10 c

Ostrich Plume This magnificent class bears some resemblance to the Comet, differing in the candelabra form of growth and greater freedom of bloom, but its greatest merit is in the flowers, which are of immense size; made up of much longer, more loosely formed petals, equaling the best Japanese Chrysanthemums; blooms in August.

Pure WhitePer Pkt.	10 c	Lavender Per Pkt.	10c
Salmon Rose	10c	Mixed, all colors	5 c

TALL LATE FLOWERING VARIETIES

Comet In this class the petals are very long and recurved, having much the effect of the finest chrysanthemums. They are of varied and beautiful colors, and one of the most popular sorts, continuing in blcom till quite late in the season.

PinkPer Pkt.	10c	LavenderPer Pkt.	10c
White	10c	Mixed, all colors	10c

Semple's Branching A class of very strong growing asters not coming into bloom until very late, but producing flowers large, double, perfect in form, and borne on long stems.

CrimsonPe	r Pkt.	10 c	Dark PurplePer P.	kt 1	0c
Lavender	6.6	10c	Flesh Plnk	1	0 c
Light Blue	6.6	10c	White	1	0c
Plak	6.6	10c	Semple's Mixed "		5 c

(Lady Slipper, or Touch-Me-Not). One of the oldest and best known summer-blooming annuals, of easy culture, producing the most striking flowers in abundance. Desirable for garden or pot culture, ichest and best quality. Set them about 15 inches apart, and give them BALSA The soil should be of the richest and best quality. plenty of manure-water. Tender annuals; 2 feet.

> improved form it is one of the most attractive of garden flowers If seed is sown as soon as



the ground is fit in the spring BACHELOR'S BUTTON and the flowers picked so as to prevent the plant exhausting itself by seeding, it will furnish a profusion of bright blue, white, or pink flowers, from July till late in autumn. One to two feet high.

Emperor William, Dark Blue......Pkt. 5c Double Choice Mixed (Bachelor's Button.) Produces larger, more globular flowers than the common variety......Pkt.

Begonias Tuberous=Rooted

decoration or window gardening, blooming the first season from seed, if sown in February or March, in a temperature of 60 degrees. To secure the best of results they should be planted out as soon as the ground becomes warm. They are covered the whole summer with bright and elegant flowers.

Choice Double Dwarf Mixed Per Pkt. 5c Double Pure White, well adapted for florists, for bou-

quets; very double......Per Pkt. Mixed Double Rose, has perfectly double, rose-like blossoms of almost every shade and color......Pkt. 5c

BALLOON VINE A rapid ing an climber. A rapid-growannual ceeds best in light soil and warm situation; flowers

white; seed vessels look like miniature ballons; Pkt. 5c Bachelor's Button

Corn Flower. This is the flower seen in such great abundance in the fields of Europe, and to a less extent in this country; in its




TUBEROUS-ROOTED BEGONIA

Hybrida Grandiflora, Mixed. Large flowering beautiful, rich, self-colored flowers; saved

Double. Extra choice mixedPkt. 25c

CALCEOLARIA An ornamental plant, producing a mass of beautiful pocket-like flowers early in the spring, and a universal favorite for decorating the greenhouse or conservatory. Our strains have been grown especially for us, and can be relied upon to produce nothing but flowers of the largest size and most brilliant coloring.



CALLIOPSIS TINCTORIA

from a choice collection; 20 inches..... Pkt., 25c


Calliopsis, or Coreopsis
plants, producing in great profusion and for a
long time flowers which are bright yellow and
rich brown, either self colored or with these colors and red contrasted.

Coreopsis Tinctoria. Although a native plant, is one of the most desirable of our garden flowers. It produces an abundance of brillflowers. It produces an abundance of brilliantly colored flowers, varying from a clear yellow to deep, rich brown, often the two colors being beautifully contrasted in the same blossom. They are borne on long, graceful stems and are very desirable for decorative purposes. Very hardy and profuse blooming annual. Fine Mixed...Pkt. 5c

Lanceolata Grandiflora, a hardy perennial, blooming the first year and producing on long stems a constant succession of very rich (yellow flowers, about three inches in diameter; exceedingly valuable for decorative

CANDYTUF

Universally known and cultivated, and considered indispensable for cutting All the varieties look best in beds or masses. Seed sown in autumn produces flowers early in spring; when sown in April, flowers from July till frost comes. Hardy and easy to cultivate. Single plants transplanted look well and bloom profusely. Hardy annual.



CANDYTHET

Giant White Hyacinth Flowered—Improved strain. The flower heads are of immense size, 6 inches long and about 3 inches across, resembling a Dutch Hyacinth. They are pure white, and furnish excellent material for cut-	
ting Per pkt.,	10
Glant White Empress—Large trusses of pure white flowers, fine florist's variety. Per pkt.,	
Odorata-Pure white, sweet-scented flowers; pinnated	
foliage; I foot highPer pkt.,	
Rose Carmine "	5
Dark Purple "	5
Finest Mixed—All colors "	5

Canterbury Bell

(Campanula Medium). Handsome, hardy, biennial of stately growth, rich color and profuse bloom. Succeeds best in light, rich soil, and should be transplanted or thinned to eighteen inches or two feet apart. Has large, bell-shaped flowers which are strikingly effective. Height, one to four feet. One of the wild forms of Campanula is the "Blue Bells of Scotland."

Double	<i>White</i> Per	pkt.,	10 c
Double	Blue	4.6	10 c
Double	Mixed	4.5	5 c
Single	Mixed	6.6	5 c

Canary Bird Flower little, canary colored blossoms.

A beautiful climber with curiously shaped, little canary colored blossoms. Will blossom freely from July till killed by frost.Per pkt., 5c

Dwarf, Large Flowering French. Unquestionably the finest of bedding plants for the American climate. Soak the seeds in warm water until they show evidence of swelling, then sow in sandy loam, and place in a hot-bed; when up to the second leaf, pot off singly and keep under glass until the proper season for planting out. Finest Large Flowering, Mixed-Three feet high.....

Carnations ARNATION aregeneral favorites for their delicious fragrance and richness of colors. They are indispensable, both for greenhouse culture in

winter and for the garden in summer. I ite type are the best for summer flowering. The Marguer-

Choice Double Mixed-Best for garden culture.....Pkt., 10c

Double Red Grenadin-Plants a little smaller and less erect than the White Grenadin but come into bloom a little earlier and are fully as floriferous. Flowers double, fragrant and of rich, deep red color Per pkt., 25c Double White Grenadin

Marguerite Carnations These are deservedly the most popular Carnations with the amateur, as they begin flowering in a few weeks from time of sowing. The strain offered is of semi-dwarf, robust habit, requiring no artificial support and producing on long strong ing no artificial support, and producing on long, strong stems an abundance of large, double, beautifully fringed

highly-scented flowers. Deep Crimson. Per pkt., 10c Firey Scarlet .. Per pkt., 10c Sulphur Yellow " 10c Striped 10c Bright Rose .. . 10c Pure White 10c Mixed - All colors. " **5**c



Giant Marguerite Carnation An improved strain, producing flowers of immense size, frequently measuring 2½ to 3 inches across. Strong, vigorous growers, and wonderfully free-flowering; mixed colors, Per pkt, 10c

CASTOR BEAN (Ricinus) Tall majestic plants for lawns, with leaves of glossy green, bue and long spikes of scarlet or of green, prickly fruit. Of very quick growth in rich soil. Tender annual, six to fifteen feet high.



Zanzibariensis, a comparatively new species of wonderfully vigorous growth. Plant grows from ten to fifteen feet high. Leaves have a brilliant lustre, measure about thirty inches across, and in different plants range from bright green with green stems to deep bronze with dark red stems. Mixed varieties......Per pkt.,

CENTAUREA

VARIETIES CULTIVATED FOR THEIR FOLIAGE

Candidissima—Ornamental plants of great beauty; foliage deeply cut, silvery white and densely covered with white hairs. Half hardy perennialPer pkt., 10e

CASTOR BEAN (RICINUS)

CHRYSANTHEMUMS ANNUAL VARIETIES.

Showy and effective garden favorites, extensively grown for cut flowers. The hardy annuals are summer-flowering border plants, and quite distinct from the autumn-flowering varieties.

Carlnatum Burridgeanum, crimson, white center; single Per pkt. 5c

Coronarium, double white..... **5**c Coronarium, double yellow, very attractive, rich golden yellow flowers abundantly produced 50

Mixed, Carinatum and Coronarium varieties......

CINERARIA

A well-known greenhouse plant, having a range and brightness of color scarcely surpassed. It may be had in bloom through the greater part of the year. Seed should be sown from July to

October for winter blooming.

Hybrida Grandiflora—This strain of Cineraria cannot be surpassed, either for size of flowers or beauty of color. Many of the blooms measure 2½ inches in diameter. We have received very flattering reports from florists and private gardeners of their success with our Cineraria seed, Pkt., 25c

A desirable, free-growing plant, blooming in almost any soil, but when CLARKIA

A destrable, rice-growing plant, brooming in a most any son, our many planted in rich loam its beauty is unsprassed. Will continue in bloom nearly all summer. Sow in April or May and thin out. Hardy annual. Finest Double—Mixed......Per pkt., 5c

CLEMATIS Handsome hardy climbers, for training on walls, trellises, etc., or drooping over rock work. Hardy perennial.

Large-Flowering Mixed (Jackman's)-Flowers 3 to 4 inches across, of charming shades of blue, pkt., 10c

Paniculata — One of the finest. Of robust habit, and covered from the ground to the summit with pure white, fragrant flowers, freely produced, completely hid-ing the foliage. The flowers are followed by pretty seed pods of bronzy red. 12 feet Per pkt., 10c

COBEA SCANDENS

A fine, rapid growing climber with handsome foliage and large, bell-shaped flowers, green at first, but rapidly changing to a beautiful, deep violet blue. A well established plant will run about thirty feet in a season, covering a large veranda with handsome foliage and beautiful flowers. Tender perennial, pkt., 10c

OCKSCO

Free-blooming, graceful plants, growing best in rather light soil, not too rich, producing spikes of beautiful feathery and comb-shaped flowers. Half hardy annuals.

Glasgow Prize-A superb sort, with enormous, rich, deep crimson combs......Per pkt., 10c Dwarf Mixed.....



COCKSCOMB



COLUMBINE

COLEUS

Leaves are of many shades of color and have a rich, velvety appearance of extraordinary beauty. Tender perennial.

Finest Hybrids Mixed......Per pkt., 25c Extra Choice Large Leaved, Mixed

Columbine

They are of the easiest culture, and when once established, will furnish for many years a magnificient display of the handsomest flowers each spring and summer. Hardy herbaceous perennials; two to three feet high.

Double Mixed-Best and finest colorsPer pkt., 10c

COSMOS


Beautiful autumn-blooming plants. They produce thousands of beautiful flowers in pure white, pink and crimson shades, furnishing an abundance of cut blooms for autumn decoration when other flowers are scarce. Should be sown in spring, in the open ground, when danger of frost is past, or the seed may be started under cover and afterwards transplanted. Plant about 18 inches apart in rows or in masses in beds. When the plants are about a foot high, the tops should be pinched out to induce a bushy growth.


Mammoth Perfection

A magnificent selection, bearing flowers of mammoth size and perfect form, and representing the highest development in Cosmos to date. We offer it in the following colors:

CrimsonPer 1	pkt.,
Dark Plok '	4
Pure White '	4
Choice Mixed "	6







CYPRESS VINE

Cyclamen

tuberous rooted plants producing exceedingly handsome red and white flowers. Tender perennial; one foot high.

White .. Per pkt., 25c Scarlet .. Per pkt., 25c

CYPRESS VIN

A most beautiful climber with delicate, dark green, feathery foliage and an abundance of bright, star-shaped, rose, scarlet or white blossoms, which contrast most effectively with the graceful foliage. Tender annual; about fifteen feet high.

Scarlet	Per pkt., 50
White	. " 50
Mixed	. " 50

The Daisy has been so far improved by selection and careful cultivation, that good seed will give at least eighty per cent. of double flowers, that are as large as any of the named sorts that are propagated by division of the roots and are sold at a high price. The plants bloom well in the house and are splendid for Bouble White.

Double White.

Per pkt., 10c Double White.

Double Mixed

Pouble Mixed The Daisy has been so far improved by selection and careful cultivation, that

Double Mixed....



ESCHSCHOLTZIA

Mixed—Yellow, white and lilac.....

DRACAENA Indivisa....

Eschscholtzia

(California Poppy). The state flower of California. A genus of the Poppy family, fully as valuable as the common Poppy for garden ornamentation as it blooms almost continually throughout the season. A bed of these in full bloom is most handsome and beautiful in color. Hardy annuals before on beautiful in color. Hardy annuals; height one foot. Fine Mixed



Rose Yellow "

FORGET = ME = NOT (Myosotis). A favorite old fashioned flower,

bearing clusters of blue blossoms. It thrives well in the shade or open border. Hardy perennial.

Oblongata.....

GAILLARDIA

5c Fine Mixed " FOXGLOVE (Digitalis). Grows to four feet, affording dense spikes of brilliantly colored flowers which are terminal and half as long as height of plant Colors white, lavender and rose. Does not usually blossom until the second year. Hardy biennials or perennials


Fine Mixed Per pkt , 5c

UCHSIA There are a great many exceedingly beautiful varieties propogated by cuttings, but the plants are easily grown from seed and one can depend upon getting fine flowers, some of which are as beau-tiful as the expensive named sorts. Tender

Gaillardia Picta, one foot high; flowers crimson and yellow. Hardy annual; with root protection in winter is a perennial..... Per pkt., Picta Lorenziana—Gay colored flowers abundantly produced, from July until hard freezing. Hardy annual, one foot high; with root protection in winter, a perennial. Sulphur, orange, claret and amaranth mixd., pkt.

phur, orange, claret and amaranth mixd.,pkt. 10c

Grandiflora—Largest flowers of the species; scarlet and orange; excellent for cuting. Hardy perennial.....Per pkt., 10c



GODETIA

Geranium The flowers and the exquisite markings of the leaves of some of the varieties, render the Geranium very desirable for pot culture and bedding. Half hardy perennial. Propagation by seed is the only way to obtain new varieties.

Zonale, double flowered sorts-All colorsPer pkt., 15c

Gilia Tricolor A very graceful plant which will thrive in almost any situation, producing a cloud of gracefully poised blue flowers with yellow and purple centers. Hardy annual; one foot

Globe Amaranth A desirable ever-lasting, valued for its handsome, globular heals of flowers, which if cut when well matured, will retain their beauty through the winter. Tender annual; twelve to eighteen inches high.

Godetia Beautiful garden plants, having large, delicately shaded blossoms Easily cultivated in any good

garden soil. Hardy annual; about one foot high.

Mixed.... Per pkt., 5c

Ciourd

A tribe of climbers with curiously shaped colored fruit. Being of rapid growth, they are fine to cover old fences, trellises, stumps, etc. Tender annual; ten to twenty feet high.

Orange—The well known Mock Orange..... Japanese Nest Egg-The fruits are white and about the size of hen's eggs; they make excellent nest eggs Per pkt., Apple Shaped-Yellow, beautifully striped Pear Shaped—Striped yellow, green and cream color..... Bottle—Curiously and handsomely shaped fruit..... 5c Corsican-Elegant fruit and rapid climber Siphon, or Dipper-Useful for dippers 5c Powder Horn-In the form of a powder horn. 5c Hercules' Club—The longest of all the varieties Mixed

Gypsophila Delicate, free flowering, little plants, covered with a profusion of white and pink, small, star-shaped flowers. Well adapted for hanging baskets or edgings, and valuable in conjunction with other flowers for making bouquets. Will thrive anywhere where.

Muralis - One of the most charming and graceful border plants to be found in any collection. easily grown as candytuft. Pink flowers; hardy annual; six inches high Per pkt., 5c

HELICHRYSUM (Everlasting). Large, of various colors, from bright yellow to scarlet. Hardy annual; two feet high. Mixed Per pkt., 5c

Heliotrope Highly valued for the fragrance of their flowers and duration of bloom. Half hardy perennial, blooming the first year from seed.



HELICHRYSUM



Hollyhock One of the most majestic of ha dy plants, and a clump or line in any garden gives an effect not attainor forming a background for other flowers it is without double flowers.

Double White.... pkt., 10c Double Redpkt., 10c Choice Mixed. "

Allegheny-Mammoth flowers, wonderfully formed of egheny—Mammoth flowers, wonderfully formed of loosely arranged, fringed petals, which look as if made from the finest China silk, and have none of the formality of the ordinary type. The colors vary from the palest shrimp pink to deep red. The plants are of strong growth, sending up spikes 6 to 7 feet high.

Extra Choice Double MixedPer pkt., 10c

Hyacinth Bean A fine climber, producing abundantly clusters of purple or white flowers which are followed by ornamental seed pods. Tender annual; ten to twenty feet high.

Fine Purple Per pkt., 5c White Per pkt., 5c Mixed-The above mixed....

Impatiens Sultani Compact growing plants producing a constant succession of brilliant rose-scarlet flowers. Very desirable for pot culture or ···· Per pkt., 25c

Job's Tears Curious ornamental grass with broad, cornlike leaves and seeds of a light slate color. Valuable for the formation of winter bouquets, in connection with everlasting flowers. Strings of handsome beads are made from the seeds. Hardy annual; three feet high...... Per pkt., 5c

Kochia (Standing Cypress, or Belvedere). Scoparia—An easily-grown annual, which sown thinly in spring soon forms a cypress-like hedge of the most lively green and of perfect symmetry; by midsummer it attains a height of about 3 feet, and on the approach of autumn the whole plant becomes a deep red; a splendid plant to divide the vegetable from the flower garden or for forming a hedge for the summer. from the flower garden, or for forming a hedge for the summer for any purpose..... Per pkt., 10c

Lantana These plants form small, hardy shrubs and produce pink, yellow, orange and white flowers in great abundance the first season from seed.

Finest French Hybrids Mixed......Per pkt., 10c

Larkspur One of the handsomest and most useful of plants, and for large gardens is invaluable.

Double Dwarf Rocket, Mixed - Produces beautiful spikes of double flowers in many shades. Hardy annual; one foot high, Pkt., 5c



HYACINTH BEAN

Double Tall Rocket-Flowers double, borne on spikes, about fifteeninches long. Hardy annual; 2 ft. high. Pkt.


Linum (Scarlet Flax). A beautiful and effective plant, of slender and delicate growth, having a profusion of bright flowers. If the seed be sown in hotbed and the plants transplanted into good rich soil, one foot apart, the period of flowering will be much advanced but the seed can be sown in open ground after

Lophospermum Scandens-Highly ornamental annual climber, showy, rosy purple foxglove-like flowers; ten feet high, Per pkt., 10c



LARKSPUR

Marigold No flower garden seems complete without this fine old fashioned flower. The African varieties are tall, usually two feet or more while the French are more dwarf. All a desirable. Hardy annuals; in bloom till frost comes.



METEOR MARIGOLD

under glass

Mimulus Strikingly handsome flowers of easiest cultivation Perennial in the greenhouse, annual in open air. Start

Moschatus (Musk Plant). Cultivated on account of the musky odor of the plant, Flowers pale yellow, lightly dotted and splashed with brown.....per pkt., 10c

Moon Flower one of the most vigor-ous of all

summer climbers. Will grow thirty to forty feet in a single season and be covered with



IMPERIAL JAPANESE MORNING GLORY

large, white flowers every evening and cloudy day The hard, outer coat of the seed should be cut through with a sharp knife, care being taken not to cut any deep-er than the

African, El Dorado, Double-Flowers about three inches in diameter, imbricated and extremely double.....per pkt.

African, Double Mixed..... **5**c French, Double Dwarf, Mixed.....

Prince of Orange—Large, double, golden yellow flowers, the petals of which are shaded with dark orange; very useful for cutting.....per pkt. 5c

Meteor-Large, extremely double, light yellow, passing into orange at the border of each petal.....per pkt., 5c

Mignonette A well known hardy annual, producing of exceedingly fragrant flowers.

Thrives best in cool temperature.

Red Victoria—Dark red blossoms, very valuable.....per pkt., 10c

Allen's Defiance-One of the finest sorts; enormous spikes......per pkt., 10c Machet-Of dwarf and vigorous growth, with

numerous stout flower stalks, terminated by massive spikes of red flowers. One of the very best for pot culture....per pkt., 5c

Reseda Odorata Grandiflora-large flowered, sweet scented..... .. per pkt., 5c



MIGNONETTE

hard shell and seed planted about one inch deep in moist hard shell and seed planted about one inch deep in most soil in a box or pan and set in a warm place. After plants are up tend carefully and plant out doors in a sunny situation when danger of frost is past. Water freely throughout summer. Rich soil tends to make the plant run to vines and leaves, while poor earth will produce earlier and more abundant flowers, white seed.....pkt, 10c

Morning Glory

A handsome, showy climber of easy culture, suitable for covering arbors, windows, trellises, old stumps, etc., if support be given for the vines. It is so perfectly hardy as to grow in almost any soit, but will bloom earlier if in poor soil. Hardy annual; ten feet high.

Stripedper pkt. 5c **Blue....**.per pkt. **5**c Crimson.....per pkt. 5c Purple..... 5c Mixed

Imperial Japanese-The flowers are of greatly increased size and most distinct colorings, while the nerial supparese—the movers are of greatly increased size and most distinct colorings, while the foliage is also wonderfully varied and attractive. The large leaves come in many distinct forms; in some cases the leaves are heavy marbled with white or golden yellow. Our choice mixed strain embraces nearly thirty distinct shades and colorings, flowers ranging from deep rich purple to pure silvery white. It must be remembered that the vines are not so hardy nor such vigorous climbers as the Common Morning Glories.

Choice Mixedper pkt., 5c

5c

NASTURTIUM

Dwarf Nasturtium	A bed of dwarf nasturtiums in the ya attractive, blooming all the season. I foot high.	ard is Hardy	very brilliant annual; about	and one
------------------	--	-----------------	---------------------------------	------------

Aurora, light reddish-orange, veined with carminePer	pkt.,	5 c
Bronze colored, bronze-orange	+4	5 c
Crimson, rich, dark crimson.	6.6	5 c
Empress of India, small, compact plant, dark scarlet flowers, very dark foliage	4.6	5 c
King Theodore, dark scarlet maroon	6.6	5 c
Pearl, pale yellow.	4.6	5 c
Rose, a warm rose-pink	4.6	5 c
Scarlet, scarlet-orange	4.6	5 c
Schillings Striped, bright yellow, maroon stripes	4.6	5 C
Yellow, rich golden yellow	4.6	5 c
Dwarf, Choice mixed, ½ Oz. 10c; 1 Oz. 15c	* 6	5 c



NASTURTIUM

Chameleon Nasturtiums

When a plant of this novel sort is in full bloom, one can find upon it flowers of almost every shade of color and form of marking known to nasturtiums. No matter what color a flower may be when it opens, it is continually changing until it fades. Unlike many flowers which are notable because curious those of the Chameleon Nesturtium reious, those of the Chameleon Nasturtium are always beautiful and attractive.

Dwarf Chameleon......Per pkt. 10c Tall Chameleon

Trailing Nasturtiums the Lobdiffers from the common running nasturtium in being less rank growing, more floriferous, and having richer, more varied colored flowers of many shades, from the richest scarlet to very deep maroon. Fine for covering arbors,

trellises and rustic work. Half hardy annual; about ten feet high.

Bright Yellow, with carmine stain .. Per pkt., 5c Brilliant, intense deep scarlet...... **5**c Cardinal, dark scarlet..... **5**c Chestnut Brown, rich red maroon ... 5c Giant of Battles, sulphur, red blotches 5c Hemisphaericum, straw color, blotched

and suffused with scarlet orange. King of the Blacks, crimson-maroon with darker markings..... Light Yellow, with rich maroon stain

5c Rose, a deep shade, distinct and attractive 5c Spitfire, bright, fiery scarlet, very floriferous

Tall, Choice mixed, 1/2 Oz. 10c; I Oz. 15c

Madam Gunter's Hybrid Flowers are striped or blotched with shades of red on yellow and orange ground, forming a combination of exceeding brilliancy and beauty. About four feet high. Half hardy annual......Per pkt.,

Nicotiana Affinis


Handsome garden plants of the tobacco family, valuable for the freedom and fragrance of their bloom.

Half hardy annuals; three feet high. Flowers white, salver-shaped, having long, tubular corollas, and are of exquisite fragrance. Deserve a place in every Per pkt., 5c

Oxalis

Very pretty, herbaceous plants with richly colored blossoms, They thrive well in a mixture of loam and sand Desirable for greenhouse decoration, rock work or baskets. Half hardy perennial.

Rosea, rose coloredPer	pkt.,	10c
Alba, white	4.6	10c
Mixed, above colors.	6.6	10c



This attractive plant is too well-known to require any description, as it is a favorite with all; the seed can be sown from September to March.

The best plants are obtained from seed sown from september to March.

The best plants are obtained from seed sown in the autumn, and protected during the winter; these flower early in the spring. The plants from spring sowing should be planted in a shady border; they produce fine large flowers in the autumn. Pansies require fresh soil, enriched with decomposed manure. Our seeds are from the most noted European growers. The choice strains being unsurpassed for size and form of flower, beauty of markings brillioner and wright of colors and chodes. March personnel is fixed by

.. Per pkt.. 10c

blotched flowers. Mixed, all colors.....

Giant Trimardeau The largest flowering of all; of strong, robust growth and well adapted to the trying conditions of our climate.

Lord Beaconsfield—The ground color is purple-violet, shading off in top petals only, to a whitish hue;

Variegated and striped—Very varied in color, purple striped with lighter shades and yellow 10c -Large flowering .. 10c 100



PETUNIA

Large Flowering Parisian-Flowers of largest size and finest form, as well as the greatest variety of magnifi-cent colors; are borne on stout stems which show their beauty to perfection. An excellent sort for florists. Mixed—All colors......Per pkt., 10c

Ex. Choice Mixed-From choicest named flowers " Fine Mixed.....

Petunia culture few plants are equal to this class. They commence flow-

this class. They commence flow-ering early, and continue a mass of bloom throughout the whole season, until killed by frost; easily culti-vated, requiring a rich soil and a sunny situation. Of late years the single-striped, mottled, and double varieties have been greatly improved. The seeds of the double Petunia do not possess as much vitality as these of the single, and a good deal of care must be used to get them to germinate; nor will they all come double. There are two distinct kinds of ringle Petunias—the Grandiflora sorts, with large flowers, and

For out-door decorations or house

the small flowered section, which gives abundance of bloom. Annuals.

SINGLE LARGE FLOWERING SORTS.

Superb Glant Mixed—Flowers very large, in great variety of colors and markings, with broad deep yellow throats, veined. Per pkt., 25c Large Flowered Single Fringed Mixed—Very large flowered; ruffled, and so the state of the st fluted and fringed, striped and mottled, blotched and solid, self-colors, with many color combinations quite new in Petunias... Per pkt, 25c Fine Mixed.....



PHLOX DRUMMONDI

Very hardy annuals, unequaled in the magnificent display of their many and brilliantly colored flowers. They will grow even in poor soil, but in order to develop to their highest perfection, must have rich soil and must be given room. Plants from seed sown in open ground in fall or early spring, will begin flowering about July 1st and be literally covered with bloom until autumn. For masses of separate colors, or for cutting for bouquets, they are unsurpassed. One foot high.

LARGE FLOWERING PHLOX.

WhitePer pkt	
Crimson	10c
Rose	1 0 c
Yellow	
Scarlet	
Extra Choicest Mixed-Best large flowered varie	
ties Per pkt	., lū c
Fine Mixed	5 0

Phlox Perennial The varieties of the Perennial Phlox are among the choicest of our flowers for bedding and border plants. They are hardy and need no protection, will flourish in any soil, succeeding better, however;

in deep, rich, rather moist ground. Two to three feet high.

Mixed seed from splendid sorts......


Peas, Everlasting A perennial climber, producing a succession of clusters of white, rose or purple blossoms. Suitable for trellises, arbors, etc. The plants bloom the second year, but give larger and more abundant flowers as they grow older. Hardy perspiral tar fact high. grow older. Hardy perennial; ten feet high.

Rose Per pkt., " 5c White Per pkt , 5a

Pinks The Dianthus family furnishes many of the most beautiful flowers, including the Carnation, Sweet William, Chinese and Japanese Pinks, in all their varieties. Hardy and half Japanese Fins, in all their varieties. Hardy and half hardy blennials and perennials but nearly all blooming the first year from seed; of easy culture. A warm soil is desirable, one where water will not stand, particularly during the winter. Seeds may be sown in the open ground where they are to stand but better results are

obtained, at least in north, if plants are started in house.

obtained, at least in north, if plants are started in hot Haddewig's Single Mixed-Flowers of the best shades and beautifully marked; half hardy biennial...Pkt., Double Diadem Very regular, densely double, and of all tints, from crimson-purple to deep black-purple. Half hardy biennial, blooming freely first season, pkt. Double Japan - To be properly appreciated, these should be seen; rich in hue, very double, deeply fringed petals—only lacking fragrance to make them perfect. Half hardy biennial, blooming freely the first season; mived mixed.



PORTULACA



PINKS

Portulaca


But few flowers in cultivation make such a dazzling display of color in bright sunshine as a bed of portu-lacas. In bloom from first of July until killed by frost. Seed requires moderately high temperature for germination, and should not be sown until settled warm weather. Sometimes they are started indoors but times they are started indoors but usually sown directly where plants are to stand. Soil need not be rich, plants doing better in hot, rather dry ground. They should have sunny situation; flowers close in shadow but open in sunshine. Tender annual; six to eight inches high.

Single Fine Mixed Per pkt., 5c Double Mixed Per pkt., 10c

Poppy

Well known hardy annuals and perennials flowering in great profusion throughout the summer. As early in spring as ground can be worked sow the seed where flowers are to bloom and cover lightly, since if planted too deep the seed will not germinate and the annual varieties do not bear transsure a continuous bloom during a long season, the flowers should be cut regularly and

no seed pods allowed to form.



Tulip Flowered—Produces large, splendid bright scarlet flowers borne well above the toliage. The petals form a tulip-shaped cup and after a time black spots appear at the base of each petal. Strikingly beautiful, reminding one of a bed of brilliant tulips. Hardy annual; about one foot high......Pkt.,

Orientale—Large, gorgeous scarlet blossoms, base of petals black. One of our most striking and showy garden perennials.

Umbrosum - Rich vermilion, with a shining black spot on each petal; one of the most showy varieties; hardy annual.....Pkt.,

The Shirley—This magnificent strain of Poppies affords during a long season flowers of the most charmingly delicate shades of color imaginable, ranging from a pure glistening white through the pinks, reds and scarlets to the deepest crimson, the darker shades frequently being margined with white. Some of the petals are of silky texture, others look like tissue paper; some are plain, some crimped, and some wavy. The flowers are, exceedingly greatful and airy and lend themselves

per; some are plain, some crimped, and some wavy. The flowers are, exceedingly greaful and airy and lend themselves readily to bouquets which should be cut before the blooms are fully expanded; they will keep fresh in water for several days.

Pkt.,

Double White Fringed—This is the finest double white poppy. The blooms are from three to four inches in diameter, perfectly double, finely fringed and of the purest white..........Pkt.,

Carnation, double mixed—Large, showy, double flowers of various colors; two feet high Pkt.

Primula Sinensis (Chinese Primrose). The stand in pyramids arranged on short flower stems. Biossoms of every shade of color, from pure white to deep crimson, and even deep blue are found on different plants. The first week in April is a good time to sow the seed in order to get plants to flower well the following winter, and about the middle of May for a second batch to succeed the first sowing. Sow in well drained shallow pans. Use finely sifted leaf mold, loam and sand in equal parts. Cover slightly and place the pans, when well watered, in a temperature of about 60 degrees F.



SALPIGLOSSIS

Pyrethrum Sow from December to April in shallow boxes, in a temperature of 60 degrees. As soon as the young plants can be handled, transplant singly into small pots or shallow boxes, where they may remain until the time of planting out into the open ground in May.

Golden Feather—Beautiful, gold leaved bedding plant. Flowers white; height one foot......Pkt., 10c

Salpiglossis

Very showy bedding or border plants with richly colored funnel-shaped flowers which are purple, scarlet, crimson, yellow, buff, blue and almost black, beautifully marbled and penciled. The seed may be sown indoors by the middle of October. Half hardy annual; one and a half to two feet high.

Bloom from August to

(Flowering Sage). Among the most brilliantly colored of garden flowers and extremely useful for bedding; also valuable for pot cutture. Blooms are borne in long spikes well above the foliage and are of fiery red, crimson, or blue color, continuing in flower for a long time. Start early in heat and transplant into light soil one or two the long the first gargent height trynt three feet.

feet apart. Tender perennials, but bloom the first season; height, two to three feet.



SALVIA

(Mourning Bride.) This is one of the most attractive of the old fashioned flowers. Its great abundance and long succession of rich-

colored, fragrant blossoms borne on long sems make it one of the most useful of the decorative plants of the garden. It has been greatly improved of late vears, producing larger and more double flowers of greater variety and brilliancy of color than in the old type. Hardy appared to the color of the color old type Hardy annual; twelve to eighteen inches high.

Scabiosa

Compacta, or Bonfire-Very compact, with long, erect spikes of brilliant scarlet flowers. The finest Salvia ever introduced, and by far the best for bedding and massing on the

Double Dark Maroon	.Pkt.,	5 c
Double White	**	Бe
Double Dwarf Mixed	6.6	5c
Lilac	4.6	5 c
Yellow		5 c

Smila

No twining plant in cultivation surpasses this in graceful beauty of foliage. Indispensable to florists; its hard texture enables it to be kept several days after being cut, without wilting. The seed germinates v vy slowly. The process may be hastened somewhat by soaking the seed in hot water for ten hours before planting, but even then it is often six or eight but even then it is often six or eight weeks before the plants make their appearance. Tender perennial climber; ten feet high........Pkt., 10c



SNAPDRAGON

Snapdragon Au old border plant with dark and

glossy leaves and long spikes of cur-iously shaped, brilliantly colored flowers, having finely marked throats. They have been much improved of late years by careful selec-tion. Snapdragons blossom the first season from seed sown in the spring, especially under frames, and transplanted produce blooming plants the same season. If early bloom is desired sow the seed in August or Sep-


tember and cover the plants with a mulch on the approach of cold weather. These may be transplanted into pots and flowered in the house. Give them the same temperature and treatment as geraniums and carnations. Tender perennial; one and a half to two feet high.

Majus Album-Pure white, tinged with yellow in the throat	kt.,	5c
Majus Brilliant-Crimsor, with yellow and white throat	4.6	E c
Majus Dellla-Brilliant crimson, with white throat	4.6	5 c
Majus Yellow	6.6	5 c
Fine Mixed—All the best colors	44	5 c

SWEET PEAS.

CULTURE—Early in spring make a trench about six inches deep, in rich, mellow soil, so arranged that no water can stand in it, and plant the seed in the bottom, taking care not to cover it more than two inches. When the plants are about five inches high, fill up the trench, and furnish some support for the vines to run upon. The flowers should be picked before they form pods, or the plants will soon stop flowering.

Per Pkt. 5c; Oz. 10c; 1/4 Lb. 25c.



WHITE.

BLANCHE BURPEE. A st lendid pure white variety.

The individual flowers are very fine, making it a very desirable sort for florists.

EMILY HENDERSON. A bold, well formed, clear white flower. Wings broad and well expanded. An early and wonderfully free and persistent bloomer.

INVINCIBLE WHITE. A fine strain of pure white.

LIGHT YELLOW.

LEMON QUEEN. Buds and back of standard tinted yellow. When fully expanded the flower is a delicate pink, the standard very large, round with gracefully waved edges.

MRS. ECKFORD. Plant strong-growing and vigorous; stems three and four flowered; flowers large, of great substance and perfect form. A delicate shade of primrose yellow at first, becoming nearly white at maturity.

METEOR. Standard bright orange-salmon; wings pink, veined.

PRIMROSE. Standard medium sized, rather long, yellowish-white in front, and pronounced primrose-yellow on the back; wings large and nearly white,

LIGHT SHADES OF PINK.

ELIZA ECKFORD. Large flower of rosy pink over white, giving an exceedingly delicate and beautiful ffect.

EARLIEST OF ALL. Standard deep rose pink, with white wings, the earliest and best pink for forcing.

pink, of precisely the same shade in wings and standard. Its form is perfect and the strong-growing plants are vigorous, and give a wonderful profusion of flowers which continue large and fine until the end of the season. In hardiness, prollific flowering habit, durability and practical usefulness this is greatly superior to most sorts of recent introduction.

MRS. GLADSTONE.—Standard very large, thick and finely formed, brilliant, but soft rose-pink; wings large, nearly same shade as standard.

MRS. SANKEY. Standard round, very thick, delicate shell-pink; wings a little lighter than standard, Although often described as a pure white, we consider this one of the most beautiful of the pink varieties, only becoming white as it fades.

\:\text{-!NUS.} Standard large, of fine form and substance: a brilliant but delicate and soft shade of warm rosepink and buff; wings similar to the standard.

DARKER SHADES OF PINK.

APPLE BLOSSOM. Standard rose-pink, lighter at the base; wings lighter than standard.

ORANGE PRINCE. Standard pink suffused with yellow; wings bright light pink,

PEACH BLOSSOM. A very large flower having a warm yellowish-pink standard and wings of a lighter softer shade.

ROYAL ROSE. One of the largest and finest formed flowers yet produced, Standard a deep rose pink; wings a lighter shade of the same color.

RED OR ROSE STANDARDS WITH LIGHTER WINGS.

EXTRA EARLY BLANCHE FERRY. Standard deep rose pink, with nearly white wings; the earliest sweet pea.

BLANCHE FERRY. Star fard medium sized, but of fine form and bright pink color; wings large, rounded and nearly white.

SHADES OF RED.

FIREFLY. Very bright and intense crimson scarlet of good size and form,

INVINCIBLE SCARLET. Bright scarlet.

SPLENDOUR. Standard very broad, a rich, deep rose-pink; wings large and bluer but lighter than standard.

CLARET AND MAROON.

BOREATTON. One of the darkest and richest colored. Standard large, rounded; rich satin-like maroon; wings are similar in color to the standard.

STANLEY. A very beautiful sort, standard large and flat, color a deep maroon and warmer than Boreatten

AURORA. The standard and wings are striped and flaked with delicate orange salmon pink over white.

SWEET PEAS—Continued.

LAVENDER AND LIGHT BLUE.

BUTTERFLY. Standard, a combination of shades of violet and lavender; it is often notched on the Standard, a combination of shades sides. Wings white, shaded and edged with blue.

COUNTESS OF RADNOR. Self colored in a very distinct and beautiful shade of lavender. Our stock of this splendid variety is re-selected and is sometimes sold by other seedsmen as "Countess".

DOROTHY TENNANT. Flowers warm violet or mauve, very large and finely formed. Standard broad, incurved or hooded; wings very large, rounded.

LOTTIE ECKFORD. Standard, a peculiar and delicate shade of magenta blue; wings very large long and shaded; lavender deepening to violet

BLUE AND PURPLE.

CAPTAIN OF THE BLUES. Standard large, broad, bright purple-blue; wings expanded, lighter and brighter blue than standard,

Standard very rich purple maroon; wings bluer than the standard.

STRIPED OR VARIEGATED.

GRAY FRIAR. Very large, finely shaped flowers of delicate mauve color, peculiarly tinged, marbled and dotted with darker shade. Quite distinct.

MRS. JOSEPH CHAMBERLAIN. Very large and perfect shaped flower; white; striped with bright

DWARF VARIETIES.

WHITE CUPID. Grows eight inches high.

PINK CUPID. Similar in color to Blanche Ferry. Grows eight inches high.

CHOICE MIXED.

This mixture consists only of the choicest sorts. new and old, in just the right proportion of white, bright red, pink, mauve and other colors to make the most brilliant show possible in the garden. We have given a great deal of study to selecting the best sorts and in proper proportions and offer this mixture as the finest we are capable of producing. We know it cannot be excelled at any price.



TEN WEEK STOCK

Stock

The Stocks, though not thriving so well in America as they do in England, are indispensable where a fine display of flowers that good seed will give a large proportion of exceedingly double flowers. Average height, one and a half feet.

Double German Ten Weeks—These favorite summer flowers are excellent for bedding out and afford fine blooms for cutting. Mixed......Pkt.

Double German Ten Weeks-Large flowering, finest Choicest mixed.....

Princess Alice-(Cut and Come Again). A perpetual blooming, double, pure white; excellent for cutting.

Sunflower

Valuable as a screen to hide unsightly places and as a background for lawns, also sometimes used to mitigate the evil of adjacent swamp holes. Hardy annual. Sunflowers grow readily in almost any soil, but do best in light, rich limestone or alluvial land, well supplied with moisture and not shaded by trees or buildings.

Double Chrysanthemum Flowered - A tall plant, growing seven feet high and blooming profusely all summer. Flowers are double, large, round, golden yellow and resemble chrysanthemums Pkt. 3c

Globosus Fistulosus-Produces very large, exceedingly double flowers of bright yellow color; plants about five feet high.....

...Pkt.

ıllıam

For display in the garden, the Sweet William is unsur-passed. The seed can be planted in the spring, in open

ground and will blossom in the fall or the following spring; or it can be sown in August and will make fine blooming plants for the summer following. Hardy perennial; one and a half feet high.

Double Choice MixedPkt. 5c



MAMMOTH VERBENA

Mammoth Verbenas

We have been carefully selecting and improving this fine strain of Verbenas for years, and can recommend it as the very best procurable. The trusses and individ-ual flowers are of the largest size, of brilliant colors; free-blooming and of vigorous

Pink.... Per pkt., 10c White.. Per pkt., 10c Purple... "10c Scarlet." 10c Mammoth Choice Mixed...... 10c Fine Mixed-All colors **5**c

Lemon Verbena— Every garden should have a few plants of this fragrant favorite. Its pale green foliage goes well with any flower Per pkt., 10c

Vinca A genus of ornamental, free-flowering, greenhouse peren-nials, blooming the first season; glossy, green foliage and handsome flowers. If sown early under glass and transplanted in a warm, sheltered situation, will bloom

in summer and autumn and may be potted for the house before frost. About fifteen inches high. Rosea—Rose with crimson eye....

Violet The violets commonly grown by florists are propagated from cuttings. The flowers propagated from cuttings. The flowers grown from seed are smaller and more delicately colored, but quite as fragrant as the named sorts. As a rule violets do well in any good, well enriched soil. The best results, however, are obtained from soil prepared from sod taken from a rather heavy, sandy loam that is well drained.

Single, Sweet Scented, mixed...... Per pkt., 10c

Virginian Stock The plants are covered with a dense mass of beautiful bossoms and are very useful for border or edging. A continual succession of blossoms may be kept up the whole season by sowing at intervals through spring and summer. Hardy annual; growing about nine inches high.

Red and White, mixed......Per pkt., 5c

Wallflower An old favorite garden flower. The large, massive spikes of the Wallflower are very conspicuous in beds and borders, and are very useful in making bouquets. Sow the seed early in hotbeds and while the plants are small, prick them out into pots and sink the pots in the earth. On approach of cold weather remove the pots



DOUBLE WALLFLOWER

to the house and the plants will bloom all winter. Although a woody perennial it is best to renew the plants from seed, for they begin to fail after having bloomed one or two years. Tender perennial; one and one-half feet high. Oouble German Mixed Per pkt. 10c



ZINNIA

Zea Maize (Striped Japanese Corn). A variety of corn with ornamental foliage; leaves striped Half hardy annual; six feet high, Per pkt., 5c

Very showy plants, with large, double, imbricated flowers which, when fully expanded, might easily be mistaken for in a bed of Zinnias, for when nearly every other flower has been killed by frost, this plant is still in full bloom. Few flowers are more easily grown or bloom more abundantly throughout the season. Sow the seed early in the spring, in open ground and transplant to one and one-half feet apart in good, rich soil. Half hardy annual: about eighteen inches high hardy annual; about eighteen inches high.

Double Yellow Pkt., 5c Double Orange.......Pkt., " White "
" Black Purple . " Scarlet...... " 5c
Deep Red " 5c 5c Choice Mixed-Very fine

Eurled and Crested-The flowers of this fine class of Zinnias are twisted, render ng them entirely free from the stiffness which was heretofor; characteristic of this family. A variety of

TRADE PRICE LIST

FLORISTS' FLOWER SEEDS.

FINEST STRAINS AND STRICTLY NEW CROP.

½ oz.	3	4 oz.	oz.
Ageratum—Blue Perfection, Dwarf Blue, Dwarf White		So 15	\$0 40
Alyssum—Sweet		,5	15
Alyssum—Little Gem		10	25
Asparagus Sprengeri—100 seeds 50c; 1,000 seeds, \$4.00.			3 ,
Asparagus Plumosus Nanus—100 seeds, \$1 00; 1,000 seeds, \$8 00			
Asperula—Sweet Waldmeister		15	40
Aster—Queen of the Market—White, Light Blue, Violet, Pink,		J	
Crimson, mixed\$0	15	25	75
Aster-Truffauts, Paeony Perfection-White, Light Blue, Scar-	•	_	
let, Rose, Purple, Violet, mixed	25	40	I 25
let, Rose, Purple, Violet, mixed	_	•	_
ple. Violet, mixed	25	40	I 50
Aster-Comet-White, Light Blue, Crimson, Rose, Purple, Vio-	_	-	-
let, mixed	25	40	1 25
Aster-Semples Branching-White, Light Blue, Crimson, Pink			
Purple, Layender, mixed	20	30	I 00
Aster-Ostrich Plume-White, Light Blue, Scarlet, Pink, Lav-			
ender, mixed	25	40	1 25
Aster—Chrysanthemum—Dwarf mixed	20	30	1 00
Bachelor's Button—Emperor William, Dark Blue, mixed			15
Balsam—Double Camelia Flowered—White, mixed		20	бо
Calceolaria—Hybrida Grandiflora—Finest mixed, pkt., 25c.			
Candytuft-Empress White, per lb, \$2 00			20
Candytuft—Giant White Hyacinth Flowered, per lb., \$2 00			20
Carnation-Margaret-Finest mixed, White	20	35	1 25
Carnation—Margaret—Giant mixed	40	75	2 50
Carnation—Double Vienna mixed	40	60	2 00
Carnation—Double Red Grenadin, pkt., 25c 1	00	I 75	6 00
Carnation—Macrophillum Rubrum, pkt., 25c	00	I 75	6 00
Castor Bean—Zanzibariensis, Sanguineus, choice mixed			15
Centaurea—Gymnocarpa		15	40
Centaurea—Car.didissima	20	35	1 25
Cineraria—Hybrida—Finest mixed, pkt., 25c.			
Cobea—Scandens		15	40
Coleus—Fine mixed, pkt., 25c.			
Coleus—Extra Choice, Large Leaved, mixed, pkt., 25c.			
Cosmos-Giant-White, Pink, Scarlet, mixed		15	40
Cyclamen—Pers. Giganteum—White, White with Red Throat,			
Rose, Dark Red and mixed, per 100 seeds,75c; per 1,000			
seeds, \$6 oo.			
Daisy—Bellis Perensis—Longfellow Rose	бо	1 00	3 50
Daisy—Bellis Perensis—Snowball White	60	1 00	4 00
Daisy—Bellis Perensis—Double White	40	60	2 00
Dracaena—Indivisa		15	40
Dracaena—Australis	15	25	75
Eulalia—Japonica for clumps	15	20	бо
Ferns—Mixed, pkt., 25c.			40
Forget-Me-Not—Alpestris Blue		15	40
Forget-Me-Not-Victoria Dwarf Sky Blue	00	20	бо т 00
Forget-Me-Not—Victoria—Dwarf, Sky Blue Grevillea—Robusta	20	30	I 00 50
Gymnothrix—Latifolia—For groups	10	15	_
Gynerium—Pampas Grass	10	15	50 50
Hollyhock—Chaters—Double White, mixed	30	15 50	1 00
Hollyhock—Double Rose, White, Yellow, mixed	15	20	60
Impatiens—Sultana Rose, pkt., 25c.	-3	20	00
Ice Plant		10	20
Linaria—Kenilworth Ivy	25	40	I 50
		73	- 50

FLORISTS' FLOWER SEEDS (Continued).

·	½ oz.	¼ oz.	oz.
Lobelia—Erinus—Gracilis, Trailing Blue		\$0 15	\$0.40
Lobelia—Erinus—Emperor William, Dwarf Blue	20	30	I 00
Lophospermum—Scandens	25	40	I 25
Marigold—Meteor—Prince of Orange, Eldorado	-3	40	15
Marigold—African double mixed		10	25
Maurandia—Mixed	20	30	1 00
Mignonette—Machet	10	15	40
Mignonette—Allen's Defiance	15	20	50
Mignonette—Red Victoria	10	15	-40
Mimulus Moschatus-Musk Plant	25	40	I 25
Mimulus Tigrinus-Spotted and Figured	25		
Moonflower		15	50
Morning Glory—Tall mixed			10
Morning Glory—Japanese mixed		10	30
Nasturtium—Dwarf—Choice mixed			15
Nasturtium—Tall—Choice mixed			15
Nierembergias—Gracilis—Blue	15	20	50
Oxalis—Yellow—Sweet scented	-3	20	50
Pansy—Giant Market—Finest mixed	I 00	1 50	6 00
Pansy—Dippe's Goliath Mixture	75	I 25	4 00
Pansy—Bugnot's Superb Blotched	75	1 25	4 00
Pansy—Cassier's Giant. A fine strain	75	1 25	4 00
Pansy-Odier or Fine Blotched, choice	75	1 25	4 00
Pansy-Trimardeau-Finest mixed	30	50	I 75
Pansy-Large Flowering-Named sorts, mixed	20	30	1 00
Petunia—Superb Giant—Mixed, pkt.,25c; 1-16 oz., \$1.00.			
Petunia—Large Flowered, Fringed, mixed, pkt., 25c; 1,000			
seeds, \$1 00.			
Petunia—Large Flowered, Double Fringed, mixed, pkt., 25c;			
1,000 seeds, \$1.25.		٠.	
Petunia—Nana Compacta, mixed, pkt., 25c	40	60	2 00
Petunia—Dwarf Inimitable, Grandiflor, Large Fl'er'g, pkt., 25c	50 20	75	2 50
Petunia—Choice mixed		30	1 00 80
Phlox Drummondi—Double White	25	25 . 40	1 25
Pink—Double China, mixed	23	10	25
Pink—Heddewigii Double Diadem	15	20	60
Pink—Pheasant's Eye—Single Grass Pink, fragrant	-3	15	25
Pink—Plumarius—Double Grass Pink, fragrant	30	50	1 50
Primula-Sinensis-Large Flowering, White, Red, finest	•	•	•
mixed, pkt., 25c.			
Primula—Obconica, White, Rose, pkt., 25c.			
Pyrethrum—Golden Feather	10	15	35
Salvia—Splendens	25	40	1 50
Salvia—Bonfire—Compacta erecta	50	75	3 00
Scabiosa—Mourning Bride—White, Pink, Scarlet, mixed			15
Sensitive Plant		10	30
Smilax—Per lb., \$3.50	10	15	35
Snap Dragon—Yellow, White, Scarlet with White Throat Stocks—German Ten Weeks—Cut and Come Again, White	0.5	15	35
Stocks—German Ten Weeks—Large Flowering, finest strain	25	40	1 50
mixed	ro.	75	2 50
Sweet Peas—See pages 36-37.	50	75	2 50
Sweet William—Double, finest mixed	10	15	40
Thunbergia—Fine mixed	10	15	40
Torrenia-Fournieri Blue, for pots, pkt., 25c.		-3	7-
Verbena—Lemon Scented	20	30	1 00
Verbena-Mammoth-White, Pink, Scarlet, mixed	20	30	1 00
Vinca—White and Rosea	15	20	бо
Wallflower-Double German, mixed	30	50	I 50
•			

POULTRY SUPPLIES.



Mica Crystal Grit.

IT IS GOOD FOR POULTRY, PIGEONS, CHICKENS, GEESE. TURKEYS AND BIRDS.

Everyone knows that hens have no teeth and that the food is masticated in the gizzard. The gizzard itself is a feeble agent, and cannot perform its functions without the aid of some substance that is hard and sharp. Nature prompts the hen to pick up the swallow gravel, glass, small shells and other substances, but it may be noticed that they prefer such as are sharp and irregular; and the gizzard is not injured, no matter if the sharpest and keenest glass be swallowed.

GRIT AND BONE MAKE HENS LAY!

Common sense, therefore, teaches us, and all authorities on poultry unite in saying, that grit or shell is absolutely essential to the good health and egg producing qualities of the fowl.

For the Young Chickens

Feed nothing for twenty-four hours after the chick is hatched, excepting MICA CRYSTAL GRIT (Chick Size.)

And after you begin feeding the regular food, keep a small pan or box of the grit. frequently replenishing, where they can have easy access to it. It will prevent much of the looseness of the bowels (bowel disease) which is so fatal and which is largely caused by indigestion, from undigested food in the gizzard and crop. Give them plenty of chick size and they will be strong and healthy, will grow up to be a credit to the farm, and a source of profit to the owner. Mica Crystal Grit has given the highest satisfaction to all who have used it, and we recommend it to all poultry raisers as being as necessary as food Send us a trial order, and you will never be without MICA CRYSTAL GRIT. We sell two sizes, viz: *Poultry size*, 5-lb. bag 12c., 10 lbs. 20c., 25 lbs. 40c., 100 lbs. \$1.00. *Pigeon and Chick size*, each, 5-lb. bag 15c., 10 lbs. 25c., 25 lbs. 50c., 100 lbs. \$1.25.

Meat Meal

This is prepared with great care, and is shipped by us to all parts of the United States, principally to parties who are engaged in raising poultry and eggs for market. It is the finest thing we know of to make hens lay during the winter. High prices always prevail at this season of the year, which makes it extremely profitable to feed. 5 lbs. 20c., 10 lbs. 35c., 50 lbs. \$1.50, 100 lbs. \$2.50.

Crushed Oyster Shell.

This is a most important article for the poultry yard through the winter, and should be liberally supplied to the fowls. When everything is frozen or covered with snow, they must be helped out if eggs are wanted, 5 lbs. 12c., 10 lbs. 20c., 25-lb bag 40c., 100 lbs. \$1.00.

Granulated Bone.

Is about the size of wheat, and can be fed like any other food in grain, about one handful for every five fowls daily, or every other day. In either manner it furnishes a valuable food for poultry at all seasons of the year. 5 lbs. 20c., 10 lbs. 35c., 100 lbs.

Bone Meal.

For mixing once a day with soft feed this is unsurpassed. Laying hens and young chickens whose digestive powers are not strong are much benefited by this, especially during the winter months, or where closely confined in yards. This is the same as the "Granulated Bone" described above, only it is ground much finer. 5 lbs. 25c., 100 lbs., \$2.50.

Sure Death to Lice.

This is in the form of a very fine tobacco powder and should be thoroughly dusted in the nests. "wallows," poultry houses and coops. 1 lb. 5 c., 5 lbs. 20c,

Canada Field Pea.

A very small round pea, which pigeons are fond of and can swallow readily, $Q_{\rm L}$, 10c., bushel, \$1.00.

Sunflower

Used largely for feeding birds and pigeons. Lb. 15c, 2 lbs. 25c.

Pratt's Poultryfood Sure cure for chicken cholera, roup, gapes and all poultry diseases, 25 cents per package.

FERTILIZERS AND INSECTICIDES.

For the Farmer, Gardener and Florist.

CROCKER'S GENERAL CROP PHOS-PHATE.

Price, I lb. 5c., 10 lbs. 30c., 50 lbs. \$1.00, 100 lbs. \$1.50, 250 lbs. barrel \$3.25, ton \$25.

LAWN AND GARDEN FERTILIZER.

A 10-pound package is sufficient to go over an area of 15x20 or 300 square feet. Price, 1 lb. 5c., 10 lbs. 40c., 100 lbs. \$3.00.

FERTILIZER FOR HOUSE PLANTS.

It is fine and dry, clean and easy to apply, either sprinkled over the surface of the soil as a top-dressing, or dissolved in water. One teaspoonful is sufficient for one quart of soil, applied every three weeks.

Price, lb. 10c., 3 lbs. 25c., 25 lbs. \$1.50, 100 lbs., \$5.00.

NITRATE OF SODA.

Being extremely soluble it should not be applied until the plants are above ground, when 100 to 500 pounds per acre, mixed with wood ashes or land plaster, for convenience in applying, are generally used. Price, 1 lb. 10c., 5 lbs. 30c., 10 lbs. 50c., 25 lbs. \$1.25, 100 lbs. \$4.00.

BANNER DISSOLVED BONE FLOUR.

Price, 1 lb. 10c., 5 lbs. 30c., 10 lbs. 50c., 25 lbs. \$1.25, 100 lbs. \$4.00.

PARIS GREEN.

A poisonous, insoluble powder, indispensable on the farm or garden—for preventing the ravages of potato bugs, codling moth, worms, caterpillars, slugs and bugs. Price, 1 lb. 25c., ½ lb. 15c., ½ lb. 1oc.

PURE WHITE HELEBORE.

The cheapest and best preparation for destroying rose slugs, currant worms, etc. Price, 1 lb. 30c. 1/4

BORDEAUX MIXTURE OR PARIS GREEN COMPOUND.

Price, 1 lb. 30c.

PYRETHRUM OR PERSIAN INSECT POWDER.

Very destructive to all kinds of insects, such as butterflies and all other insects on cabbage and cauliflower. Price, 1 lb. 35c., ½ lb. 20c., ¼ lb. 15c.

RUBBER PLANT SPRINKLERS.

1/2-pint size 60c, 2-3 pt. 75c., 1 pint 90c.

SCOLLAY'S PUTTY BULB.

\$1.00 each.

GRAFTING WAX.

1/2 lb. 15c., 1/4 lb. 10c.

CLOTH HOT BED MATS.

76x76 inches covers two sashes, \$1.50.

MASTICA FOR GLAZING GREEN-HOUSES AND SASHES.

Price, quart 40c., 1/2 gal. 70c., gal. \$1.25.

WOODEN POT LABELS.

				8 inch.	10 inch.	12 inch.
Per	1,0007		150	4 00	5 00	6 00
Per	100	10	20	50	60	70

SLUG SHOT.

A non-poisonous powder and a very popular Insecticide; it requires no further mixing or preparation, easily applied and not injurious or dangerous to animals, the person applying it, or fruits and vegetables treated. Very effectual in destroying potato bugs and beetles, green and black fly, slugs, worms, caterpillars, etc. Price, I lb. 10c., 5-lb. package 40c.

NIKOTINE

Is the most powerful known insecticide, and will be found more economical and convenient than weak tobacco extracts. Price, pint cans \$1.50, 5 cans \$7.00.

LEMON OIL

This well-known insecticide has had for some time a marvelous success in England; perfectly safe and harmless to the tenderest foliage and roots. It effectsally destroys mealy bug by syringing or dipping. It also destroys scale, thrip, red spider, black and greenfly, caterpillar, American blight, mildew, etc. Dilute with 50 parts water. ½ pint 25c., pint 40c., quart 75c., ½ gallon \$1.25, gallon \$2.00.

WHALE OIL SOAP.

For insects on plants, and mealy bug on palms and rubber trees, dissolve ½ lb. to a gallon of water. Price, 1 lb. 20c., ½ lb. 10c.

FOSTITE.

A splendid preventative and cure of fungoid diseases, against mildew, black rot, leaf blight, rust, etc., affecting vines, fruits and vegetables. It is a powder, and should be blown on the plants with a powder-bellows or powder-gun, while the foliage is moist, either in the morning or evening, or after syringing. Price, per lb. 15c, 5 lbs. 5oc.

TOBACCO DUST.

If dusted on while the foliage is moist it destroys rose lice, cabbage and turnip fleas, etc. Spread upon the ground, it keeps off all earth insects, and also acts as an excellent fertilizer. Price, 1 lb. 5c., 6 lbs. 25c.

WATERS' TREE PRUNERS.

4 foot 75c., 6 foot 90c., 8 foot \$1.00, 10 foot \$1.15, 12 foot, \$1.25. Pruning Shears.

UNION FLOWER TUBS.

Cypress.	painted green, iron feet.
	x11 inches \$ 75
	x13 iuches 1 00
	x15 inches 1 35
	x18 inches
No. 5, 24	x21 inches 2 50

BERRY BASKETS.

Market price.

FRUIT BASKETS.

25 cents per doz

BUSHEL BASKETS. \$1.00 per doz.

Steel Garden Trowel.....

JUTE BUNCHING TWINE.

Market price.

WHOLESALE PRICE LIST

---FOR----

Gardeners and Farmers

If sent by mail, postage must be added—8 cents per pound, 10 cents per pint, 15 cents per quart. Price per packet, 10 cents for Peas, Beans and Corn. Price per packet, 5 cents for Vegetable Seeds.

BEET.

ASPARACUS.

ASPAKAGUS.		DEE1.	
oz. 2 oz.	¼ lb. lb.	OZ. 2 OZ	√ 1b. 1b.
Palmetto, Largest and Best10 15	25 75	Lohrman's Egyptian, Extra	00 00
Two-year-old Roots per 100, \$1.00; per	r 1,000, \$6.00	Eastern Grown	20 60
		Extra Early Egyptian 10 15	15 40
		Early Eclipse 15	15 40
BRUSSELS SPROUTS.		Crosby's Egyptian 10 15	15 45
OZ, 2 OZ,	¼ 1b. 1b.	Detroit Dark Red10 15	15 50
Best English	35 1 25	Early Blood Turnip	15 40
		Half Long Blood	15 40
BEANS.		Long Dark Blood	15 35
Dwarf Butter or Wax Podded Varie	dian	Swiss Chard	15 40
	-	5 w 155 Chard 19	19 40
pt. qt. 2 qt. 4 qt.	pķ. bu.	Mangel Wurzel.	
Golden Wax20 35 60 1 00 1	60 640	oz, ¼ 11	o. 1b. 51bs.
Wardwell's Kidney		Improved Mammoth Long Red 10 10	25 1 00
	75 7 00	Golden Tankard 10 10	22 1 00
Davis Wax20 35 60 1 00 1	75 7 00	Orange Globe	22 1 00
Scarlet Flageolet		Red Globe	
	50 6 00	Ked Globe 10 10	22 1 00
Prolific German		Sugar Beet.	
Wax 20 35 60 1 00 1	70 6 80	oz. ¼ 11	o. 1b. 51bs.
Green Podded Varieties.		French White Sugar, Red Top10 10	25 1 00
pt. qt. 2 qt. 4 qt.	pk. bu.	French Yellow Sugar10 10	22 1 00
Refugee, or Thous-	,		
	10 4 40	Klein Wanzleben10 10	22 1 00
Early Kidney, Six		CARRAGE	
Weeks15 25 40 65	90 3 60	CABBACE.	T / . 11
Giant Stringless		OZ. 2 OZ	74
	60 640	Early Jersey Wakefield15 25	45 1 60
Royal Dwarf Kid-	77 0.00	Charleston, or Large Wakefield. 15 25	40 1 50
ney	75 3 00	Lohrman's Earliest Round Head 20 30	50 1 75
Carge White Mar-	75 3 00	Henderson's Early Summer 15 25	40 1 50
		Fottler's Early Drumhead15 25	40 1 40
	75 3 00	Gregory's Deep Head20 30	50 1 75
Surpee's Bush Lima20 35 65 1 00 1	75 7 00	Premium Late Flat Dutch15 25	45 1 60
	1.19 1.00	Premium Late Drumhead15 25	40 1 50
Pole or Running.	′ .	Autumn King20 30	50 1 75
	ok. bu.	0	
Carly Jersey Lima. 20 30 50 80 1	pk. bu.		
	50 6 00	Early Winningstadt	35 1 25
Seibert's Early		Burpee's All Head Early15 25	50 1 60
Seibert's Early		Burpee's All Head Early 15 ° 25 Early Spring 20 ° 35	50 1 60 60 2 00
Seibert's Early Lima	50 6 00	Burpee's All Head Early 15 * 25 Early Spring 20 35 All Seasons 15 25	50 1 60 60 2 00 40 1 50
Seibert's Early Lima	50 6 00 50 6 00	Burpee's All Head Early 15 * 25 Early Spring 20 35 All Seasons 15 25 Succession 15 25	50 1 60 60 2 00
Seibert's Early Lima20 30 50 80 1 Large White Lima.20 30 50 80 1 Ling of the Garden Lima20 30 50 85 1	50 6 00 50 6 00	Burpee's All Head Early 15 25 Early Spring 20 35 All Seasons 15 25 Succession 15 25 Sione Mason 15 25	50 1 60 60 2 00 40 1 50
Seibert's Early Lima	50 6 00 50 6 00 50 6 00	Burpee's All Head Early 15 * 25 Early Spring 20 35 All Seasons 15 25 Succession 15 25	50 1 60 60 2 00 40 1 50 45 1 60
Seibert's Early Lima	50 6 00 50 6 00 50 6 00	Burpee's All Head Early 15 25 Early Spring 20 35 All Seasons 15 25 Succession 15 25 Sione Mason 15 25	50 1 60 60 2 00 40 1 50 45 1 60 40 1 50
Seibert's Early Lima	50 6 00 50 6 00 50 6 00 50 6 00 50 6 00	Burpee's All Head Early 15 25 Early Spring 20 35 All Seasons 15 25 Succession 15 25 Sione Mason 15 25 Mammoth Rock Red 15 25	50 1 60 60 2 00 40 1 50 45 1 60 40 1 50 40 1 50
Seibert's Early Lima	50 6 00 50 6 00 50 6 00 50 6 00 50 6 00	Burpee's All Head Early 15 25 Early Spring 20 35 All Seasons 15 25 Succession 15 25 Stone Mason 15 25 Mammoth Rock Red 15 25 Savoy Improved American 15 25	50 1 60 60 2 00 40 1 50 45 1 60 40 1 50 40 1 50
Seibert's Early Lima	50 6 00 50 6 00 50 6 00 50 6 00 50 6 00 25 9 00	Burpee's All Head Early 15 25 Early Spring 20 35 All Seasons 15 25 Succession 15 25 Stone Mason 15 25 Mammoth Rock Red 15 25 Savoy Improved American 15 25 Hollander, or Danish Ball Head	50 1 60 60 2 00 40 1 50 45 1 60 40 1 50 40 1 50 40 1 50

					Lob			
78	THE	LOHRN	IAN	SEEI	CO., DETROIT, MICH.			
		2011111	-	02.01	oo, permorr, mren.			
CA	RROT				CUCUMBER	₹.		
	02	2 OZ.	¼ 1b.	. 1b.	02.	2 OZ.	¼ 1b.	1b
Early Scarlet Horn'			20	55	Early White Spine 10	15	20	50
Guerande, or Oxheart			20	55 en	Extra Long, or Evergreen			
Chantenay, Stump Rooted Danver's Half Long			20 20	60 60	White Spine	15	20	60
Long Orange Improved			15	50	Early Short Green10	15 15	25 20	75 60
Improved Short White			15	40	Chicago Pickling10	15	20	55
Large white Belgian			15	35	Boston Pickling	15	20	55
CAULI	FLOW	VER.						
		z. I oz.	2 OZ.	¼ 1b.	ECC PLANT	•		
Extra Early Snowball			4 00	7 50	Improved Large New York	2 OZ.	¼ lb.	1b.
Extra Early Dwarf Erfurt			3 75 2 00	7 00 3 25	Purple30	55	80	3 25
Early Erfurt Large Late Algiers			1 00	1 75				
Marge Marc III green				- 10				
CEI	LERY	_			ENDIVE.			
	OZ	. 2 OZ.	¼ 1b.	1b.	OZ.	2 OZ.	⅓ 1b.	15.
Golden Yellow, or Golden		70	1 25	4 00	Large Green Curled	20	35	1 25
Blanching Evans' Triumph			40	1 50	Broad Leaved Batavian10	20 20	30 30	1 00
French's Success			75	2 75		20	39	1 00
White Plume			50	1 75				
Perfection Heartwell			40	1 50	GARLICK.			
Celery Seed for Flavoring			10	30	oz.	2 OZ.	¼ 1b.	1Б.
Celeriac, Large Smooth Pr	ague. 1 5	25	40	1 40	Bulbs05	10	10	30
СН	RVIL		¼ 1b.	1b.				
Curled			25	75	HORSE RADIS	SH.	doz.	100
					Small Roots		15	75
СНІ	CORY	.						
	02		1/4 lb	. 1b	KALE OF BODE	2015		
Large Rooted, or Coffee	10	15	20	65	KALE, or BORE			11
					Oz. Dwarf Curled Scotch10	2 oz. 15	½ 1b. 20	1b. 60
СН	IVES.				Dwarf Curred Scotch	10	20	00
			¼ oz.					
Allium			. 15	40	KOHL RABI			
CC	RN.				oz.	2 OZ.	¼ 1b.	1b.
pt.	qt.	2 qt. 4 qt	. pk.	bu	Early White Vienna15	30	50	1 75
Mammoth White Cory15	20	35 60	90	3 50				
=Red Cob Cory15	20	35 60	90	3 50				
Early Minnesota15	20	35 60	90	3 50	LEEK.			
Shaker's Early15	20	35 60	90	3 60	OZ.	2 OZ.	¼ lb.	1b.
Lohrman's Early Giant. 15	20	35 60	90	3 60	Monstrous Carentan10	20	30	1 10
Stowell's Evergreen15 Perry's Hybrid15	20 20	35 60 35 60	90 90	3 50 3 60				
Old Colony15	20	35 60	90	3 60	LETTUCE.			
Burnee's White Ever-								
green20	30	50 90			Curled.			
Black Mexican15	20	35 60	90	3 60	Detroit Market Gardener's, or	2 OZ.	¼ lb.	1b.
Field	Varietie	s.			Engel's Forcing 10	15	25	85
Early Red Blazed		20 30	40	1 50	Grand Rapids10	15	25	80
Early Golden Dent		20 30	40	1 50	Black Seeded Simpson 10	15	25	80
Rice Pop Corn		20 30	40	1 50	Simpson's Early Curled10	15	25	75
-								
CORN	SAL	AD.			Head, or Cabbage	e.		- 1
	oz.	2 OZ.	¼ lb.	1b.	Mammoth Black Seeded But-			
Large Seeded, Large Leave		15	15	40	ter	20	30	1 00
					Hanson10 Frankfort Head, or Sala-	15	25	80
CR	ESS.				mander10	15	25	90
	oz.	2 OZ.	¼ 1b.	1b.	Early Prizehead10	15	20	75
Curled, or Peppergrass		15	15	35	Deacon	15	25	85
True Water	25	40	75	2 50	Early White Self-Folding Cos10	15	25	90

MUSK M	ELON			-		PEAS			
	oz.	2 OZ.	¼ 1b.	1b.	pt.	qt. 蛋 2 qt. 4	qt.	pk.	Bu.
Extra Early Hackensack	10	15	25	75	Gradus or Prosperity, 25	40 70 1	25	2 25	9.00
Osage	10	15	25	75	First and Best 1 15 Lohrman's Earliest	25 40	65	1 10	4 40
Princess		20	35 25	1 25 80	Wrinkled 20	30 50	75	1 25	5 00
Improved Large Green Nutmes Small Green Nutmeg		15 15	20	70	McLean's Little Gem 20	30 50	80	1,50	6 00
Emerald Gem		15	25	90	Premium Gem20 McLean's Advancer .15	30 50 25 40	80 70	1 50 1 25	6 00 5 00
Paul Rose		15	25	80	Lohaman's			1 50	0 00
Netted Gem or Rocky Ford		15 15	20 20	60 60	Mid-summer 20	35 60	85	1 50	6 00
Jenny Lind Extra Early Citron		15	20	70	Telephone20 American Wonder20	35 60 35 65 1	85 10	1 50 1 75	6 00 7 00
Irondequoit		15	20	70	Nott's Excelsior 20		10	1 75	7 00
The Lohrman	25	40	75	2 50	Champion of	05 40	e=	1 10	4.40
					England15 Large White	25 40	65	1 10	4 40
WATER M	IELON	ı			Marrowfat15	20 30	50	70	2 80
			T/ 1L	116	Large Black Eye Marrowfat15	20 30	50	70	2 80
		2 OZ.		1b.	Melting Sugar20	30 50	80	1 40	5 50
Sweet Heart		15 15	15 15	40 35					
Kolb's Gem		15	15	40	Р	EPPER			
The Volga		15	20	45	•		0.07	7/ 1b	1b.
Hungarian Honey		15	20	50	Targe Rell or Bull Nose	0Z.	30	⅓ 1b. 50	1 75
Citron, for preserving	10	15	15	50	Ruby King		35	60	1 85
					Red Cherry		35	60	2 00
MUSHROOM	SPA	WN			Red Chili		35	60	2 00
				1b.	Long Red Cayenne	20	35	60	1 85
Pure Culture in bricks, 5 lbs.,	75 c			20					
					PO	TATOES			
MUSTA	DD.						pl		bu.
MUSIA	KD				Extra Early Market Early Ohio				1 25 1 25
	oz.	2 OZ.	¼ lb.	1b.	Larry Onto			U	1 60
White English		10	10	25	PU	MPKIN			
Southern Giant Curled	10	15	20	50					
								7/11	11.
					Large Velley	oz.		¼ lb.	1b.
ONIO	N				Large Yellow	5	2 oz. 10 15	10 20	1b. 30 65
ONIO		2 OZ.	¼ 1b.	1b.	Large Yellow	5	10	10	30
Yellow Globe Danvers,	oz.				Pie	5	10	10	30
	oz.	2 oz. 25	40	60	Pie		10 15	10 20	30 65
Yellow Globe Danvers, as usually sold Yellow Globe Danvers, Extra Mich. Grown	oz 15	25 30	40 50	60 1 80	Pie		10 15	10	30
Yellow Globe Danvers, as usually sold Yellow Globe Danvers, Extra Mich. Grown Yellow Danvers	oz. 15 20 15	25 30 25	40 50 45	60 1 80 1 60	Pie R Early Scarlet Turnip, White Tipped		10 15	10 20	30 65
Yellow Globe Danvers, as usually sold Yellow Globe Danvers, Extra Mich. Grown Yellow Danvers Large Yellow Dutch, or Strasb	oz 15 20 15 ourg. 15	25 30	40 50	60 1 80	Pie		10 15	10 20 ½ 1b.	30 65 1b.
Yellow Globe Danvers, as usually sold Yellow Globe Danvers, Extra Mich. Grown Yellow Danvers	oz 15 20 15 15 15 15	25 30 25 25	40 50 45 45 45 30	60 1 80 1 60 1 60 1 60 1 10	Early Scarlet Turnip, White Tipped Early Scarlet Turnip, White Tipped, Forc Wood's Early Frame	5 10 2 ADISH OZ	10 15 2 OZ.	10 20 ½ 1b. 15	30 65 1b.
Yellow Globe Danvers, as usually sold Yellow Globe Danvers, Extra Mich. Grown Yellow Danvers Large Yellow Dutch, or Strasb Prizetaker Extra Early Red Large Red Wethersfield	oz15201515151010	25 30 25 25 25 25 20 20	40 50 45 45 45 30 30	60 1 80 1 60 1 60 1 60 1 10 1 10	Farly Scarlet Turnip, White Tipped Early Scarlet Turnip, White Tipped, Fore Wood's Early Frame Early Long Scarlet, Sho		10 15 2 oz. 15 15 15	10 20 14 1b. 15 15	30 65 1b. 40 45 35
Yellow Globe Danvers, as usually sold Yellow Globe Danvers, Extra Mich. Grown Yellow Danvers Large Yellow Dutch, or Strasb Prizetaker Extra Early Red Large Red Wethersfield White Portugal	oz 15 20 15 15 15 10 10 20	25 30 25 25 25 20 20 35	40 50 45 45 45 30 30 60	60 1 80 1 60 1 60 1 60 1 10 1 10 2 00	Early Scarlet Turnip, White Tipped Early Scarlet Turnip, White Tipped, Forc Wood's Early Frame Early Long Scarlet, Sho Top, Improved	5 10 2ADISH OZ	10 15 2 oz. 15 15	10 20 ½ 1b. 15	30 65 1b. 40 45
Yellow Globe Danvers, as usually sold Yellow Globe Danvers, Extra Mich. Grown Yellow Danvers Large Yellow Dutch, or Strasb Prizetaker Extra Early Red Large Red Wethersfield White Portugal White Globe	oz 15 20 15 15 15 10 10 20 25	25 30 25 25 25 25 20 20	40 50 45 45 45 30 30	60 1 80 1 60 1 60 1 60 1 10 1 10	Farly Scarlet Turnip, White Tipped Early Scarlet Turnip, White Tipped, Fore Wood's Early Frame Early Long Scarlet, Sho	5 10 2ADISH OZ	10 15 2 oz. 15 15 15 15	10 20 14 1b. 15 15 15	30 65 1b. 40 45 35
Yellow Globe Danvers, as usually sold Yellow Globe Danvers, Extra Mich. Grown Yellow Danvers Large Yellow Dutch, or Strasb Prizetaker Extra Early Red Large Red Wethersfield White Portugal	oz 15 20 15 15 15 10 10 20 25	25 30 25 25 25 20 20 35 40	40 50 45 45 45 30 30 60 75	60 1 80 1 60 1 60 1 10 1 10 2 00 2 50	Early Scarlet Turnip, White Tipped Early Scarlet Turnip, White Tipped, Fore Wood's Early Frame Early Long Scarlet, Sho Top, Improved White Strasburg Early Round Deep, Scar Non Plus Ultra	5 10 PADISH Oz. 10 ing 10 10 ort 10 clet 10	10 15 2 oz. 15 15 15 15 15 15 15	10 20 20 15 15 15 15 15 15 15	30 65 1b. 40 45 35 40 40 45
Yellow Globe Danvers, as usually sold Yellow Globe Danvers, Extra Mich. Grown Yellow Danvers Large Yellow Dutch, or Strasb Prizetaker Extra Early Red Large Red Wethersfield White Portugal White Globe Queen, for Pickling	oz	25 30 25 25 25 20 20 35 40	40 50 45 45 45 30 30 60 75	60 1 80 1 60 1 60 1 10 1 10 2 00 2 50	Early Scarlet Turnip, White Tipped Early Scarlet Turnip, White Tipped, Fore Wood's Early Frame Early Long Scarlet, Sho Top, Improved White Strasburg Early Round Deep, Scar Non Plus Ultra Early Scarlet Turnip, R	5 10 ADISH OZ	10 15 2 oz. 15 15 15 15 15 15 15 15	10 20 20 15. 15. 15. 15. 15. 15. 15. 15. 15. 15.	30 65 1b. 40 45 35 40 40 45 35
Yellow Globe Danvers, as usually sold Yellow Globe Danvers, Extra Mich. Grown Yellow Danvers Large Yellow Dutch, or Strasb Prizetaker Extra Early Red Large Red Wethersfield White Portugal White Globe	oz	25 30 25 25 25 20 20 35 40	40 50 45 45 45 30 30 60 75	60 1 80 1 60 1 60 1 10 1 10 2 00 2 50	Early Scarlet Turnip, White Tipped Early Scarlet Turnip, White Tipped, Forc Wood's Early Frame Early Long Scarlet, Sho Top, Improved White Strasburg Early Round Deep, Scar Non Plus Ultra Early Scarlet Turnip, Re	5 10 ADISH OZ	10 15 2 oz. 15 15 15 15 15 15 15	10 20 20 15 15 15 15 15 15 15	30 65 1b. 40 45 35 40 40 45
Yellow Globe Danvers, as usually sold Yellow Globe Danvers, Extra Mich. Grown Yellow Danvers Large Yellow Dutch, or Strasb Prizetaker Extra Early Red Large Red Wethersfield White Portugal White Globe Queen, for Pickling	oz	25 30 25 25 25 20 20 35 40 20	40 50 45 45 45 30 30 60 75	60 1 80 1 60 1 60 1 10 1 10 2 00 2 50	Early Scarlet Turnip, White Tipped. Early Scarlet Turnip, White Tipped, Forc Wood's Early Frame. Early Long Scarlet, Sho Top, Improved. White Strasburg Early Round Deep, Scar Non Plus Ultra Early Scarlet Turnip, R Early White Turnip, R French Breakfast Long White Vienna	5 10 PADISH OZ. 10 ing 10 10 ort 10	10 15 2 OZ. 15 15 15 15 15 15 10 10 15 15	10 20 20 15. 15. 15. 15. 15. 15. 15. 15. 15. 15.	30 65 1b. 40 45 35 35 40 40 45 35 40 40 40 40 40 40 40 40 40 40 40 40 40
Yellow Globe Danvers, as usually sold Yellow Globe Danvers, Extra Mich. Grown Yellow Danvers Large Yellow Dutch, or Strasb Prizetaker Extra Early Red Large Red Wethersfield White Portugal White Globe Queen, for Pickling PARSL Champion Moss Curled	oz	25 30 25 25 25 20 20 35 40 20	40 50 45 45 45 30 30 60 75 35	60 1 80 1 60 1 60 1 10 1 10 2 00 2 50 1 25	Early Scarlet Turnip, White Tipped Early Scarlet Turnip, White Tipped, Fore Wood's Early Frame Early Long Scarlet, Sho Top, Improved White Strasburg Early Round Deep, Scar Non Plus Ultra Early Scarlet Turnip, R Early White Turnip, R French Breakfast Long White Vienna Improved Chartier	5 10 PADISH OZ. 10 ing 10 10 ort 10	10 15 2 OZ. 15 15 15 15 15 15 10 10	10 20 20 15 15 15 15 15 15 15 15 15 15 15 15 15	30 65 1b. 40 45 35 40 45 35 35 40
Yellow Globe Danvers, as usually sold Yellow Globe Danvers, Extra Mich. Grown Yellow Danvers Large Yellow Dutch, or Strasb Prizetaker Extra Early Red Large Red Wethersfield White Portugal White Globe Queen, for Pickling PARSL Champion Moss Curled Fine Triple Curled	oz	25 30 25 25 25 20 20 35 40 20	40 50 45 45 45 30 30 60 75 35	60 1 80 1 60 1 60 1 10 1 10 2 00 2 50 1 25 1b.	Early Scarlet Turnip, White Tipped Early Scarlet Turnip, White Tipped, Forc Wood's Early Frame Early Long Scarlet, Sho Top, Improved Early Round Deep, Scar Non Plus Ultra Early Scarlet Turnip, Re Early White Turnip, Re French Breakfast Long White Vienna Improved Chartier Long Brightest Scarlet,	5 10 ADISH OZ	10 15 15 15 15 15 15 15 10 10 15 15	10 20 20 15 15 15 15 15 15 15 15 15 15 15 15 15	30 65 1b. 40 45 35 40 45 35 40 40 45 35 35
Yellow Globe Danvers, as usually sold Yellow Globe Danvers, Extra Mich. Grown Yellow Danvers Large Yellow Dutch, or Strasb Prizetaker Extra Early Red Large Red Wethersfield White Portugal White Globe Queen, for Pickling PARSL Champion Moss Curled	oz	25 30 25 25 25 20 20 35 40 20	40 50 45 45 45 30 30 60 75 35	60 1 80 1 60 1 60 1 10 1 10 2 00 2 50 1 25 1b.	Early Scarlet Turnip, White Tipped. Early Scarlet Turnip, White Tipped, Forc Wood's Early Frame. Early Long Scarlet, Sho Top, Improved. White Strasburg. Early Round Deep, Scar Non Plus Ultra. Early Scarlet Turnip, Re Early White Turnip, Re French Breakfast Long White Vienna Improved Chartier Long Brightest Scarlet, White Tipped	5 10 ADISH OZ. 10 ing 10 10 ort 10 10 ott 10 ooted 10	10 15 2 0Z. 15 15 15 15 15 15 15 15 15 15 15 15 15 1	10 20 20 15 15 15 15 15 15 15 15 15 15 15 15 15	30 65 1b. 40 45 35 40 45 35 40 45 35 40 40 45 40
Yellow Globe Danvers, as usually sold Yellow Globe Danvers, Extra Mich. Grown Yellow Danvers Large Yellow Dutch, or Strasb Prizetaker Extra Early Red Large Red Wethersfield White Portugal White Globe Queen, for Pickling PARSL Champion Moss Curled Fine Triple Curled Plain or Single	oz	25 30 25 25 25 20 20 35 40 20	40 50 45 45 45 30 30 60 75 35	60 1 80 1 60 1 60 1 10 1 10 2 00 2 50 1 25 1b. 50 40 35	Early Scarlet Turnip, White Tipped Early Scarlet Turnip, White Tipped, Fore Wood's Early Frame Early Long Scarlet, Sho Top, Improved Early Round Deep, Scar Non Plus Ultra Early Scarlet Turnip, Re Early White Turnip, Re French Breakfast Long White Vienna Improved Chartier Long Brightest Scarlet, White Tipped Scarlet China Winter California Mammoth	5 10 PADISH OZ. 10 ing 10 10 ing 10 10 celet 10 cooted 10 cooted 10 cooted 10 10 10 10 10 10 10 10 10 10	10 15 2 OZ. 15 15 15 15 15 15 15 15 15 15 15 15 15	10 20 20 15 15 15 15 15 15 15 15 15 15 15 15 15	30 65 1b. 40 45 35 35 40 40 40 35 40 40
Yellow Globe Danvers, as usually sold Yellow Globe Danvers, Extra Mich. Grown Yellow Danvers Large Yellow Dutch, or Strasb Prizetaker Extra Early Red Large Red Wethersfield White Portugal White Globe Queen, for Pickling PARSL Champion Moss Curled Fine Triple Curled	oz	25 30 25 25 25 20 20 35 40 20	40 50 45 45 45 30 30 60 75 35	60 1 80 1 60 1 60 1 10 1 10 2 00 2 50 1 25 1b. 50 40 35	Early Scarlet Turnip, White Tipped. Early Scarlet Turnip, White Tipped, Forc Wood's Early Frame Early Long Scarlet, Sho Top, Improved White Strasburg Early Round Deep, Scar Non Plus Ultra Early Scarlet Turnip, Re Early White Turnip, Re French Breakfast. Long White Vienna Improved Chartier Long Brightest Scarlet, White Tipped Scarlet China Winter California Mammoth White China	5 10 2 ADISH OZ. 10 10 ing 10 10 ing 10 10 ing 10	10 15 2 0Z. 15 15 15 15 15 15 15 15 15 15 15 15 15	10 20 20 15 15 15 15 15 15 15 15 15 15 15 15 15	30 65 1b. 40 45 35 35 40 40 45 35 40 40 45
Yellow Globe Danvers, as usually sold Yellow Globe Danvers, Extra Mich. Grown Yellow Danvers Large Yellow Dutch, or Strasb Prizetaker Extra Early Red Large Red Wethersfield White Portugal White Globe Queen, for Pickling PARSL Champion Moss Curled Fine Triple Curled Plain or Single	oz	25 30 25 25 25 20 20 35 40 20 20 20 20 5 15 15	40 50 45 45 45 30 30 60 75 35	60 1 80 1 60 1 60 1 10 1 10 2 00 2 50 1 25 1b. 50 40 35	Early Scarlet Turnip, White Tipped. Early Scarlet Turnip, White Tipped, Forc Wood's Early Frame. Early Long Scarlet, Sho Top, Improved. White Strasburg. Early Round Deep, Scar Non Plus Ultra. Early Scarlet Turnip, Re Early White Turnip, Re French Breakfast Long White Vienna Improved Chartier Long Brightest Scarlet, White Tipped. Scarlet China Winter California Mammoth White China Long Black Spanish	5 10 2	10 15 2 OZ. 15 15 15 15 15 15 15 15 15 15 15 15 15	10 20 20 15 15 15 15 15 15 15 15 15 15 15 15 15	30 65 1b. 40 45 35 35 40 40 40 35 40 40
Yellow Globe Danvers, as usually sold Yellow Globe Danvers, Extra Mich. Grown Yellow Danvers Large Yellow Dutch, or Strasb Prizetaker Extra Early Red Large Red Wethersfield White Portugal White Globe Queen, for Pickling PARSL Champion Moss Curled Fine Triple Curled Plain or Single	oz	25 30 25 25 25 20 20 35 40 20 20 20 20 5 15 15	40 50 45 45 45 45 30 30 60 75 35	60 1 80 1 60 1 60 1 10 1 10 2 00 2 50 1 25 1b. 50 40 35	Early Scarlet Turnip, White Tipped. Early Scarlet Turnip, White Tipped, Forc Wood's Early Frame Early Long Scarlet, Sho Top, Improved White Strasburg Early Round Deep, Scar Non Plus Ultra Early Scarlet Turnip, Re Early White Turnip, Re French Breakfast. Long White Vienna Improved Chartier Long Brightest Scarlet, White Tipped Scarlet China Winter California Mammoth White China	5	10 15 2 0Z. 15 15 15 15 15 15 15 15 15 15 15 15 15	10 20 20 21 15. 15. 15. 15. 15. 15. 15. 15. 15. 15	30 65 1b. 40 45 35 35 40 40 35 40 40 45 40

RAPE				TURNIP-Continued	
			10 lb.	oz. 2 oz. ¼ lb	. 1b.
Dwarf Essex, for Sowing	• • • • • •	10	60	Purple Top Strap Leaf	35
RHUBARB				Large Amber Globe	40 40
· oz.	2 OZ,	¼ 1b.	1b.	Purple Top Yellow	10
Linnaeus	20 20	30 30	1 00 1 00	Aberdeen	40
Rhubarb Roots10 each		00 pe		RUTA BACA, or SWEDES	
SALSIFY or VECETABLE	. 07	STE	R	oz. 2 oz. ¼ lb	. 1ъ.
OZ.		¼ 1b.	1b.	American Purple Top Yellow or Long Island	40
Mammoth Sandwich Island 10	20	30	1 00	Sweet Russian or White	35
SPINACH				SWEET HERBS	
1b.			25 lb.	oz. 2 oz. ¼ lb.	1b.
Victoria Long Standing 20		75	3 50	Dill	40
Long Standing Thick-Leaved 20		75 75	3 50 3 50	Sweet Majoram	1 00
Prickly Winter Long Standing20	1	10	3 30	Sage 10 20 35 Summer Savory 10 15 25	1 25
SQUASH		7/11	11.	Thyme	2 00
Mammoth White Bush	2 OZ.	¼ lb.	1b.	Borage	1 00
Scallop10	15	20	65	Chervil	75
Early White Bush Scallop 10	15	20	60	Chives	
Early Yellow Bush Scallop10	15	20	60	Horehound	1 75
Mammoth Summer Crookneck 10	15	20	60 45	Lavender	1 00 3 00
Boston Marrow	15 15	15 20	45 55	Saffron	75
Lohrman's Hubbard10	15	25	80	Wormwood	1 50
Mammoth Chili	20	30	1 00	BIRD OFFICE	
SUGAR CANE				BIRD SEEDS	3 lb.
	_		1b.	Canary10	25
Early Orange	• • • • • •		15	Hemp10	. 25
SUNFLOWER				Rape 10 Mixed Bird Seed 10	25
			1b.	Mixed Bird Seed	25 25
Large Russian			10	Sunflower	25
TOBACCO				Maw	
oz.		¼ lb.	1b.	Millet 5	
Connecticut Seed Leaf20	30	50	1 75	Lettuce 40	
Havana 30	OU	1 00	3 50	Unhulled Rice	
TOMATO					••
Purple Fruited Variet				CLOVER	- 0
OZ.	2 OZ. 40	⅓ 15. 75	1b. 2 50	Per Bushel, Market Price.	1b.
Lohrman's Acme	30	50	1 75	Mammoth or Large Red	
Essex Early Hybrid15	30	50	1 75	Medium Red or June	
Dwarf Champion	35	60	2 00	Crimson or Trefoil	
Livingston's Beauty20	30	50	1 75	White Dutch	
Trucker's Favorite	40	75	2 50	Lucerne or Alfalfa	20 c
June Pink, very early		200	Pkt.	GRASS SEEDS	
Red Fruited Varietie		7/15	11.	Per Bushel, Market Price.	1b.
oz. Earliana 25	2 OZ.	½ 1b.	1b. 2 75	Timothy	10c
Atlantic Prize	30	50	1 80	Orchard Grass	
Livingston's New Stone15	30	50	1 80	Red Top, Fancy, Cleaned	
Ponderosa	40	75	2 50	Blue Grass, Fancy, Cleaned	
Golden Queen	30	50	1 75	Perennial Rye Grass Lohrman's Evergreen Lawn Seed	20 c
Yellow Plum20	30	50	1 75	25c lb., 5 lb. \$1 00, \$4	00 bu.
TURNIP	2 OZ	¼ 1b.	1b.	MISCELLANEOUS	
Extra Early White Milan 10	15	20	60	Per Bushel, Market Price.	1b.
White Egg10	15	15	40	Hungarian Grass	
Purple Top White Globe10	15	15	40	Millet, Common	
Early White Flat Dutch Strap Leaf10	15	15	35	Buckwheat, Silver Hull	
Strap Lear					

THE LOHRMAN SEED CO.'S Evergreen Lawn Grass Seed.



G R A S

A BEAUTIFUL LAWN.

The essentials for a fine lawn are proper drainage, a careful preparation of the soil, thorough rolling, and a selection of the seeds of such grasses as will present a luxuriant verdure from early spring until late in autumn. Our Evergreen Lawn Grass Seed is a compound of grasses which ripen successively, thereby always presenting a green, velvety and cheerful appearance. In order to produce permanent results, first quality goods only must be used. In no branch is it more true than in that of seeds. In our Evergreen Lawn Mixture, one grade—and that the highest—is rigidly adhered to. With the ground carefully prepared, graded and rolled, seed sown at the rate of 80 pounds per acre, and with the lawn then frequently mown and rolled, it is within the reach of everyone to have as fine a lawn as one desires. Old lawns are greatly benefited if given a thorough raking as early in the spring as the weather will permit, and then some fresh seed sprinkled on, which will renew the thin places and spots that have been killed out by weeds or other causes.

The quantity required for making new lawns is about 80 pounds per acre, or for renovating old 1 ns 30 to 35 pounds. For a space 15x20 or 300 square feet, one pound is required for new, or one-half pound for renovation. In order to produce the best results, grass seeds for lawns should be sown at least twice as thickly as if sown

for hay. Sow in March to June, or in September to October.

THE LOHRMAN SEED CO'S EVERGREEN LAWN GRASS.

Packet 10c., ½ lb. 15c., 1 lb. 25c, 5 lbs. \$1.00, per bu. 20 lbs. \$4.00.

SHADY LAWN GRASS MIXTURE.

With this mixture there need be no difficulty in getting grass to grow in the shade, under the trees, etc., as it is a combination of grasses whose natural home is the densest woods of Germany, where it is gathered by hand and from where we import it direct. Lb., 50c.

LAWN AND GARDEN FERTILIZER.

A 10-lb. package is sufficient to go over an area of 15x20 or 300 square feet. To be applied by sowing broadcast during the growing season. Price, I lb. 5c., 10 lbs. 40c., 100 lbs. \$3.00

FERTILIZER FOR HOUSE PLANTS.

It is fine and dry, clean and easy to apply, either sprinkled over the surface of the soil as a top-dressing, or dissolved in water. One teaspoonful is sufficient for one quart of soil, applied every three weeks. Price, I lb. 10c., 3 lbs. 25c.

